

**Prof. Dr. David W. H. Rankin**

University of Edinburgh

School of Chemistry

West Mains Road

Edinburgh EH9 3JJ

U. K.

Telephone: (+44) 131 650 4728

Telefax: (+44) 131 650 6453

E-Mail: d.w.h.rankin@ed.ac.uk

Homepage: <http://www.ged.chem.ed.ac.uk/>

<b>BrNa</b> NaBr	<b>Sodium bromide</b> Structure by ED and ab initio calculations <i>P. D. McCaffrey, D. A. Wann, R. J. Mawhorter, and D. W. H. Rankin</i> Manuscript complete
<b>Br<sub>2</sub>Na<sub>2</sub></b> Na <sub>2</sub> Br <sub>2</sub>	<b>Sodium bromide dimer</b> Structure by ED and ab initio calculations <i>P. D. McCaffrey, D. A. Wann, R. J. Mawhorter, and D. W. H. Rankin</i> Manuscript complete
<b>C<sub>2</sub>H<sub>4</sub>O<sub>4</sub>S<sub>2</sub></b> O <sub>2</sub> -cyclo-S(CH <sub>2</sub> ) <sub>2</sub> S-O <sub>2</sub>	<b>1,3-Dithietane-1,1,3,3-tetraoxide</b> Structure by ED and ab initio calculations <i>D. A. Wann, H. E. Robertson, E. Block, and D. W. H. Rankin</i> Struct. Chem., in press
<b>C<sub>3</sub>H<sub>6</sub>Cl<sub>3</sub>N</b> N(CH <sub>2</sub> Cl) <sub>3</sub>	<b>Tris(chloromethyl)amine</b> Structure by ED and computational methods <i>N. W. Mitzel, J. T. Schirlin, S. L. Masters, D. W. H. Rankin et al.</i> Manuscript in preparation.
<b>C<sub>6</sub>HCl<sub>5</sub></b> C <sub>6</sub> HCl <sub>5</sub>	<b>Pentachlorobenzene</b> Structure by ED and liquid crystal NMR spectroscopy <i>R. Blom, D. A. Wann, D. W. H. Rankin et al.</i> Manuscript in preparation.
<b>C<sub>6</sub>H<sub>2</sub>Cl<sub>4</sub></b> 1,2,3,4-C <sub>6</sub> H <sub>2</sub> Cl <sub>4</sub>	<b>1,2,3,4-Tetrachlorobenzene</b> Structure by ED and liquid crystal NMR spectroscopy <i>R. Blom, D. A. Wann, D. W. H. Rankin et al.</i> Manuscript in preparation.
<b>C<sub>6</sub>H<sub>12</sub>F<sub>6</sub>Si<sub>2</sub></b> CF <sub>3</sub> Me <sub>2</sub> SiSiMe <sub>2</sub> CF <sub>3</sub>	<b>1,2-Trifluoromethyl-1,1,2,2-tetramethyldisilane</b> Structure by ED, X-ray diffraction and ab initio calculations, interpretation of Raman spectra <i>S. L. Masters, D. A. Wann, H. E. Robertson, F. Lennox, D. W. H. Rankin, I. Arnason, K. Hassler et al.</i> Manuscript in preparation
<b>C<sub>7</sub>H<sub>16</sub>Cl<sub>3</sub>PSi</b> (tBu)(iPr)PSiCl <sub>3</sub>	<b>(tert-Butyl)(iso-propyl)(trichlorosilyl)phosphine</b> Structure by ED and ab initio calculations <i>E. Seppälä, W.-W. du Mont, S. L. Masters, D. W. H. Rankin, and H. E. Robertson</i> Manuscript in preparation
<b>C<sub>9</sub>H<sub>24</sub>Br<sub>4</sub>Si<sub>4</sub></b> C(SiMe <sub>2</sub> Br) <sub>4</sub>	<b>Tetrakis(bromodimethylsilyl)methane</b> Structure by ED and computational methods <i>K. Bätz, G. R. Kafka, D. A. Wann, P. D. Lickiss, S. L. Masters, H. E. Robertson, and D. W. H. Rankin</i> Manuscript in preparation
<b>C<sub>9</sub>H<sub>24</sub>Cl<sub>4</sub>Si<sub>4</sub></b> C(SiMe <sub>2</sub> Cl) <sub>4</sub>	<b>Tetrakis(chlorodimethylsilyl)methane</b> Structure by ED and computational methods <i>K. Bätz, G. R. Kafka, D. A. Wann, P. D. Lickiss, S. L. Masters, H. E. Robertson, and D. W. H. Rankin</i> Manuscript in preparation

<b>C<sub>9</sub>H<sub>24</sub>F<sub>4</sub>Si<sub>4</sub></b> C(SiMe <sub>2</sub> F) <sub>4</sub>	<b>Tetrakis(fluorodimethylsilyl)methane</b> Structure by ED and computational methods <i>K. Bätz, G. R. Kafka, D. A. Wann, P. D. Lickiss, S. L. Masters, H. E. Robertson, and D. W. H. Rankin</i> Manuscript in preparation
<b>C<sub>9</sub>H<sub>28</sub>Si<sub>4</sub></b> C(SiMe <sub>2</sub> H) <sub>4</sub>	<b>Tetrakis(dimethylsilyl)methane</b> Structure by ED and computational methods <i>K. Bätz, P. D. Lickiss, S. L. Masters, H. E. Robertson, and D. W. H. Rankin</i> Manuscript in preparation
<b>C<sub>10</sub>H<sub>20</sub>N<sub>2</sub></b> ButN=CHCH=NBut	<b>N,N'-Di-tert-butyl-1,4-diaza-1,3-butadiene</b> Structure by ED and computational methods <i>C. Jones, D. A. Wann, H. E. Robertson, and D. W. H. Rankin</i> Manuscript in preparation.
<b>C<sub>10</sub>H<sub>26</sub>Ga<sub>2</sub>O<sub>4</sub></b> [Me <sub>2</sub> Ga(OCH <sub>2</sub> CH <sub>2</sub> OMe)] <sub>2</sub>	<b>Di-<math>\mu</math>-ethoxydiethoxydimethyldigallium</b> Structure by ED and ab initio calculations <i>C. E. Knapp, D. A. Wann, J. T. Schirlin, H. E. Robertson, C. J. Carmalt, and D. W. H. Rankin</i> <i>Inorg. Chem.</i> , <b>51</b> (2012), 3324
<b>C<sub>11</sub>H<sub>30</sub>Br<sub>2</sub>Si<sub>4</sub></b> C(SiMe <sub>3</sub> ) <sub>2</sub> (SiMe <sub>2</sub> Br) <sub>2</sub>	<b>Bis(bromodimethylsilyl)bis(trimethylsilyl)methane</b> Structure by ED and computational methods <i>K. Bätz, D. A. Wann, P. D. Lickiss, S. L. Masters, H. E. Robertson, and D. W. H. Rankin</i> Manuscript in preparation
<b>C<sub>11</sub>H<sub>30</sub>Cl<sub>2</sub>Si<sub>4</sub></b> (Me <sub>3</sub> Si) <sub>2</sub> C(SiClMe <sub>2</sub> ) <sub>2</sub>	<b>Bis(chlorodimethylsilyl)-bis(trimethylsilyl)methane</b> Structure by ED and computational methods <i>K. Bätz, D. A. Wann, P. D. Lickiss, S. L. Masters, H. E. Robertson, and D. W. H. Rankin</i> Manuscript in preparation
<b>C<sub>11</sub>H<sub>32</sub>Si<sub>4</sub></b> C(SiMe <sub>3</sub> ) <sub>2</sub> (SiMe <sub>2</sub> H) <sub>2</sub>	<b>Bis(dimethylsilyl)bis(trimethylsilyl)methane</b> Structure by ED and computational methods <i>K. Bätz, D. A. Wann, P. D. Lickiss, S. L. Masters, H. E. Robertson, and D. W. H. Rankin</i> Manuscript in preparation
<b>C<sub>12</sub>Fe<sub>3</sub>O<sub>12</sub></b> Fe <sub>3</sub> (CO) <sub>12</sub>	<b>Dodecacarbonyltriiron</b> Structure by ED and ab initio calculations <i>G. R. Kafka, S. L. Masters, D. W. H. Rankin et al.</i> Manuscript in preparation.
<b>C<sub>12</sub>H<sub>30</sub>Ga<sub>2</sub>O<sub>2</sub></b> [Me <sub>2</sub> GaOtBu] <sub>2</sub>	<b>Di-<math>\mu</math>-tert-butoxymethyldigallium</b> Structure by ED and ab initio calculations <i>D. A. Wann, C. E. Knapp, J. T. Schirlin, H. E. Robertson, S. L. Masters, C. J. Carmalt, and D. W. H. Rankin</i> <i>Inorg. Chem.</i> , <b>51</b> (2012), 3324
<b>C<sub>16</sub>H<sub>24</sub>O<sub>12</sub>Si<sub>8</sub></b> Si <sub>8</sub> O <sub>12</sub> (CH=CH <sub>2</sub> ) <sub>8</sub>	<b>Octavinylsilsesquioxane</b> Structure by ED and ab initio calculations <i>D. A. Wann, C. N. Dickson, P. D. Lickiss, H. E. Robertson, and D. W. H. Rankin</i> <i>Inorg. Chem.</i> , <b>51</b> (2012), 3324
<b>C<sub>24</sub>H<sub>72</sub>O<sub>20</sub>Si<sub>16</sub></b> Si <sub>8</sub> O <sub>12</sub> (OSiMe <sub>3</sub> ) <sub>8</sub>	<b>Octakis(trimethylsiloxy)octasilsesquioxane</b> Structure by ED and ab initio calculations <i>D. A. Wann, C. N. Dickson, P. D. Lickiss, H. E. Robertson, and D. W. H. Rankin</i> <i>Inorg. Chem.</i> , <b>51</b> (2012), 3324
<b>FNa</b> NaF	<b>Sodium fluoride</b> Structure by ED and ab initio calculations <i>P. D. McCaffrey, D. A. Wann, R. J. Mawhorter, and D. W. H. Rankin</i>

	Manuscript complete
<b>F<sub>2</sub>Na<sub>2</sub></b> Na <sub>2</sub> F <sub>2</sub>	<b>Sodium fluoride dimer</b> Structure by ED and ab initio calculations <i>P. D. McCaffrey, D. A. Wann, R. J. Mawhorter, and D. W. H. Rankin</i> Manuscript complete
<b>INa</b> Nal	<b>Sodium iodide</b> Structure by ED and ab initio calculations <i>P. D. McCaffrey, D. A. Wann, R. J. Mawhorter, and D. W. H. Rankin</i> Manuscript complete
<b>I<sub>2</sub>Na<sub>2</sub></b> Na <sub>2</sub> I <sub>2</sub>	<b>Sodium iodide dimer</b> Structure by ED and ab initio calculations <i>P. D. McCaffrey, D. A. Wann, R. J. Mawhorter, and D. W. H. Rankin</i> Manuscript complete