

# PlantPal: Leveraging Precision Agriculture Robots to Facilitate Remote Engagement in Urban Gardening

Albin Zeqiri  
albin.zeqiri@uni-ulm.de  
Institute of Media Informatics, Ulm  
University  
Ulm, Germany


Julian Britten  
julian.britten@uni-ulm.de  
Institute of Media Informatics, Ulm  
University  
Ulm, Germany

Clara Schramm  
clara.schramm@uni-ulm.de  
Institute of Media Informatics, Ulm  
University  
Ulm, Germany

Pascal Jansen  
pascal.jansen@uni-ulm.de  
Institute of Media Informatics, Ulm  
University  
Ulm, Germany

Michael Rietzler  
michael.rietzler@uni-ulm.de  
Institute of Media Informatics, Ulm  
University  
Ulm, Germany

Enrico Rukzio  
enrico.rukzio@uni-ulm.de  
Institute of Media Informatics, Ulm  
University  
Ulm, Germany



**Figure 1:** PlantPal is a web application that allows for shared control of a precision agriculture robot (PAR) to enable remote robot-assisted urban gardening for multiple users. a) PlantPal features various field views, dynamic field visualizations, live streams, timelines, and a chat. b) Each user of PlantPal is assigned to their own field plot (a 1m x 1m space) and can remotely execute tasks (e.g., sowing seeds, watering, and weeding) by sending requests to FarmBot [49], an open-source PAR, that was installed on a real garden bed (18m<sup>2</sup>). c) We deployed PlantPal in a 3-week evaluation. After the study period, most participants successfully cultivated various crops on their plots.

## ABSTRACT

Urban gardening is widely recognized for its numerous health and environmental benefits. However, the lack of suitable garden spaces,

demanding daily schedules and limited gardening expertise present major roadblocks for citizens looking to engage in urban gardening. While prior research has explored smart home solutions to support urban gardeners, these approaches currently do not fully address these practical barriers. In this paper, we present PlantPal, a system that enables the cultivation of garden spaces irrespective of one's location, expertise level, or time constraints. PlantPal enables the shared operation of a precision agriculture robot (PAR) that is equipped with garden tools and a multi-camera system. Insights



This work is licensed under a Creative Commons Attribution 4.0 International License.  
CHI '25, April 26-May 1, 2025, Yokohama, Japan  
© 2025 Copyright held by the owner/author(s).  
ACM ISBN 979-8-4007-1394-1/25/04  
<https://doi.org/10.1145/3706598.3713180>

from a 3-week deployment (N=18) indicate that PlantPal facilitated the integration of gardening tasks into daily routines, fostered a sense of connection with one's field, and provided an engaging experience despite the remote setting. We contribute design considerations for future robot-assisted urban gardening concepts.

## CCS CONCEPTS

• **Human-centered computing** → **User studies**; • **Applied computing** → *Computers in other domains*.

## KEYWORDS

Urban Gardening; Sensors; Nature Engagement; Urban Informatics

### ACM Reference Format:

Albin Zeqiri, Julian Britten, Clara Schramm, Pascal Jansen, Michael Rietzler, and Enrico Rukzio. 2025. PlantPal: Leveraging Precision Agriculture Robots to Facilitate Remote Engagement in Urban Gardening. In *CHI Conference on Human Factors in Computing Systems (CHI '25), April 26-May 1, 2025, Yokohama, Japan*. ACM, New York, NY, USA, 21 pages. <https://doi.org/10.1145/3706598.3713180>

## 1 INTRODUCTION

Engagement in urban gardening is considered an effective method to preserve local biodiversity [19, 39, 92], enhance access to fresh produce [37, 69], and improve citizens' mental and physical well-being [15, 84, 95]. Many large-scale political initiatives (e.g., [20, 33]) highlight urban gardening as a key component of broader efforts to expand and enhance green spaces in densely populated cities. Consequently, various research fields, including Human-Computer Interaction (HCI) [13, 28, 59, 60, 78], have investigated strategies to promote urban gardening and re-engage former gardeners.

Prior HCI research surrounding the garden has focused on assisting individuals in developing gardening skills (e.g., [16, 52, 100]), exploring hidden or unnoticed aspects of their gardens (e.g., [14, 85, 94]), and fostering social connections among gardeners (e.g., [60, 87]). Numerous studies have proposed smart automation or sensor kits (e.g., [2, 60, 87, 100]) to enhance precision in plant care and improve gardeners' expertise by providing additional information [78]. Approaches leveraging smart gardening devices have likewise been proposed to facilitate collaboration and task management in community gardens [28, 30, 78]. While these strategies effectively support individuals who are already regularly involved in gardening, they fall short of making consistent engagement in gardening more approachable or feasible for the broader population. As related research suggests, primary barriers for citizens interested in gardening extend beyond lacking knowledge or coordination [41, 82]. Especially in confined urban environments, they include practical challenges such as lacking availability of spaces suitable for urban gardening (i.e., backyards or balconies) [3, 21, 22, 41, 81, 82], hectic daily schedules [21, 82], limited tolerance for the physical demands of gardening [41], or inconsistent motivation [21, 54]. These factors, frequently in combination, have been shown to discourage individuals interested in gardening or those who have previously tried it from re-engaging [41]. The question of how technological advances can be leveraged to shape alternative urban gardening experiences that are more accessible to a broader audience remains

under-addressed in current research.

In this paper, we introduce PlantPal, a system designed to facilitate on-demand access to and the cultivation of garden spaces regardless of an individual's location, expertise, or time limitations. At the core of PlantPal is a remotely controllable Precision Agriculture Robot (PAR) named FarmBot [49], equipped with essential gardening tools and resources, enabling it to perform a range of gardening tasks on demand (Fig. 1b). PlantPal also features a multi-camera setup that provides real-time visual feedback, allowing users to verify the PAR's actions and monitor plant health and growth progress on the field. As users cultivate their gardens using PlantPal, the sampled data are used to create digitally augmented visualizations, including detailed field views, plant growth time-lapses, and event timelines for one's field plot (Fig. 1a). Additionally, by utilizing a PAR as a shared resource among multiple users, PlantPal allows up to 18 people to cultivate their garden plots simultaneously. The design of PlantPal followed a three-step process. We reviewed existent literature surrounding urban gardening, technology-mediated nature engagement in HCI, and Human-Robot Interaction (HRI). Based on this knowledge, we ideated by mapping PARs' capabilities against current challenges preventing participation in urban gardening. We conducted a formative survey (N=42) to probe stances toward aspects resulting from our initial mapping (e.g., remote engagement in urban gardening and collaboration with PARs). Leveraging the acquired feedback, we derived three design goals that guided the design and implementation of PlantPal.

We deployed our prototype (Fig. 1c) on a real garden bed (18m<sup>2</sup>) during a 3-week field study (N=18) to understand how users engage with PlantPal and probe how the introduction of remote interaction with a gardening bed using PARs affects users' connectedness to their plots, longitudinal engagement, gardening success, and perceptions urban gardening. Our findings indicate that PlantPal facilitates the integration of garden cultivation into daily routines, provides an engaging experience, and increases gardeners' perceived connectedness to their fields, despite the remote setting. Additionally, we found trends suggesting that the degree to which PAR automation capabilities are leveraged may impact gardeners' perceived connectedness and longitudinal engagement with remote urban gardening. Based on the development and evaluation of PlantPal, we derive design considerations relevant to the design of future PAR-enabled urban gardening concepts. In summary, we contribute the following:

- (1) The development of PlantPal, a proof-of-concept system leveraging shared control over a PAR to enable remote cultivation of a real garden plot for multiple users. The setup offers a flexible control approach between the user and the PAR, offering dynamic adaptability to individual schedules while digitally augmenting the visualization of plant growth to enhance engagement and accessibility.
- (2) Insights from a 3-week exploratory deployment of PlantPal (N=18) indicating gardening success, an engaging and satisfying user experience, and connectedness to a garden despite a fully remote setting.

- (3) Design considerations for future PAR-enabled urban gardening concepts and fully remote technology-supported nature experiences, addressing free exploration, risk of destruction, sustainable resource use, and digital augmentation.

## 2 BACKGROUND AND RELATED WORK

The development of PlantPal is grounded in related research on challenges of citizens looking to pursue urban gardening, HCI approaches aiming to enhance gardening practices, and HRI with PARs.

### 2.1 Challenges Related To Urban Gardening

Urban gardening encompasses all the practices related to growing food within and near cities, from inner city allotments and community gardens to periurban off-ground cultivation [34]. Going by this definition, practices such as backyard, allotment, rooftop, balcony, and community gardening are included under the broader umbrella term of urban gardening. Engagement in urban gardening is connected to numerous benefits, such as enhancing well-being and food resilience [15, 37, 69]. Much research on urban gardening focuses on understanding the motivations, strategies, goals, and challenges of citizens who actively engage in urban gardening or intend to do so (e.g., [30, 57, 82, 87]). Prior work has identified a wide range of motivations, including practical, intrinsic, and aesthetic factors [64]. According to Murtagh and Frost [64], practical motivations often center around food production and promoting biodiversity, while intrinsic motivations typically involve personal pleasure and enjoyment throughout the growing process. Additionally, aesthetic motivations encompass the desire to shape one's environment and are known as key driving factors. Previous research has demonstrated that, despite strong motivations, the ability to act on intentions to cultivate an urban garden is often accompanied by various challenges [40, 41, 46]. A common issue is the lack of accessible spaces for urban gardening [3, 21, 22, 39, 41, 82]. Previous studies have additionally noted the unequal distribution of green spaces between lower- and higher-income neighborhoods in large cities [35, 55, 65]. Gardening also demands knowledge of crop seasonality, the required frequency of plant care tasks, and the ability to assess plant health throughout the growth cycle. Lacking such knowledge has been shown to impede crop cultivation success [17, 41], which can, in turn, diminish motivation, especially for novice gardeners [21]. For those aiming to engage in urban gardening consistently, integrating this practice into their daily routines is a key consideration. Grassroots initiatives like urban community gardens, where individuals share gardening spaces, aim to reduce barriers and foster social connection [46, 87]. Research indicates that interest in these gardens has increased recently despite a temporary decline during the COVID-19 pandemic [12]. Community gardens provide opportunities for members to share knowledge, support those new to gardening, and manage tasks collaboratively, addressing challenges such as the lack of private green space and limited gardening experience. However, community gardens are always accessible [46].

### 2.2 Supporting Gardening Through Technology

In HCI research, various works have focused on understanding and supporting gardeners, not just in urban settings. Research on urban gardening often includes ethnographic studies of practices, traditions, and challenges in private and community gardens (e.g., [30, 59]). A key focus of this research has been exploring how technology can be introduced to better support gardeners in their activities [78]. Understanding where and when technology may enhance gardening or any nature engagement experience is crucial as the introduction of technology also has the potential to diminish nature experiences [11, 24, 51]. Since gardening encompasses activities and experiences that go beyond the cultivation of plants, technological support should extend to various aspects beyond the gardening process itself. In a literature mapping, Rodgers et al. [78] show that technical approaches surrounding urban gardening primarily aim to teach gardening skills, support the connection and coordination between gardeners, and reduce resource waste. Technologies used to support urban gardeners and gardening communities frequently fall under the broader category of IoT technologies [78], including smart irrigation systems [2, 60, 73] and sensory toolkits [52, 100] to monitor plant health markers. For instance, GrowKit [100] or WeSense [52] leverage smart sensors to educate users on plant health. With "Connected Roots", McDonald [60] demonstrated how automated irrigation systems linked across multiple units in a residential building can facilitate interactions among residents interested in gardening. This approach exemplifies how automation can be used to assign new social value to a typically repetitive gardening task. When and where to incorporate technology to support gardening experiences has also been a research concern in the past. Additionally, a growing body of research explores ways to strengthen human-nature relationships [78, 98]. For example, Vella et al. [94] demonstrated using camera traps to help citizens observe and reflect on backyard ecosystems, while Soro et al. [85] proposed using technology-mediated auditory experiences to raise awareness of local bird species and foster a sense of connectedness with local biodiversity [14, 85]. These works do not directly address the topic of urban gardening in the sense of crop cultivation. However, they focus on non-human actors and habitats users may create through gardening.

In summary, prior work investigating how the introduction of technology may support the gardening endeavors of urban dwellers has focused on enhancing gardening skills, facilitating social interactions and coordination between gardeners, promoting sustainability through resource-efficient practices and monitoring tools, and aspects that go beyond the process of plant cultivation. In the context of urban gardening, technology has been successfully employed to enhance gardeners' capabilities. However, as highlighted in the previous section, many users express interest in gardening but are hindered by practical barriers. Addressing the needs of these individuals requires shifting from *enhancing capabilities* to *creating opportunities* through technology.

### 2.3 Collaboration with Agriculture Robots

Previous HCI research on enhancing gardening capabilities has primarily used traditional smart gardening devices. However, recent

advances in precision agriculture enable technology to take a more active role in gardening. PARs are autonomous or semi-autonomous systems designed to perform tasks such as planting, watering, weeding, and monitoring crop health [10, 93]. The scale at which PARs are deployed, whether in small gardens or large fields, affects their size, functionality, and user interaction. Larger PARs manage extensive farm operations [72], while smaller ones are suited for local urban settings [38]. Small-scale consumer PARs such as FarmBot are often fixed in private backyards and do not require significant movement outside the designated field. Remote controllability allows users to interact with these PARs on-demand, whether nearby or at a distance [93]. Control methods for PARs vary depending on task complexity and environmental conditions [43, 99]. Fully autonomous PARs handle simple tasks like irrigation, while more complex tasks use semi-autonomous control, where human intervention is needed for decision-making [93]. High-precision tasks, such as pruning or inspection, rely on teleoperation, with human operators remotely guiding the PAR step by step. Similar mixed-initiative approaches are commonly found in HRI research [31, 99]. As previously mentioned, crop cultivation requires consistent management of gardening tasks. PARs are able to execute tasks like watering [63, 67], pruning [1], harvesting [7, 25], monitoring [23, 58], and mapping [18], often necessitating specialized hardware [93]. Small-scale PARs, like those designed for individual consumers, are often built to handle various gardening tasks, prioritizing user convenience. The aforementioned factors (i.e., scale, interaction proximity, tooling) additionally influence how PARs visualize information for the user. Effective information communication is important for maintaining situation awareness, trust, and acceptance [68] across diverse tasks, settings, and interaction strategies. Meta-analyses from HRI and HCI highlight the importance of minimalism and simplicity, ensuring consistency while delivering only relevant information [43, 99]. The level of detail is largely influenced by the task, control strategy, and user expertise. For instance, users of commercial PARs may require less detailed information than remote operators managing large-scale farming tasks with drones.

In urban gardening, using PARs for collaborative interaction introduces novel concepts, such as fully remote engagement, due to the broad range of tasks PARs can manage. Prior work, such as Webber et al. [98], comprehensively reviewed the literature on technology-mediated nature engagement, finding that approaches vary across the dimensions of distance and directness. In distant settings, engagement often involves interactive videos [83], abstract representations [77], or computer-generated depictions [53]. Shared PARs represent a novel form of distant nature engagement, where remote engagement with a robotic actor leads to tangible physical changes in the environment. Further, discourse about the effects of PARs deployed at scale in future cities is already emerging (cf. [38]). Therefore, investigating interaction with PARs for urban gardening could open new research spaces and facilitate the design of novel urban greening strategies. The following sections detail how PlantPal adopts this approach and addresses common barriers to urban gardening participation.

### 3 DESIGNING AND IMPLEMENTING PLANTPAL

In the following, we detail the user-centered design process [66] used to develop PlantPal. We first describe the derivation of our initial concept and then explain the hardware setup and software implementation of PlantPal.

#### 3.1 Design Rationale

By reviewing prior studies surrounding urban gardening, we provided an overview of barriers that prevent engagement with urban gardening. The development of PlantPal aimed to create a novel PAR-enabled urban gardening experience for individuals interested in gardening but who find it too inaccessible or impractical to pursue. Shared control over a PAR to cultivate gardens remotely has remained unexplored in prior work (see Section 2.2), leaving the design of such a system ambiguous. We initially set out to define design goals to guide the development of PlantPal. In this process, we began by mapping the capabilities of current PARs (see Section 2.3) to the challenges urban gardeners face (see Section 2.1). The aim was to systematically align and ideate the technological possibilities of PARs with urban gardeners' real-world needs and challenges. Each mapping included an explanation of how a PAR capability could address a specific challenge (*Challenge: Availability of suitable spaces* → *PAR capability: remote controllability* → *Leverage remote control capabilities to facilitate on-demand access to a field managed by a PAR*). Two authors first independently generated and iteratively refined these mappings, resolving conflicts through discussion. Aside from mappings surrounding immediate and continuous interaction with a potential garden space, ambiguities remained around balancing automation, user control, and information communication. For example, remote access to a distant green space may bridge the unavailability of nearby green spaces. Still, preferences for active involvement may vary depending on users' gardening expertise, goals, motivations, and how comfortable they feel about having control over a shared PAR.

#### 3.2 Formative Survey

We conducted an online formative survey (N=42) to gather user perspectives on remote collaboration with a PAR and preferences for addressing ambiguities in the previous challenge-capability mappings.

**3.2.1 Survey Design.** After filling out consent forms, the formative survey began with demographic questions. Participants were then presented with a list of barriers identified from our review of urban gardening literature and asked to indicate which barrier primarily prevents them from engaging in urban gardening. The main section of the survey focused on understanding participants' views on collaborating with PARs to cultivate garden spaces remotely. Given that consumer PARs are not widely known, we included a segment with visual depictions of FarmBot, and its capabilities. We then introduced the concept of using PARs to enable remote experiences in a shared garden. This was followed by various statements gauging expectations regarding the role of PARs in decision-making, additional functionalities other than gardening tasks, and the potential

for sharing the robot as a resource among multiple gardeners. Statements were rated on a 7-point Likert scale. Afterward, participants were asked to briefly describe concerns and opportunities they saw with our concept.

**3.2.2 Participants.** We recruited participants from Prolific<sup>1</sup>, which has been shown to provide reliable data [74] and further allows for participant filtering. Initially, 50 participants were recruited, of whom eight failed attention checks (according to Prolific guidelines<sup>2</sup>), leaving 42 participants. Their ages ranged from 20 to 71 years ( $M = 30.80$ ,  $SD = 10.06$ ). 22 participants identified as female, and 20 participants identified as male. Regarding occupation, 24 participants were employed, 7 were self-employed, 6 were students, 4 were out of work, and 1 was retired. Thirteen participants held a bachelor's degree, 12 completed high school, 12 held a master's degree, and 5 held no formal degree. Participants resided in various living environments: 25 in urban areas, 13 in suburban areas, and 4 in rural areas. Our sample consisted of participants who (1) self-reported interest in pursuing gardening and (2) were unable to do so to their liking at the time of the study. The most frequently reported barrier in our sample was lacking access to green spaces (67.60%), similar to related literature (e.g., [21, 40, 41]).

**3.2.3 Collaborating with PARs.** We analyzed how user ratings were distributed to understand how preferences varied across previously identified context-dependent aspects of the proposed concept. Results indicate that preferences for control initiatives differed considerably. Statements proposing the PAR take full initiative in gardening tasks, with users as spectators, were more frequently met with reservations. More precisely, 40.54% of participants agreed with this notion, while 59.46% disagreed. In contrast, 45.95% of participants preferred taking the initiative in gardening decisions, with the robot merely serving as an "extended arm" to access gardening spaces, while 29.73% disagreed and 24.32% were undecided. Statements proposing a hybrid approach, where the robot simplifies repetitive tasks such as watering and reviews user actions, while the user takes the initiative for more complex tasks such as deciding on the removal of weeds, received the most agreement (75.68%). 80.95% of participants welcomed the notion of using a PAR as a shared resource among multiple gardeners, while 19.05% disagreed.

**3.2.4 Remote Garden Cultivation.** Participants provided brief free-text responses about opportunities and concerns regarding remote garden cultivation. Our goal in analyzing the qualitative data was to identify expressed opportunities and concerns and assess their relevance. We did so by inductively coding responses as one or more keywords to summarize the main opportunities or concerns. Similar to Elliott [32], we then counted occurrences of keywords to indicate their relevance within our sample. The coding was done in a joint session by two authors (result: 30 codes). Codes were discussed and merged in the same joint session, resulting in 17 codes. To convey the trends of our data, we present the most frequent sentiments supported by excerpts from the feedback and their incidence (see supplementary material for the full code list). Participants expected

PAR-supported remote garden cultivation to potentially raise *efficiency* (30x), produce larger *yields* (10x), and increase *accessibility* (10x). While efficiency and accessibility of remotely managing a garden were appreciated ("[...] allows for more people to take control of growing their own plants/food etc. within society as there is a bit less maintenance and time required" (P14)), reservations were also expressed ("It may induce dependence on technology, a lot of expenses, lack of direct benefits from gardening, perception of the nature as something totally uncontrollable" (P36)). Destruction (15x) ("That it may malfunction and damage the beds and vegetables." (P15)) and disconnectedness from nature (15x) ("Disconnection from nature due to less interaction with plants; expensive technology." (P38)) were the most mentioned concerns. Notably, this has been highlighted as a concern in prior literature as well [51, 78]. Participants further note that PAR-supported gardening would not be considered a replacement for gardening but rather an alternative ("I don't have a garden so I think it's useful for that but this is more like its own thing to me. I can garden but it's a different gardening" (P41)). This alternative way of garden cultivation may change *perceptions* (10x) of gardening to be "only about the result at the end." (P2).

**3.2.5 Design Goals.** Our initial analysis of matching PAR capabilities and urban gardening challenges, along with preferences and concerns shared by users in the formative survey, informed the following design goals.

**D1 Remote On-Demand Access.** Spaces suitable for gardening are often not equally distributed [35, 55, 65] or otherwise not accessible. From our initial matching of PAR capabilities with gardeners' challenges (cf. Section 3.1), we conclude that PlantPal should function as a fully remote concept on a consistently available private device. This concept can facilitate shared interaction with a distant garden irrespective of physical presence.

**D2 Adaptable Initiative in Decision-Making.** Preferences regarding automation and control initiative between a human user and PAR did not indicate that one specific control initiative was preferred over the other (cf. Section 3.2.3). We conclude that PlantPal should foster flexibility, allowing users to calibrate their preferred control initiative according to their goals, preferences, expertise, and contextual factors.

**D3 Meaning Beyond Execution of Gardening Tasks.** Participants voiced concerns about absent direct interaction with a garden leading to disengagement from nature and potential destruction (cf. Section 3.2.4). They further view PAR-supported remote gardening as an alternative to traditional gardening rather than a replacement. We conclude that PlantPal should provide ways to engage with gardening beyond the execution of plant care tasks. PlantPal should aim to balance the introduced remoteness (D1) and foster a sense of ownership and connection to one's garden space, avoiding adverse disengagement as noted in our formative survey and prior literature (e.g., [11, 24, 26]).

The following sections outline the technical setup of PlantPal and detail the software implementation, highlighting the integrated strategies and their alignment with the design goals.

<sup>1</sup><https://www.prolific.com/> Accessed: 24/01/25

<sup>2</sup><https://researcher-help.prolific.com/en/article/fb63bb> Accessed: 24/01/2025



**Figure 2:** An illustration showing the hardware components of PlantPal. We installed a PAR (FarmBot) on a real garden bed and extended its camera system (originally including only the borescope camera) to provide multi-view monitoring (cameras A, B, and C). FarmBot executes gardening tasks using various tools held in a tool bay at a fixed location on the garden bed.

### 3.3 Technical Setup

As discussed in Section 2.3, PARs designed for individual consumers are beginning to emerge. While many are still in the prototypical phase, their availability for open-source development makes them suitable platforms for PlantPal. To enable remote on-demand garden interaction, PAR prototypes should support diverse gardening tasks and allow hardware and software extensions. We selected FarmBot (Genesis XL model), an open-source PAR, as the foundation for PlantPal. FarmBot is designed for small-scale gardening and can execute seeding, watering, weeding, and sensing (e.g., soil moisture) actions [48]. Its open-source framework allows for customization and integration of additional features, aligning with our purposes.


**3.3.1 Movement.** FarmBot operates on a track-based platform similar to a standard CNC device, enabling movement across the X, Y, and Z axes (Fig. 3) with four NEMA 17 stepper motors [50]. These motors, in combination with a belt pulley system, convert rotational motion into precise linear movement, allowing the robot to navigate the garden bed accurately for tasks like planting, watering, and weeding. Typical of platforms using track-based movement, the area the robot operates within is mapped as a Cartesian coordinate system, with movements specified as three-dimensional coordinates.

**3.3.2 Execution of Tasks.** FarmBot performs tasks as sequences, utilizing five specialized tools for watering, seeding, weeding, and

sensing [48]. The Z-axis head of the robot is equipped with a universal tool mount (UTM) featuring twelve electrical connections and magnets. The tools are stored at a fixed location in the field, where a tool bay is installed (Fig. 2). The tool pickup process is the same for all gardening tasks.

The robot moves to the tool's position, lowers its tool mount to connect via magnets, and establishes an electrical connection through the pins (Fig. 4). For example, to execute a watering task, the robot first retrieves the watering nozzle by moving to its location, mounting it, and then moving to the designated location to disperse water. The electrical connection between the tool head and the mount enables more complex tasks, such as seeding and weeding. In the case of seeding, the tool head consists of a needle connected to a vacuum pump. After mounting the seeding head, movement to the seed container is initiated. The tool is then lowered while activating the vacuum pump to capture a seed that is transported to the designated planting spot. A rotary motor is used to cut weeds and trim overgrown or weak crop parts.

**3.3.3 Built-in Sensors.** To enable continuous monitoring of the garden bed, FarmBot collects input through two key sensors. First, one of the tool heads includes a soil moisture sensor [50], which provides data to visualize the current moisture saturation. This can be used to adjust watering schedules, suspending them during rain if soil moisture is sufficient. Second, for scanning, mapping, and visualizing the current growth status of the garden, FarmBot uses




**Figure 3: FarmBot moves on a track-based setup as shown in a). This allows for movement across three dimensions: X-axis movement in b), Y-axis movement in c), and Z-axis movement in d).**

a USB borescope camera mounted on the Z-axis next to the tool mount (Fig. 2). The camera captures images to assess field depth and optimize Z-axis movements for tasks such as seeding, where accurate soil height is essential. Furthermore, these images provide a static visual representation of the current condition of the garden bed.

**3.3.4 Extended Multi-Camera System.** The built-in borescope camera enables basic plant monitoring but captures single moments, lacking continuous traceability of the robot's actions. This limitation restricts users' ability to fully understand the robot's activities in the field, particularly in a remote gardening setting, where continuous monitoring is critical to maintaining an understanding of ongoing robot actions [93] or encounters with non-human actors [94]. To address this, we extended FarmBot's camera system with a customized multi-camera setup featuring three additional cameras, bringing the total to four. Each camera is built around a Raspberry Pi 4B<sup>3</sup> with an attached camera module, positioned to maximize coverage (Fig. 2). Camera A, equipped with a 180° fish-eye lens, was placed at a distance to give an overview of the robot and its position within the field, showing its overall operation. Camera B was positioned on the tool bay's side to capture the robot's home position, allowing users to verify tool pickups and understand the tool attachment process during tasks. Camera C, identical to Camera A and located at the center of the Y-axis, used a 180° fish-eye lens to provide a detailed view of the area, compensating for the borescope camera's limited coverage. This multi-camera system provides a comprehensive overview of plant growth, the robot's actions, and the spatial context of the field. We designed 3d printable waterproof cases to fit the mounting positions on the robot. The FarmBot's two additional 24V pins were used as power supplies for our camera system. The camera streams were made accessible

<sup>3</sup><https://www.raspberrypi.com/products/raspberry-pi-4-model-b> Accessed: 24/01/2025



**Figure 4: The universal tool mount (UTM) component on FarmBot (a) allows to establish an electrical and magnetic gardening tasks (b)**

online via a web server (Ubuntu 20.04 LTS), running a MediaMTX media proxy<sup>4</sup>.

### 3.4 The PlantPal Web Application

To control the FarmBot, a fully open-source web application is already provided by the developers<sup>5</sup>. With it, users can fine-tune settings, create custom sequences/routines, and obtain visualizations of their gardens. Like most CNC control applications, the integrated functions favor tech-savvy users interested in fine-tuning the system and exploring its functionalities. Further, FarmBot's innate web application does not foresee multiple users' shared use of one robot. Instead, it is designed to provide control to one nearby user who owns the robot. Inspired by the existent web application, we sought to implement a customized version that enables the shared use of one FarmBot. Additionally, this enabled us to align control mechanisms, visualizations, and field design mechanisms with the design goals outlined in Section 3.2.5. Our full-stack web application, PlantPal, was implemented using Nuxt3<sup>6</sup> and VueJS<sup>7</sup>. VueJS was used for frontend development, while Nuxt3 was used for backend development. To ensure reliable management of multiple users and logging of user actions, we used a MySQL database. To communicate with FarmBot, PlantPal further leverages the FarmBotJS and OpenFarm API [47]. Interacting remotely with a garden plot by collaborating with a PAR allows for always-accessible and on-demand engagement with urban gardening. Further aligning with *D1*, PlantPal's design was optimized for mobile devices to ensure that access to the PAR and the multi-camera system can be achieved at any point throughout the day.


**3.4.1 General Overview.** To use PlantPal, each user receives an individual user account with personalized log-in information. Upon login, the user is first given a general overview of the layout and functionalities. As shown in Fig. 5, PlantPal featured a two-row layout where the top row represents a map view of the field and the bottom row provides UI elements that consist of additional relevant information such as the weather at the field's location,

<sup>4</sup><https://github.com/bluenvirom/mediamtx> Accessed: 24/01/2025

<sup>5</sup><https://github.com/FarmBot/FarmBot-Web-App> Accessed: 24/01/2025

<sup>6</sup><https://nuxt.com/> Accessed: 24/01/2025

<sup>7</sup><https://vuejs.org/> Accessed: 24/01/2025



**Figure 5: An overview of the PlantPal web application. It is optimized for mobile use to make it accessible on demand. a) The global field view provides an overview of all fields on the PlantPal field. Users can use scrolling and dragging gestures to zoom into other gardeners' plots and review what they have planted. b) Similarly, a personal field view is provided that is focused on the execution of gardening tasks, designing a garden layout, and reviewing progress. c) At any time, users can active a live stream that enables real-time monitoring from three different perspectives. Displaying the live stream at the bottom allows for parallelization between virtual and real-world aspects. d) Using the timeline, users can review their own decisions or, if they chose a higher automation level, the action that the PAR performed during their absence. e) Lastly, a chat was implemented as a way for conflict resolution between gardeners and to support social interaction more broadly.**

daily plant care tasks, plant care actions (e.g., weeding, seeding, and watering), and access to the multi-camera live stream. The top row can assume two states: a (zoomable) full-field overview or an already zoomed-in field view focusing on one's personal plot. The following section elaborates on strategies developed to address the established design goals.


**3.4.2 Control Strategies.** FarmBot is typically configured such that users can set timed routines for watering, seeding, and weeding tasks. However, customized control strategies were required in our multi-user, remote gardening approach to offer flexibility between more active and passive control. Leaning on existent robot control strategies (e.g., [70, 71, 93]), we implemented three control modes: (1) *Manual*, (2) *Hybrid*, and (3) *Automated*. Each mode balances initiative in decision-making differently between the user and the robot. Using *Manual* mode, users control all key decisions, such as where to sow seeds, water, or remove weeds, with the robot merely executing tasks and offering *non-binding* warnings, such as when seeds are sown too close together. In contrast, *Automated* mode permits FarmBot to manage *all tasks* autonomously, with users serving as spectators except during planting, where users can choose the crops they would like to plant. At the same time, the location-based algorithms determine the optimal position instead of the user. In *Hybrid* mode, the robot takes a more active role in decision-making. While users still guide tasks, such as selecting plant types, the robot intervenes to prevent mistakes (*i.e. non-binding warnings turn into binding restrictions going from Manual to Hybrid*). For instance, it will stop the user from planting seeds too close together or watering excessively. This mode requires less fine-grained decision-making from the user, with the robot ensuring that critical gardening errors

are avoided while still allowing the user to know when and if tasks should be executed. PlantPal allows users to switch between these modes based on their willingness or ability to take initiative in decision-making for tasks related to plant health. *PlantPal does not automatically adapt* the modes based on user profiles or behavior as changing between control modes already adapts the options and restrictions PlantPal provides. The flexible switching mechanism aligns with the aims outlined in *D2* as the user can freely choose their level of involvement.

**3.4.3 Digital Augmentations of the Gardening Process.** PlantPal incorporates a variety of visualizations designed to augment the remote gardening experience to provide alternative perspectives unique to the remote setting. While PlantPal allows users to trigger actions on garden plots from anywhere remotely, our formative survey revealed concerns about establishing a personal connection with the plants and field. Drawing inspiration from recent work on technology-supported nature engagement, highlighting that distant interaction can offer alternative experiences distinct from in-person engagement [53, 83, 98], we designed PlantPal to embrace this notion, especially in connection to *D3*.

PlantPal provides several digital augmentations. One feature is the daily capture of field images by FarmBot, offering users concurrent insight into the current state of their garden. These images are overlaid with practical information, such as the exact locations of newly planted seeds, even when only soil is visible until germination. Leaning on Farmbot's innate web application [47], we visualize expected plant growth through dynamic growth circles to offer a predictive view of how large each crop will grow. This allows users to manage present tasks and anticipate future developments.





**Figure 6: The degree of detail and realism regarding field visualizations can be dynamically adapted. a) shows how a photo grid overlay can be visualized for the global field. Similarly, b) showcases this for a personal field plot.**

Additionally, daily images are saved and compiled into a time-lapse, which extends as the user interacts with their field over time. Using the field visualization, users can play this time-lapse at any point. Building on prior research (e.g., [76, 83]), this feature aims to encourage reflection on past developments leading to the present state. In-person gardening, by contrast, typically focuses on the immediate present as gardeners physically interact with their plants in real-time, responding to visible needs such as watering or weeding as they arise. Users can toggle between abstract views and detailed real-time representations of their garden. Inspired by FarmBot’s web interface, PlantPal’s switching mechanism lets users choose their preferred degree of detail between data-rich or abstract representations. We argue that this approach aligns with the crop cultivation process, as gardeners may require detailed information for decision-making when plant care actions are executed, while at other times, they may only need to check on the field to verify its current state without needing comprehensive data. This flexibility is designed to enable seamless personalization of the user experience when interacting with PlantPal.

**3.4.4 Inter-Gardener Relations.** While for some individuals, gardening is primarily outcome-focused (e.g., harvesting crops) [37, 69], others emphasize the process, which encompasses more than the physical care of plants [11, 24]. Social interaction, especially in urban community gardens, is a key component of the gardening experience, fostering communication and collaboration among gardeners [27, 36, 44]. Our formative survey indicated that participants viewed shared features as important for a system like PlantPal, which facilitates remote engagement with garden spaces. Gardening with PlantPal mirrors aspects of traditional shared gardens, where users manage individual plots in a shared space. In community gardens, collaboration often involves knowledge exchange and coordinated plant care [97]. PlantPal, however, introduces a PAR as a *constant gardening partner*, adding a unique dynamic. While the PAR is a shared resource, effective communication remains relevant, especially as users may engage at varying control levels (*Manual, Hybrid, Automated*). Conflicts may arise when gardeners operate differently. For instance, users in *Manual* mode might plant near plot borders, causing overgrowth into neighboring spaces and impacting others. To resolve such issues, PlantPal includes a chat function for direct communication among gardeners sharing

the robot (Fig. 5). Additionally, PlantPal implements a First-Come-First-Served task queue to manage access when multiple gardeners request the robot within a short time. The global field view and event timelines (Fig. 5) allow users to monitor each other’s progress and the field’s overall state. In PlantPal’s current implementation, users cannot edit the progress shared with others. This decision prevents scenarios where users hide information, which could distort the visual representation of progress on the global field and potentially lead to demotivation due to excessive hidden data. The above aspects align with *D3*, providing a dimension of engagement beyond gardening tasks.


## 4 EVALUATION

To explore how users interact with PlantPal and assess the impact of robot-assisted garden cultivation on gardening outcomes, users’ connection to their plots, and attitudes toward urban gardening, we conducted a 3-week exploratory field study.

### 4.1 Study Design

Recent research suggests that longitudinal studies investigating the effects of technology-supported interactions with natural environments remain rare [98]. We deployed FarmBot on an 18m<sup>2</sup> field near our institute, dividing it into 18 plots (1m×1m) assigned to participants. In our freestanding setup without protective structures (e.g., greenhouse), we evaluate PlantPal over 3 weeks under real-world conditions. Participants were told that they could use PlantPal to design a personalized garden layout and cultivate their assigned plots over the study period. The study was conducted at the Botanical Garden of the University of Ulm, Germany, and participants were compensated with €30,00. The study was carried out in full compliance with the ethical guidelines and regulations established by the university’s review board.

**4.1.1 Measures.** For quantitative metrics, we assessed participants’ connection to their field using the Inclusion of Other in the Self (IOS) Scale [4, 5]. We also used subscales from the Environmental Attitude Inventory (EAI) [62] to assess views on perceived enjoyment, alteration, conservation, and dominance over nature. These scales assessed shifts in participants’ perceptions of technology use in natural environments, their roles, and green self-perception




**Figure 7: Illustration a) shows the distribution of participants on the virtual field and b) the same distribution on the real garden bed as sampled from the PlantPal app (top-down view).**

related to cultivating a garden. Our formative survey highlighted enjoyment of and connectedness to nature as concerns (cf. Section 3.2.4). These measures enabled us to determine how effectively PlantPal addressed these concerns. Additionally, we measured overall user experience with PlantPal using the brief version of the User Experience Questionnaire (UEQS) [80], usability using the System Usability Scale (SUS) [9], and included single item questions to capture sentiments about remote gardening and collaboration with PARs. User logs were recorded to track how participants integrated PlantPal into their daily routines and how they used specific features. Finally, we conducted voluntary semi-structured interviews (similar to Vella et al. [94]) to gain deeper insights into participants' strategies and perceptions, as well as to clarify patterns observed in the user logs. The following describes our sample and the study procedure.

**4.1.2 Participants.** Initially, we recruited participants from our personal networks. We further used snowball sampling [42] to gather a total set of 18 participants. Participants were required to be individuals whose ability to engage in gardening *to their satisfaction* is hindered by one or more barriers outlined in Section 2.1. The number of participants matched the available plots in our field (Fig. 7). Participants' ages ranged from 21 to 64 ( $M = 33.33$ ,  $SD = 14.84$ ). Ten participants identified as female and eight as male. Seven participants held a bachelor's degree, six held a high school diploma, three held a master's degree, one held a Doctorate, and one had completed an apprenticeship. Eight participants were students, six were employed, two were out of work, and two were self-employed. Regarding living situations, 12 participants lived in private apartments without access to a backyard garden, four lived in houses with shared gardens suitable for cultivating crops, and two resided near green spaces where crop cultivation was not permitted. We included four participants with access to a gardening space. These participants expressed interest in utilizing PlantPal to grow crops for which they lacked space in their current gardens, replicating the concept of allotment gardening. Including these participants allowed us to explore how individuals with existing green space but spatial limitations would engage with PlantPal. Sixteen participants had tried cultivating plants before participating in our study, while two were novices with no prior gardening knowledge

but expressed a strong interest in learning. Based on the Affinity for Technology Interaction (ATI) Scale [6, 91], participants scored  $M = 3.92$  ( $SD = 0.93$ ), reflecting moderate familiarity and interest in digital systems.

**4.1.3 Procedure.** Each participant went through a kick-off session where they were introduced to the study process, provided informed consent, and completed a pre-study questionnaire. In the introduction, participants received personalized login information for the PlantPal web application and were guided through the functionalities. The layout of PlantPal was described to the participants, and they were further shown how the individual control modes (i.e., *Manual*, *Hybrid*, *Automated*) differ (cf. Section 3.4.2). Lastly, participants received a brief walkthrough on adding crops to their fields, watering them, and conducting weed management via the PlantPal interface. They were further made aware that progress on the app would be visible to other participants. As FarmBot requires seeds for desired crops to be supplied in a container beforehand, we curated a selection of crops based on participant feedback during the recruiting process. With the selection we offered, we aimed to address different gardening motivations such as food production [37, 69], support for biodiversity [19, 92], or aesthetic appeal [64]. The resulting list of crops that could be cultivated during the study consisted of lettuce, radish, cornflower, marigold, and cumin. Before the study, the chosen seeds were sorted and laid out in FarmBot's seeding containers to make them accessible. Apart from setting up FarmBot itself, no other on-site intervention was required. Most participants then started designing their personal field layouts towards the end of the kick-off session and used the system for three weeks. During the evaluation period, participants could contact the study supervisors via a contact form embedded within the PlantPal web application for any questions. At the end of the three weeks, participants completed a post-study questionnaire and could participate in voluntary semi-structured interviews. Afterward, participants were compensated and asked if they would like to keep their PlantPal access for the remainder of the growing season.



**Figure 8: Participants planted various crops in their fields. The resulting distribution of crops on the entire field is shown in a). PlantPal allowed the participants to focus on their personal field view in addition to the global view. b) shows the example of P3, who planted two rows of radishes and one row of cornflowers (b.1). This virtual crop distribution was replicated by FarmBot on a real garden plot (b.2) and led to successful cultivation toward the conclusion of the study (b.3). Similarly, the progress across selected time points during the 3-week study can be seen in c). The precise and continuous watering within the same locations that were specified virtually by participants led to soil displacements that make the distribution of crops seen in a) visible on the real garden bed in c). The maturity of most crops was not reached at the conclusion of the study, yet successful cultivation across all fields can be observed (c-Day 21)**

## 5 RESULTS

### 5.1 Garden Cultivation


Fig. 8c shows the participants' individual garden plots at different time points throughout the study. Participants took different approaches to designing their field plot layouts. Thirteen participants manually placed crops, while five selected the crops but let FarmBot arrange them, leading to machine-like grid layouts. 250 crops were initially planted, with an average of  $M = 13.89$  ( $SD = 3.92$ ) per field. Seventeen participants chose a mix of crops, while one participant exclusively cultivated radishes on their plot (P4). Planting success was gauged based on the percentage of crops that reached germination and progressed beyond early growth stages. This was judged visually and using the FarmBot's plant growth monitoring. On average,  $M = 80.75\%$  ( $SD = 17.18\%$ ) of the seeds planted successfully grew past the germination stage. Using the log files gathered during the three weeks, we observed preferences for one of the three control modes (cf. Fig. 10). We define such a preference as more than 50% of the study duration spent in one mode. In particular, P5, P7, P9, P10, and P17 spent most of the study duration in *Automated*, P1, P12, and P15 leveraged *Manual* the most, and P2-P4, P6, P8, P11, P13, P14, P16, P18 preferred using PlantPal in *Hybrid*. Participants preferring *Automation* mode successfully cultivated  $M = 75.00\%$  ( $SD = 15.81\%$ ), those who preferred *Manual* mode successfully cultivated  $M = 75.00\%$  ( $SD = 20.41\%$ ), and participants preferring *Hybrid* mode successfully cultivated  $M = 85.35\%$  ( $SD = 14.29\%$ ).

### 5.2 Questionnaire Data

We assessed normality using Shapiro-Wilk tests to determine the appropriate statistical method to examine differences between pre- and post-study ratings.

**5.2.1 EAI.** Dominance over nature, the appropriateness of altering nature through human intervention, enjoyment of nature, and perception of one's conservation behavior were measured via EAI subscales (7-point Likert ratings). Paired t-tests revealed no significant differences for dominance, alteration, and enjoyment of nature subscales. However, a paired t-test on the subscale of personal conservation behavior showed a significant increase between pre- ( $M = 5.36, SD = 1.03$ ) and post-study ( $M = 5.89, SD = 0.61$ ) ratings ( $t(17) = -2.82, p = 0.012, d = 0.66$ ) (Fig. 9).


**5.2.2 IOS.** A paired t-test indicated a significant increase between pre- ( $M = 2.83, SD = 1.15$ ) and post-study ( $M = 4.06, SD = 1.98$ ) ratings ( $t(17) = -2.15, p = 0.046, d = 0.51$ ). Additionally, we descriptively compared pre- and post-study ratings grouped by preferred control mode. No statistical tests were conducted due to the small and uneven group sizes. IOS scores increased by 0.2 (pre:  $M = 2.2, SD = 1.1$ ; post:  $M = 2.4, SD = 1.52$ ) for participants preferring *Automated* mode. For those preferring *Manual* mode, IOS scores remained the same (pre:  $M = 4.0, SD = 1.0$ ; post:  $M = 4.0, SD = 1.73$ ) and increased by 1.6 (pre:  $M = 2.8, SD = 1.03$ ; post:  $M = 4.4, SD = 2.17$ ) for those preferring *Hybrid* mode.



**Figure 9: Distributions for a) Inclusion of Other in the Self (IOS) Scale and b) average scores for the subscales *Enjoyment of Nature, Altering Nature, Dominance over Nature, and Personal Conservation Perception* in the Environmental Attitude Inventory (EAI). Pre- and post-study results are shown. The significant increase ( $p < 0.05$ ) for the conservation subscale is denoted with \*.**

**5.2.3 SUS & UEQS.** The resulting average score of  $M = 78.38$  ( $SD = 10.82$ ) on the SUS indicated an above-average level of usability, according to Bangor et al. [9]. Evaluation of the UEQS resulted in a score of  $M = 1.38$  ( $SD = 1.09$ ) on the pragmatic quality subscale,  $M = 1.54$  ( $SD = 0.68$ ) for hedonic quality, and an overall score of  $M = 1.46$  ( $SD = 0.61$ ), indicating a positive user experience, with the system being perceived as functional and pleasant [80].

**5.2.4 Single-Item Ratings.** Single-item Likert ratings were used to measure changes in motivations for gardening, the willingness to interact with robotic actors to garden, and preferences for personal involvement in gardening. A paired t-test yielded significant differences for the statement "I perceive gardening as an activity I would do primarily to grow my own food." between pre- ( $M = 5.72$ ,  $SD = 1.32$ ) and post-study ( $M = 4.89$ ,  $SD = 1.53$ ) ratings ( $t(17) = -0.53$ ,  $p = 0.04$ ,  $d = -0.50$ ). Further, regarding willingness to interact with a robot for collaboration in urban gardening, an exact Wilcoxon-Pratt Signed-Rank test found a significant difference between pre- ( $M = 1.61$ ,  $SD = 1.04$ ) and post-study ( $M = 2.33$ ,  $SD = 1.57$ ) ratings for the statement "I would use smart devices such as farming robots for gardening." ( $Z = -2.44$ ,  $p = 0.031$ ,  $r = 0.65$ ). No further significant differences between pre- and post-study answers were found for the remaining ratings.




**Figure 10: A scarf plot showing the control modes participants used throughout the study duration (grey=automated, yellow=hybrid, and green=manual). The control mode used the longest on a given day was estimated based on user logs to assign the visualized labels.**

**5.2.5 Retention.** Since three weeks were insufficient for crops to mature fully, participants were offered extended access to PlantPal and their field. Sixteen participants agreed: nine to harvest their crops, five to donate them, and two were motivated primarily by satisfaction. Participants who did not wish to extend their access to PlantPal mentioned digital detox as a reason (P13) and felt that using PlantPal on a laptop would be preferable for them (P10). However, PlantPal was optimized for mobile specifically.

## 5.3 User Logs

**5.3.1 Login Behavior.** We recorded a total of 1217 logins into PlantPal, where logins were defined as opening the PlantPal web page, while logoffs could either be counted as switching to a different tab, closing the tab, or closing the browser. Login durations varied ( $M = 4.16mins$ ,  $SD = 20.26mins$ ) and occurred distributed throughout the day. Longer login durations may have been due to participants not explicitly closing the PlantPal window or browser. Applying outlier filtering results in a login time of  $M = 1.31mins$  ( $SD = 1.35mins$ ). The majority of users (37.72%, 459 logins) were active after 4 PM. The remaining logins occurred either in the morning or throughout the day. On average, 14 participants ( $M = 14.14$ ,  $SD = 3.02$ ) logged in daily in the first week, 9 in the second week ( $M = 9.14$ ,  $SD = 1.21$ ), and 9 in the third week ( $M = 9.00$ ,  $SD = 1.15$ ). All participants logged in at least once a day in the first week. In the second week, 16 participants logged in at least once a day, and 17 in the third week.

**5.3.2 Actions & Patterns.** Participants performed various actions, such as examining map visualizations (33.39%), executing gardening tasks (13.48%), viewing one of the live streams (11.79%), reviewing the robot's actions using the (personal and global) timeline (7.81%).



**Figure 11: Line plot illustrating how users engaged with PlantPal over the study period. We visualized user logs by clustering actions according to their goal (visualization, plant care, live stream, timeline, and chat). Participants Interacting represents the number of unique participant IDs counted for the feature categories for each day.**

The chat feature was used the least (*1.66% of all actions, used only by P8 and P13*). Participants did not always explicitly change map filters and instead merely switched between global and personal field windows (*30.47% of actions*). We additionally analyzed which features were often used in conjunction. This was done by grouping actions as tuples based on timestamps (i.e., actions occurring right after another). Here, it became apparent that logging in to execute a gardening task was frequently followed by reviewing the live streams. Further, participants tended to review the timeline followed by the current image of one’s field, resembling brief “checkups”.

**5.3.3 Longitudinal Changes in Behavior.** Control mode logs showed preferences for specific modes, yet, on average, participants switched between control modes  $M = 2.8$  ( $SD = 1.75$ ) times. Control mode switches occurred throughout the study period (cf. Fig. 10), with some users (e.g., P1, P12, P15) not switching at all or throughout the later portions of the study duration (e.g., P4, P6). While 14 participants did at some point try the *Automated* mode, the fully *Manual* mode was either only used shortly or throughout the entire study duration. Participants frequently switched between *Automated* and *Hybrid*.

Fig. 11b illustrates the total number of participants performing different actions on PlantPal. Plant care actions by automated users, as well as simple logins without UI interactions, were excluded from tracking. All participants initially performed plant care actions and engaged with visualization and surveillance features (e.g., map views and live streams) during the sowing phase. However, daily plant care actions decreased after the first week. A similar number of participants utilized visualization ( $M = 12.43$ ,  $SD = 3.26$ ) and live

stream features ( $M = 11.29$ ,  $SD = 3.25$ ) during the first week. Live stream usage declined over time, while visualizations experienced similar use. Plant care actions became more sporadic towards the study’s conclusion. On average, the timeline feature was used by eight participants in the first week ( $M = 8.86$ ,  $SD = 2.79$ ), five in the second ( $M = 4.71$ ,  $SD = 1.89$ ), and three in the third ( $M = 3.00$ ,  $SD = 1.41$ ) week. While multiple participants opened the chat, only two actively sent messages. The average number of actively interacting participants (i.e., those not only logging in to check but triggering UI-based interaction events regardless of the category) in the first week was 14 ( $M = 13.57$ ,  $SD = 2.88$ ), 9 in the second ( $M = 8.57$ ,  $SD = 1.40$ ), and 8 in the third week ( $M = 8.00$ ,  $SD = 1.83$ ).

## 5.4 Qualitative Data

**5.4.1 Analysis.** Out of 18 participants, 12 (P1-P7, P10-P12, P15, and P18) participated in voluntary post-study interviews. Interviews lasted  $M = 24.07mins$  ( $SD = 8.55mins$ ). We defined a set of questions (see Appendix A) for the semi-structured interviews. Further, for each participant, we also reviewed the respective user logs before the interview sessions and noted interesting or irregular behaviors to gain more context from the participants. The interview audio files were first transcribed using whisperX [8]. Moreover, if participants sent notes or messages to the study supervisors via the reporting feature of PlantPal, these notes were also included for analysis. The analysis excluded chat messages between participants, as awareness of their messages being observed could introduce a bias in how they converse. Reflexive thematic analysis similar to Terry et al. [90] was used to analyze the data. Two authors inductively coded the interviews. This resulted in two codebooks (49 and 68 codes) that were merged by discussing similar codes and conflicting views (65 codes). In a joint session, open codes were then grouped into nine clusters, which resulted in three main themes. The themes are presented in the following, supported by excerpts from the interviews.

**5.4.2 Theme 1 - Integrating Remote Gardening while Navigating Daily Life.** A core aspect of PlantPal is its flexibility in allowing users to control their level of initiative. Participants first described their overall experiences and how they integrated PlantPal into daily life.

**Routines.** They reported using PlantPal at specific times in their routines, such as in the morning while brushing their teeth (P18) or after work in the evening (P1-P4). In contrast, irregular usage patterns were also reported (“I didn’t check on it [their plot] at specific times, just randomly, sometimes at night even.” P7). When asked about the integration of PlantPal into their routines and what facilitated it, participants highlighted easy access to a garden and being able to not only integrate PlantPal into existing routines but also establish new routines around PlantPal (“It wasn’t much effort, so I just had a set time for it. At some point, it was almost like a routine to go check up [referring to their plot] straight after work.” P1).

**Tailoring.** Participants gave various explanations for control mode switches. The novelty of the concept motivated participants to

examine what FarmBot's capabilities (e.g., "I was curious. What does this thing [Farmbot] do? What will be the result?" P11), but decisions to change control modes were also informed by schedules or breaks in them ("If I knew that my routine was going to be all over the place for some time, using fully automated would be the better choice for me since the plot gets taken care of no matter what" P1). Apart from schedules, participants also considered personal aspects such as their gardening expertise when choosing their preferred control mode (e.g., "I don't know a thing [referring to gardening]. I kept it [PlantPal] in fully automated at first. It would have taken way longer for me to think about when and what to do, or probably nothing would have grown" P5). Rationales for the popularity of Hybrid were grounded in perceiving it as a balanced trade-off (P2-P4, P6, P18).

**Disruptions.** Participants also shared how they leveraged PlantPal's control modes to adapt their use to temporary changes to their daily routines. Such circumstances included general busyness (P10, P11), studying for an exam (P4), or traveling (P10, P11). For example, P4 switched to fully automated mode before an exam to free up more time for studying alongside work ("It's already quick [plant care], but I was somewhat overwhelmed before [exam name] and had to switch to more automation" P4). External factors, such as weather conditions (P1, P2, P3, P15, P18), also shaped participants' ability to get involvement. During the second week and continuing into the third week of the study, frequent rain showers occurred, prompting a reduction in the frequency of gardening tasks ("And it rained at some point, so I stopped watering, and that created a bit of a break" P18) and switching to Automated so that checking if and when it stopped raining was not necessary (P2, P3, P6).

**5.4.3 Theme 2 - Managing Distance with Digital Augmentation.** PlantPal was designed for fully remote operation, contrasting traditional in-situ gardening. Users must still manage gardening's inherent asynchronicity, where actions are connected to outcomes that unfold over time.

**Asynchronicity.** Participants felt that the monitoring and visualization features of PlantPal were helpful as they provided an always-available way to check up on changes quickly (P1, P4, P6, P11, P15). Continuity in features like timelines was perceived as beneficial ("This photo concept with the timeline is pretty neat. I can go back and see what happened. That would actually be beneficial in real gardening but not just for progress. I could check for animals on my field too" P18). They additionally connected their preferred progress-tracking method to their chosen control mode. In Automated mode, users mainly act as spectators, verifying that FarmBot performs tasks as expected to ensure successful crop cultivation. ("I concentrated primarily on the timeline. That's all I needed to know if the robot took care of my field" P5). Conversely, utilizing more manual control modes prompted participants to focus more intently on observing plant growth to confirm the success of their actions ("I'm not very knowledgeable about this [gardening] and used it [photo grid] to try and judge if the plant is healthy, growing at the right pace, getting enough water, or too much sun." P12).

**Remoteness.** PlantPal introduces a constant element of distance due to remote control. This was reported to impact the perception of actions and progress in the field, influencing the design of plots. Reasons for this were difficulties gauging the size of the field and

how accurate measures were (P1-P4, P6, P12), leading to particular crop choices and layouts ("I know the app told me the dimensions, but I've not grown lettuce for example, so I didn't know how accurate it is and if it would all fit. I know that radishes don't get that big." P4). Participants used features like live streams and map visualizations to keep track of their progress, yet plant growth is inherently slow. Until germination, the lack of visible changes, combined with the distance and inability to examine the field in situ, led to doubts and worry ("Well, once the seeds are in the ground, there isn't a lot going on. I saw the germination times, but still, at first, I thought, okay, did I do something wrong? Is it supposed to take this long?" P1).

**Perception of Gardening.** General perceptions of how to care for a garden were also influenced, with participants sharing that they felt like they had to check their plot more often due to "having the garden in their pocket" (P18). Comparatively, gardening via PlantPal was perceived to be distinctly different from traditional gardening, which participants described as more sensory-rich ("getting your hands dirty" (P10); "spending time in fresh air" (P11)). Contrarily, PlantPal was described as an alternative experience that emphasizes "providing an opportunity to do it [gardening] at all and get some healthy food." (P2). Participants found different ways to address the more distant gardening experience. For instance, manual control was highlighted as one such method as it allowed for more agency ("If I don't have time to be there, I'd say I still want to be in control, like, yes, I'm watering or weeding now, I'm the one pressing the button. I don't need to decide everything myself, but I still want to have the final say, so it feels valuable for me." P12). Participants also highlighted that they would have welcomed gamified elements such as streaks to further their motivation and attachment to the gardening process via PlantPal (P7, P12, P15).

**5.4.4 Theme 3 - Learning to Collaborate with a Robotic Gardening Partner in a Shared Space.** Despite participants having heard of more common smart home technology for gardening (e.g., mowing robots or automated irrigation), PlantPal represented a novel experience.

**Learning.** While PlantPal aimed to lower the required gardening knowledge by delegating tasks to a PAR, it introduced new demands, such as technological proficiency ("Wrapping your head around it [collaborating with a robot] takes a while. I am not a tech-expert and use my phone to text at most." P3). Using the Automated mode allowed participants to observe the FarmBot in action and learn about its operations. By starting as spectators, they could gradually get involved in plant care. They described feeling more competent about plant care (P1, P4, P5, P7), which seemed to raise motivation and confidence (e.g., "If you've never really done it [gardening] before, you probably think you need a green thumb or some kind of special skills. But actually, I found that since I was able to watch and learn from the robot at the beginning and then do it independently in the end, I feel like I can do it." P4). It also became apparent that UI issues such as delays become a much more potent risk in remote gardening. For instance, P1 described the following: "I think I overwatered my field at the beginning. I pressed the "Water All" button, but it took a bit to give me feedback, so I pressed it 2-3 more times. I then saw that all my tapping was taken as individual watering requests." While this has the potential to cause destruction, it has also led to more

extensive reflection before deciding on what action to execute (P1, P4, P12, P15, P18).

*Comparison.* Sharing one PAR with other gardeners also influenced participants. While some participants did not pay extensive attention to the other plots around them, others were influenced more profoundly. PlantPal implements no competitive gamification elements (e.g., leaderboards). Yet, participants who did monitor growth on the entire field (e.g., using the map or live streams) described feelings of competitiveness from comparing plot designs and growth progress. This prompted some users to plant more than they had originally envisioned (*"I planted some seeds at the beginning but then again around week two. The plot next to me [P8] had way more and green bits were already showing"* P7). In contrast, observing growth across the entire field led to satisfaction and joy toward the conclusion of the study (*"The most positive thing for me was that at some point you could see when everything started to grow. Took a while but then you feel like there's quite a lot coming suddenly."* P15).

*Dissent.* Participants generally trusted FarmBot to perform tasks as requested, but concerns arose over factors like water usage and watering height (P1, P4, P6, P15, P18), often reflecting how they would act in the garden themselves. (*"The watering looked pretty aggressive to me. I don't know if that's good for those smaller seedlings. Personally, I would have been a bit more careful with that."* P15). While participants rarely interacted with PlantPal simultaneously, situations where FarmBot had to handle multiple garden care requests did arise. Participants described situations where this led to longer waiting times, as FarmBot was handling tasks of all fully automated users (cf. Section 3.4.2), while those using *Manual* or *Hybrid* mode logged in to execute their tasks (e.g., *"I wanted to water my plants in the evening because I thought it would be better for them, but I saw that the robot's task queue had gotten quite long. I guess that's when the robot took care of the plants of all users. [...] I submitted my request and left. Would have taken too long to wait and watch."* P12).

*5.4.5 Positive & Negative Aspects.* In the open feedback, participants mentioned several positive and negative aspects of PlantPal. The system's flexibility in switching between various modes, enabling gradual learning and control over the gardening process, was appreciated (1x). PlantPal was described as easy and intuitive to use (1x), simple, and time-saving (3x), with participants enjoying the connection between robotics and gardening, comparing it to *"Tamagotchi for grown-ups"* (P8). Participants also highlighted the live stream feature and remote watering functionality, which increased their sense of control and involvement (1x). Interaction with PlantPal further sparked new motivation for participants to improve their gardening expertise by cultivating indoor plants (4x). Areas for improvement included a preference for using PlantPal on laptops or PCs for better visibility (3x) and the lack of notifications in automated mode, leading to disengagement (5x). More feedback was requested (2x), such as interface cues (e.g., inactive buttons) and detailed task performance metrics (e.g., water usage in milliliters).

## 6 DISCUSSION

In the following, we discuss our study outcomes and reflect on the design process of PlantPal. Based on our insights, we propose

design considerations for remote robot-assisted urban gardening experiences.

### 6.1 Design & Field Deployment of PlantPal

*6.1.1 Design Goals.* To address practical barriers preventing interested citizens from pursuing urban gardening, PlantPal's design was guided by three goals (cf. Section 3.2.5): enabling on-demand multi-user interaction, supporting dynamically adjustable levels of involvement, and providing experiences that extend beyond basic plant care. To promote accessibility (*D1*), PlantPal was implemented as a smartphone-optimized web application, allowing users to perform tasks and monitor the field in real time. Login data coupled with qualitative feedback, indicated that PlantPal facilitated these activities, ensuring accessibility at any time. In alignment with *D2*, PlantPal offered three control modes (cf. Section 3.4.2), enabling users to adjust their level of involvement based on their preferences and schedules. User logs revealed transitions between modes, reflecting flexibility and adaptability, while interview responses demonstrated integration into daily routines. PlantPal further incorporated features like time-lapses, growth visualizations, a timeline, and chat functionality to foster interactions beyond plant care execution (*D3*). User logs showed engagement with most features, excluding the chat, throughout the study. Study results additionally showed a significant increase in perceived connectedness and personal conservation perception.

*6.1.2 Gardening Outcomes.* Previous research has shown that food production is among the most common motivators for citizens to engage in urban gardening [41, 69]. In our evaluation of PlantPal, we explored how effectively users could cultivate their desired crops within their garden spaces despite the unfamiliar notion of collaborating with a PAR. Following calls in prior research [98], we deployed PlantPal under real circumstances (i.e., freestanding). Overall, the success rate and gardening outcomes were satisfactory (cf. Section 5.1). Sixteen participants continued using PlantPal beyond the study period to maintain their garden. From qualitative responses in the interview, we conclude that participants did not see PlantPal as a replacement for traditional gardening, as it lacks the sensory-rich experience of direct contact with a garden. Instead, they viewed it as a convenient alternative that makes gardening more accessible (cf. Section 5.4.3).

*6.1.3 Connectedness.* Discussion on whether technology enhances or diminishes nature-based activities like gardening has been a long-standing topic in HCI literature [51, 78]. With systems like PlantPal, which enable fully remote interaction and allow users to offload gardening responsibilities to a PAR, acting as a *permanent garden collaborator*, there is a potential trade-off between accessibility, convenience, and the authenticity of nature experiences. Building on prior research (e.g., [52, 76, 83]) and inspired by the FarmBot web application, we implemented strategies that allowed users to monitor garden conditions, reflect on past developments via time-lapses and timelines, and anticipate future growth using visual indicators. Pre- and post-study IOS ratings suggest that PlantPal enhanced participants' connection to their plots, possibly due to first-time gardening experiences or renewed interest. Trends by preferred PAR control method suggest that participants using the *Automated*

mode reported lower connectedness, while those favoring *Hybrid* or *Manual* modes reported higher connectedness. Facilitation of routine-building was a common qualitative finding and has been connected to lasting engagement in prior literature [75]. We argue that offering this spectrum of control is likely beneficial for engaging people in urban gardening. However, it also raises the need for further exploration in HCI to understand how interface design can be refined to prevent disengagement caused by over-reliance on convenience.

**6.1.4 Remote Gardening as an Entry Point.** A common barrier to engagement in urban gardening is negative past experiences [21, 57] or limited gardening expertise, making gardening seem difficult or unapproachable. Prior approaches already address this point by providing information [52, 100] and using automation [73]. PlantPal extends this by allowing users to use automation based on their personal desire for involvement. We found that novice participants used this concept to gradually gain confidence by watching FarmBot perform tasks. Contrarily, experienced gardeners sometimes questioned how FarmBot was executing tasks (e.g., watering) and grounded their skepticism in their expertise. Aligning with existent research (e.g., [56]), for more experienced gardeners, designing with an emphasis on trust gains more relevance. This can include allowing more fine-grained control over PAR parameters, such as watering height. However, it should be noted that while PlantPal reduces demands for required knowledge to garden, it introduces new requirements, such as technical proficiency with a smartphone and a willingness to gain a basic understanding of how a PAR operates. Existent literature highlights that this may, in itself, represent a new barrier [96] that may diminish inclusivity, increasing the importance of intuitiveness for fully remote gardening concepts similar to PlantPal.

**6.1.5 Intergardener Effects.** PlantPal was designed to leverage one PAR shared among multiple users. Additionally, the provided global map allows gardeners to review the entire field (i.e., other gardeners' progress). Based on interview responses, this led to varying outcomes. For one, gardeners shared joy for each other's progress, finding it pleasant and satisfying to follow. However, the ability to review and judge other gardeners' progress also invited participants to compare their plot layout and progress to that of other participants. This introduced aspects of competitiveness, replicating known group behaviors [45]. Unlike community gardens, where all actions can be viewed by present members, virtual gardens that are only worked remotely provide the opportunity to hide certain information, such as progress or executed actions. These aspects are currently not addressed by PlantPal, as all participants knew they could review the progress on the entire field. Hiding information gardeners feel uncomfortable sharing could further reduce feelings of insufficiency and pressure to achieve a positive gardening outcome.

**6.1.6 Engagement Over Time.** Deploying PlantPal for three weeks enabled us to observe user behavior beyond the initial novelty phase. After bulk seeding and exploring PlantPal's features, participants adapted to regular usage. While login data indicates frequent and consistent access, analysis of control mode switches and UI

interactions reveals a shift from active engagement to passive monitoring over time. PlantPal connects virtual actions with tangible changes in a distant garden, creating a bi-directional relationship where participants influence the physical environment while also being affected by external factors (e.g., rainfall reducing the necessity of plant care actions). Such disruptions sometimes led to disengagement. Gamification (e.g., streaks) and notifications were noted to achieve re-engagement. We intentionally avoided this approach, as our target audience consisted of users already interested in gardening. However, based on these results, we conclude that incorporating digital strategies to motivate engagement is advisable to address the perceived distance of systems like PlantPal.

## 6.2 Design Considerations & Implications

The following paragraphs present design considerations we established based on the development process of PlantPal and the insights from our 3-week deployment.

**6.2.1 Encourage and Support Free Exploration.** In in-situ gardening experiences, exploration is an element that is ever-present and can support learning and encounters with other gardeners [52] or non-human actors [94]. Behaviors, where users can freely explore their and other gardeners' spaces, are equally as important in remote gardening experiences. Prior work proposing distant nature experiences has typically enabled exploration of environments at different representation levels (i.e., *abstracted*, *mediated*, *simulated*) [98]. PlantPal embraces this notion by integrating views that show the real environment, coupled with more abstracted or generated visualizations. The offered views were, however, predefined and static in that cameras could not be moved except for those attached to FarmBot. This allows users to explore only a fraction of the actual space. Open comment suggestions indicate that using 360° video players that allow for more extensive exploration would be preferred over static views. This could further users' interest and provide improved situation awareness [89].

**6.2.2 Embrace Risk as a Design Element to Foster Connectedness.** When novices start gardening, it is common for initial attempts to fail due to mistakes. While this can lead to demotivation [21, 57], it is also an inherent part of the learning process. Given that PlantPal connects virtual actions to the tangible shaping of a garden space, there is a constant risk that destruction may occur. For instance, when users believed they had made a mistake, such as repeatedly watering, it caused initial worry but also increased carefulness in following interactions. The risk of irreversible destruction as a design element has been proposed as a design element in prior research (e.g., [79, 86]). To foster attachment and care, we argue that deliberately balancing this risk factor, allowing for some mistakes (as PlantPal does in its *Manual* mode), should be considered more broadly in PAR-supported remote gardening and distant nature engagement concepts.

**6.2.3 Consider Sustainability when Resource-Intensive Actions Become Easily Accessible.** Sustainable gardening practices emphasize conserving natural resources, promoting biodiversity, and minimizing environmental impact. In our deployment of PlantPal, we observed that distance when interacting with a garden remotely can lead users to perceive it as more game-likely, as reflected in



open feedback comparing it to "*Tamagotchi for grown-ups*" (P8). Coupled with the notion of having "*the garden in your pocket*" (P18), such views can lead to phases where users experiment with different interface elements, such as repeatedly moving the robot or excessively watering before planting seeds, simply to observe the system's responses. While this experimentation can boost user engagement, the waste of resources such as water in a distant location may not be as present. This is especially true when the system allows for more experimental interactions, where users have full control, and the robot takes a secondary role. We propose introducing resource management systems to minimize resource consumption, such as limiting daily water use or robot movement requests. While users may never use resources to their limit, the visual indication of limitations can serve as a nudging mechanism similar to eco-feedback [88] to avoid waste and foster a sense of conservation for the collective, which reflects suggestions from sustainable HCI work (e.g., [61]).

**6.2.4 Leverage Digital Augmentation to Reveal Hidden Aspects of Plant Growth.** Gardening is inherently a slow process that requires patience, often involving phases where no visible changes occur in the garden bed. In shared or community gardens, social interactions often bridge these idle phases [59]. With PlantPal, user logs revealed that during the early stages, when users typically planted their seeds, there was an increase in visualization changes, information-seeking behaviors, and feelings of "*wanting something to happen*". Since no immediate physical changes were visible in the garden, participants sought alternative ways to stay informed about the garden's status. Typically, underground growth processes are hidden, but the sensing capabilities of PARs, coupled with real-time visualizations, could bridge this gap by digitally augmenting and displaying information about usually hidden growth processes.

## 7 LIMITATIONS & FUTURE WORK

**Limitations.** We acknowledge several limitations of our study. Our field deployment of PlantPal was designed to provide participants with a realistic scenario in which PlantPal could be used in the future. To achieve this, we installed the farming robot controlled by PlantPal in a real garden bed and deployed it for three weeks. However, this timeframe does not fully capture the gardening process, which typically spans entire seasons with different crops sown at various times. While we allowed participants to retain access to their garden plots beyond the study, with 16 participants opting to do so, the data from this extended period was not included in our analysis. As a result, ongoing engagement with PlantPal and the sustained positive effects may have evolved differently if the study had been longer and our findings should be viewed early findings. Another limitation lies in the farming robot itself. PlantPal envisions a future where such robots are widely available in urban environments, potentially serving as caretakers of green spaces [38]. However, this concept is still speculative, and the current deployment relies on a single robot in a supervised setting. This limits the generalizability, as scaling the system to larger urban contexts with multiple robots could introduce new challenges in terms of coordination, maintenance, and user interaction. Lastly, four participants in our study sample had access to a green space where they could grow their own crops and utilized the PlantPal

field in a manner similar to an allotment garden. We acknowledge that these participants do not fully represent urban residents who are unable to engage in gardening due to a lack of suitable spaces, thereby reflecting an alternative use case.

**Future Work.** We optimized PlantPal for mobile phones to ensure proper content display across various screen sizes. However, issues arose with older smartphone models featuring smaller screens, where content was not rendered correctly. Future iterations of PlantPal should address these limitations, including optimization for larger screens, as requested by participants in our study. In our study, novice gardeners often observed the robot to learn gardening processes, which increased their confidence. This approach could be expanded to other contexts, such as traditional community gardens. Similar to research using drones to teach movement patterns [29], PARs could support novice gardeners as they build foundational skills in these settings. Additionally, our evaluations revealed trends indicating that the level of control significantly influences the gardening experience. Conducting sufficiently powered studies to compare different control modes and their longitudinal impact on the gardening experience can deliver additional implications for design and contexts in which each is suited best.

## 8 CONCLUSION

In this work, we proposed using remote collaboration PARs to enable garden cultivation regardless of location, space limitations, or time constraints. By reviewing the literature on HRI, urban gardening, and HCI, we identified the capabilities of current PARs and how they align with the challenges citizens face in urban gardening. We conducted a formative survey to sample preferences regarding our concept and cleared up design ambiguities. Building on these insights, we developed PlantPal, a web application that provides on-demand access to a garden space via a PAR. PlantPal tackles urban gardening barriers by enabling flexible user involvement and enhancing engagement with digital augmentations. To evaluate PlantPal, we deployed it on a real garden bed (18m<sup>2</sup>) for three weeks with N=18 participants. Participants were able to cultivate their own garden space successfully. They reported having had an enjoyable experience where they could establish a connection with their plot despite the remote setting. We derived design considerations addressing exploration, risk, sustainability, and digital augmentation based on our findings. These considerations can broadly inform the design of future PAR-enabled urban gardening concepts and fully remote technology-supported nature experiences.

## OPEN SCIENCE

We make the source code for the PlantPal web application, 3D models and scripts for our extended camera system, and hardware-related insights/manuals publicly available. They can be accessed at <https://github.com/J-Britten/PlantPal>.

## ACKNOWLEDGMENTS

We thank the anonymous reviewers for their constructive and insightful feedback. We also extend our gratitude to Prof. Dr. Steven Jansen, Peter Zindl, Markus Wespel, and the staff of the Botanical Garden Ulm for their collaboration and support throughout this

project. This work was funded by the Landesgraduiertenförderung (LGFG) Scholarship for Ph.D. students.

## REFERENCES

- [1] Shayan A Akbar, Somrita Chattopadhyay, Noha M Elfiky, and Avinash Kak. 2016. A novel benchmark RGBD dataset for dormant apple trees and its application to automatic pruning. In *Proceedings of the IEEE conference on computer vision and pattern recognition workshops*. IEEE, Las Vegas, NV, USA, 81–88.
- [2] Constantinos Marios Angelopoulos, Sotiris Nikolettas, and Georgios Constantinos Theofanopoulos. 2011. A smart system for garden watering using wireless sensor networks. In *Proceedings of the 9th ACM International Symposium on Mobility Management and Wireless Access* (Miami, Florida, USA) (*MobiWac '11*). Association for Computing Machinery, New York, NY, USA, 167–170. <https://doi.org/10.1145/2069131.2069162>
- [3] Philippe Appario, Shawn Landry, Anne-Marie Séguin, Martin Gagnon, et al. 2013. Predictors of the distribution of street and backyard vegetation in Montreal, Canada. *Urban Forestry & Urban Greening* 12, 1 (2013), 18–27.
- [4] Arthur Aron, Elaine N. Aron, and Danny Smollan. 1992. Inclusion of Other in the Self Scale and the Structure of Interpersonal Closeness. *Journal of Personality and Social Psychology* 63, 4 (1992), 596–612. <https://doi.org/10.1037/0022-3514.63.4.596>
- [5] Arthur Aron, Elaine N. Aron, Michael Tudor, and Greg Nelson. 1991. Close Relationships as Including Other in the Self. *Journal of Personality and Social Psychology* 60 (1991), 241–253. <https://doi.org/10.1037/0022-3514.60.2.241>
- [6] Christiane Attig, Daniel Wessel, and Thomas Franke. 2017. Assessing Personality Differences in Human-Technology Interaction: An Overview of Key Self-report Scales to Predict Successful Interaction. In *HCI International 2017 – Posters' Extended Abstracts*, Constantine Stephanidis (Ed.). Springer International Publishing, Cham, 19–29.
- [7] C Wouter Bac, Eldert J Van Henten, Jochen Hemming, and Yael Edan. 2014. Harvesting robots for high-value crops: State-of-the-art review and challenges ahead. *Journal of field robotics* 31, 6 (2014), 888–911.
- [8] Max Bain, Jaesung Huh, Tengda Han, and Andrew Zisserman. 2023. WhisperX: Time-Accurate Speech Transcription of Long-Form Audio. In *24th Annual Conference of the International Speech Communication Association: Interspeech 2023*. International Speech Communication Association, Dublin, Ireland, 4489–4493. <https://doi.org/10.21437/Interspeech.2023-78>
- [9] Aaron Bangor, Philip T Kortum, and James T Miller. 2008. An empirical evaluation of the system usability scale. *Intl. Journal of Human-Computer Interaction* 24, 6 (2008), 574–594.
- [10] Avital Bechar. 2021. *Agricultural Robotics for Precision Agriculture Tasks: Concepts and Principles*. Springer International Publishing, Cham, 17–30. [https://doi.org/10.1007/978-3-030-77036-5\\_2](https://doi.org/10.1007/978-3-030-77036-5_2)
- [11] Nicola J. Bidwell and David Browning. 2010-01-01. Pursuing Genius Loci: Interaction Design and Natural Places. *Personal and Ubiquitous Computing* 14, 1 (2010-01-01), 15–30. <https://doi.org/10.1007/s00779-009-0217-8>
- [12] Dominik Bieri, Neelakshi Joshi, Wolfgang Wende, and Fritz Kleinschroth. 2024-02-01. Increasing Demand for Urban Community Gardening before, during and after the COVID-19 Pandemic. *Urban Forestry & Urban Greening* 92 (2024-02-01), 128206. <https://doi.org/10.1016/j.ufug.2024.128206>
- [13] Heidi Biggs, Tejaswini Joshi, Ries Murphy, Jeffrey Bardzell, and Shaowen Bardzell. 2021. Alternatives to Agrilogistics: Designing for Ecological Thinking. *Proc. ACM Hum.-Comput. Interact.* 5, CSCW2, Article 413 (oct 2021), 31 pages. <https://doi.org/10.1145/3479557>
- [14] Margot Brereton, Malavika Vasudevan, Tshering Dema, Jessica L. Cappadonna, Cara Wilson, and Paul Roe. 2017. The Ambient Birdhouse: Bringing Birds Inside to Learn About Birds Outside. In *Proceedings of the 2017 ACM Conference Companion Publication on Designing Interactive Systems* (Edinburgh, United Kingdom) (*DIS '17 Companion*). Association for Computing Machinery, New York, NY, USA, 321–324. <https://doi.org/10.1145/3064857.3079184>
- [15] Kate H Brown and Andrew L Jameton. 2000-03-01. Public Health Implications of Urban Agriculture. *J Public Health Pol* 21, 1 (2000-03-01), 20–39. <https://doi.org/10.2307/3343472>
- [16] Federica Carrozzo, Ruben Faccini, Angelo Falci, Beatrice Redaelli, Mirko Gelsomini, Giacomo Zannoni, and Franca Garzotto. 2018. IDROPO, A Hydroponic Planting System to Teach Gardening Through Play. In *Extended Abstracts of the 2018 CHI Conference on Human Factors in Computing Systems* (Montreal QC, Canada) (*CHI EA '18*). Association for Computing Machinery, New York, NY, USA, 1–4. <https://doi.org/10.1145/3170427.3186489>
- [17] Constanza Cerda, Solène Guenat, Monika Egerer, and Leonie K. Fischer. 2022. Home Food Gardening: Benefits and Barriers During the COVID-19 Pandemic in Santiago, Chile. *Front. Sustain. Food Syst.* 6 (2022), 13 pages. <https://doi.org/10.3389/fsufs.2022.841386>
- [18] F Auat Cheein, G Steiner, G Perez Paina, and Ricardo Carelli. 2011. Optimized EIF-SLAM algorithm for precision agriculture mapping based on stems detection. *Computers and electronics in agriculture* 78, 2 (2011), 195–207.
- [19] Barbara Clucas, Israel D. Parker, and Andrea M. Feldpausch-Parker. 2018-08-01. A Systematic Review of the Relationship between Urban Agriculture and Biodiversity. *Urban Ecosyst* 21, 4 (2018-08-01), 635–643. <https://doi.org/10.1007/s11252-018-0748-8>
- [20] European Comission. 2020. *EU Biodiversity Strategy for 2030*. European Environment Agency. Retrieved 24.01.2025 from <https://www.eea.europa.eu/policy-documents/eu-biodiversity-strategy-for-2030-1>
- [21] Tenley Conway. 2016-09-21. Home-Based Edible Gardening: Urban Residents' Motivations and Barriers. *Cities and the Environment (CATE)* 9, 1 (2016-09-21), 23 pages. <https://digitalcommons.lmu.edu/cate/vol9/iss1/3>
- [22] Tenley M Conway and Kyle Brannen. 2014. Who is tending their garden? Edible gardens as a residential landscaping choice. *Cities and the Environment (CATE)* 7, 2 (2014), 10.
- [23] Maria Laura Corollaro, Eugenio Aprea, Isabella Endrizzi, Emanuela Betta, M Luisa Demattè, Mathilde Charles, Matteo Bergamaschi, Fabrizio Costa, Franco Biasioli, Luca Corelli Grappadelli, et al. 2014. A combined sensory-instrumental tool for apple quality evaluation. *Postharvest Biology and Technology* 96 (2014), 135–144.
- [24] Bronwyn J. Cumbo and Ole Sejer Iversen. 2020. CCI in the wild: designing for environmental stewardship through children's nature-play. In *Proceedings of the Interaction Design and Children Conference* (London, United Kingdom) (*IDC '20*). Association for Computing Machinery, New York, NY, USA, 335–348. <https://doi.org/10.1145/3392063.3394398>
- [25] Zhao De-An, Lv Jidong, Ji Wei, Zhang Ying, and Chen Yu. 2011. Design and control of an apple harvesting robot. *Biosystems engineering* 110, 2 (2011), 112–122.
- [26] Tshering Dema, Margot Brereton, and Paul Roe. 2019. Designing Participatory Sensing with Remote Communities to Conserve Endangered Species. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland Uk) (*CHI '19*). Association for Computing Machinery, New York, NY, USA, 1–16. <https://doi.org/10.1145/3290605.3300894>
- [27] Xiaoying Ding, Zhiyuan Zhao, Jie Zheng, Xiaopeng Yue, Han Jin, and Yukun Zhang. 2022-09. Community Gardens in China: Spatial Distribution, Patterns, Perceived Benefits and Barriers. *Sustainable Cities and Society* 84 (2022-09), 103991. <https://doi.org/10.1016/j.scs.2022.103991>
- [28] Olivia Doggett, Kelly Bronson, and Robert Soden. 2023. HCI Research on Agriculture: Competing Sociotechnical Imaginaries, Definitions, and Opportunities. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (*CHI '23*). Association for Computing Machinery, New York, NY, USA, Article 236, 24 pages. <https://doi.org/10.1145/3544548.3581081>
- [29] Kaixu Dong, Zhiyuan Zhang, Xiaoyu Chang, Pakpong Chirarattananon, and RAY LC. 2024. Dances with Drones: Spatial Matching and Perceived Agency in Improvised Movements with Drone and Human Partners. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (*CHI '24*). Association for Computing Machinery, New York, NY, USA, Article 263, 16 pages. <https://doi.org/10.1145/3613904.3642345>
- [30] Tanja Döring, Axel Sylvester, Albrecht Schmidt, and Rainer Malaka. 2013. Exploring mobile representations of folksonomies to support the example context of a community gardening project. In *Proceedings of the 15th International Conference on Human-Computer Interaction with Mobile Devices and Services* (Munich, Germany) (*MobileHCI '13*). Association for Computing Machinery, New York, NY, USA, 528–533. <https://doi.org/10.1145/2493190.2494431>
- [31] Lars Dürkop, Henning Trsek, Jens Otto, and Jürgen Jasperneite. 2014. A field level architecture for reconfigurable real-time automation systems. In *2014 10th IEEE Workshop on Factory Communication Systems (WFCS 2014)*. IEEE, Toulouse, France, 1–10.
- [32] V Elliott. 2018. Thinking about the coding process in qualitative data analysis. *Qualitative Report* 23, 11 (2018), 2850–2861.
- [33] US EPA. 2013. *Greening America's Communities*. EPA. Retrieved 24.01.2025 from <https://www.epa.gov/smartgrowth/greening-americas-communities>
- [34] Marion Ernwein. 2014-09-01. Framing Urban Gardening and Agriculture: On Space, Scale and the Public. *Geoforum* 56 (2014-09-01), 77–86. <https://doi.org/10.1016/j.geoforum.2014.06.016>
- [35] M. Ferguson, H. E. Roberts, R. R. C. McEachan, and M. Dallimer. 2018-07-01. Contrasting Distributions of Urban Green Infrastructure across Social and Ethno-Racial Groups. *Landscape and Urban Planning* 175 (2018-07-01), 136–148. <https://doi.org/10.1016/j.landurbplan.2018.03.020>
- [36] Runrid Fox-Kämper, Andreas Wesener, Daniel Münderlein, Martin Sondermann, Wendy McWilliam, and Nick Kirk. 2018-02. Urban Community Gardens: An Evaluation of Governance Approaches and Related Enablers and Barriers at Different Development Stages. *Landscape and Urban Planning* 170 (2018-02), 59–68. <https://doi.org/10.1016/j.landurbplan.2017.06.023>
- [37] Mariana T. Garcia, Silvana M. Ribeiro, Ana Claudia Camargo Gonçalves Germani, and Cláudia M. Bógus. 2018-02. The Impact of Urban Gardens on Adequate and Healthy Food: A Systematic Review. *Public Health Nutrition* 21, 2 (2018-02), 416–425. <https://doi.org/10.1017/S1368980017002944>
- [38] Mark A Goddard, Zoe G Davies, Solène Guenat, Mark J Ferguson, Jessica C Fisher, Adeniran Akanni, Teja Ahjokoski, Pippin ML Anderson, Fabio Angeoletto,

- Constantinos Antoniou, et al. 2021. A global horizon scan of the future impacts of robotics and autonomous systems on urban ecosystems. *Nature ecology & evolution* 5, 2 (2021), 219–230.
- [39] Mark A. Goddard, Andrew J. Dougill, and Tim G. Benton. 2010-02-01. Scaling up from Gardens: Biodiversity Conservation in Urban Environments. *Trends in Ecology and Evolution* 25, 2 (2010-02-01), 90–98. <https://doi.org/10.1016/j.tree.2009.07.016> PMID:19758724
- [40] Mark A Goddard, Andrew J Dougill, and Tim G Benton. 2013. Why garden for wildlife? Social and ecological drivers, motivations and barriers for biodiversity management in residential landscapes. *Ecological economics* 86 (2013), 258–273.
- [41] Isabel Goodfellow and Vishnu Prahalad. 2022-07-01. Barriers and Enablers for Private Residential Urban Food Gardening: The Case of the City of Hobart, Australia. *Cities* 126 (2022-07-01), 103689. <https://doi.org/10.1016/j.cities.2022.103689>
- [42] Leo A. Goodman. 1961. Snowball Sampling. *The Annals of Mathematical Statistics* 32, 1 (1961), 148–170. <http://www.jstor.org/stable/2237615>
- [43] Michael A Goodrich, Alan C Schultz, et al. 2008. Human–robot interaction: a survey. *Foundations and Trends® in Human–Computer Interaction* 1, 3 (2008), 203–275.
- [44] Meghan Z. Gough and John Accordino. 2013-11-01. Public Gardens as Sustainable Community Development Partners: Motivations, Perceived Benefits, and Challenges. *Urban Affairs Review* 49, 6 (2013-11-01), 851–887. <https://doi.org/10.1177/1078087413477634>
- [45] William G Graziano, Elizabeth C Hair, and John F Finch. 1997. Competitiveness mediates the link between personality and group performance. *Journal of personality and social psychology* 73, 6 (1997), 1394.
- [46] Daniela Guitart, Catherine Pickering, and Jason Byrne. 2012-01-01. Past Results and Future Directions in Urban Community Gardens Research. *Urban Forestry & Urban Greening* 11, 4 (2012-01-01), 364–373. <https://doi.org/10.1016/j.ufug.2012.06.007>
- [47] FarmBot Inc. 2024. *FarmBot Documentation*. FarmBot Inc. Retrieved 24.01.2025 from <https://developer.farm.bot/v15/docs> FarmBot Genesis Documentation.
- [48] FarmBot Inc. 2024. *FarmBot General Documentation*. FarmBot Inc. Retrieved 24.01.2025 from <https://genesis.farm.bot/v1.7/assembly/intro.html> FarmBot Genesis Documentation.
- [49] FarmBot Inc. 2024. *FarmBot Main Page*. FarmBot Inc. Retrieved 24.01.2025 from <https://farm.bot/> FarmBot Genesis Documentation.
- [50] FarmBot Inc. 2024. *FarmBot Tools*. FarmBot Inc. Retrieved 24.01.2025 from <https://genesis.farm.bot/v1.7/assembly/tools.html> FarmBot Genesis Documentation.
- [51] Simon L Jones and Ryan Kelly. 2018. Dealing with information overload in multifaceted personal informatics systems. *Human–Computer Interaction* 33, 1 (2018), 1–48.
- [52] Swapna Joshi, Natasha Randall, Suraj Chiplunkar, Theodora Wattimena, and Kostas Stavrianakis. 2018. "We"- A Robotic System to Extend Social Impact of Community Gardens. In *Companion of the 2018 ACM/IEEE International Conference on Human-Robot Interaction* (Chicago, IL, USA) (HRI '18). Association for Computing Machinery, New York, NY, USA, 349–350. <https://doi.org/10.1145/3173386.3177817>
- [53] Jessica L. Oliver, Selen Turkay, Margot Brereton, David M. Watson, and Paul Roe. 2021. Engaging with Nature Sounds & Citizen Science by Designing for Creative & Contextual Audio Encounters. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 567, 14 pages. <https://doi.org/10.1145/3411764.3445390>
- [54] Jae Ho Lee and David Matarrita-Cascante. 2019. The influence of emotional and conditional motivations on gardeners' participation in community (allotment) gardens. *Urban Forestry & Urban Greening* 42 (2019), 21–30.
- [55] Misha Leong, Robert R. Dunn, and Michelle D. Trautwein. 2018-05-09. Biodiversity and Socioeconomics in the City: A Review of the Luxury Effect. *Biology Letters* 14, 5 (2018-05-09), 20180082. <https://doi.org/10.1098/rsbl.2018.0082>
- [56] Michael Lewis, Katia Sycara, and Phillip Walker. 2018. *The Role of Trust in Human-Robot Interaction*. Springer International Publishing, Cham, 135–159. [https://doi.org/10.1007/978-3-319-64816-3\\_8](https://doi.org/10.1007/978-3-319-64816-3_8)
- [57] Olivia Lewis, Robert Home, and Thanasis Kizos. 2018-08-01. Digging for the Roots of Urban Gardening Behaviours. *Urban Forestry & Urban Greening* 34 (2018-08-01), 105–113. <https://doi.org/10.1016/j.ufug.2018.06.012>
- [58] Loredana Lunadei, Belén Diezma, Lourdes Lleó, Luis Ruiz-García, Susana Cantalapiedra, and Margarita Ruiz-Altisent. 2012. Monitoring of fresh-cut spinach leaves through a multispectral vision system. *Postharvest Biology and Technology* 63, 1 (2012), 74–84.
- [59] Peter Lyle, Jaz Hee-jong Choi, and Marcus Foth. 2014. Designing for grassroots food production: an event-based urban agriculture community. In *Proceedings of the 26th Australian Computer-Human Interaction Conference on Designing Futures: The Future of Design* (Sydney, New South Wales, Australia) (OzCHI '14). Association for Computing Machinery, New York, NY, USA, 362–365. <https://doi.org/10.1145/2686612.2686666>
- [60] Sophie McDonald. 2018. What Impact Does a Networked Communal Plant Watering System Have On A Sense of Community Cohesion?. In *Companion of the 2018 ACM Conference on Computer Supported Cooperative Work and Social Computing* (Jersey City, NJ, USA) (CSCW '18 Companion). Association for Computing Machinery, New York, NY, USA, 105–108. <https://doi.org/10.1145/3272973.3272985>
- [61] Eleonora Mencarini, Valentina Nisi, Christina Bremer, Chiara Leonardi, Nuno Jardim Nunes, Jen Liu, and Robert Soden. 2024. Imagining Sustainable Futures: Expanding the Discussion on Sustainable HCI. *Interactions* 31, 2 (Feb. 2024), 39–43. <https://doi.org/10.1145/3643493>
- [62] Taciano L. Milfont and John Duckitt. 2010. The environmental attitudes inventory: A valid and reliable measure to assess the structure of environmental attitudes. *Journal of Environmental Psychology* 30, 1 (2010), 80–94. <https://doi.org/10.1016/j.jenvp.2009.09.001>
- [63] Francisco-Angel Moreno, Grzegorz Cielniak, and Tom Duckett. 2014. Evaluation of Laser Range-Finder Mapping for Agricultural Spraying Vehicles. In *Towards Autonomous Robotic Systems*. Springer Berlin Heidelberg, Berlin, Heidelberg, 210–221.
- [64] Niamh Murtagh and Rachael Frost. 2023-10-01. Motivations for Urban Front Gardening: A Quantitative Analysis. *Landscape and Urban Planning* 238 (2023-10-01), 104835. <https://doi.org/10.1016/j.landurbplan.2023.104835>
- [65] Lorien Nesbitt, Michael J. Meitner, Cynthia Girling, Stephen R. J. Sheppard, and Yuhao Lu. 2019-01-01. Who Has Access to Urban Vegetation? A Spatial Analysis of Distributional Green Equity in 10 US Cities. *Landscape and Urban Planning* 181 (2019-01-01), 51–79. <https://doi.org/10.1016/j.landurbplan.2018.08.007>
- [66] Donald A. Norman and Stephen W. Draper. 1986. *User Centered System Design: New Perspectives on Human-Computer Interaction*. L. Erlbaum Associates Inc., USA.
- [67] Roberto Oberti, Massimo Marchi, Paolo Tirelli, Aldo Calcante, Marcello Iriti, Emanuele Tona, Marko Hočevar, Joerg Baur, Julian Pfaff, Christoph Schütz, and Heinz Ulbrich. 2016. Selective spraying of grapevines for disease control using a modular agricultural robot. *Biosystems Engineering* 146 (2016), 203–215. <https://doi.org/10.1016/j.biosystemseng.2015.12.004> Special Issue: Advances in Robotic Agriculture for Crops.
- [68] Dan R Olsen and Michael A Goodrich. 2003. Metrics for evaluating human-robot interactions. In *Proceedings of PERMIS*, Vol. 2003. National Institute of Standards and Technology (NIST), Gaithersburg, MD, USA, 4.
- [69] Ina Opitz, Regine Berges, Annette Piore, and Thomas Krikser. 2016-06-01. Contributing to Food Security in Urban Areas: Differences between Urban Agriculture and Peri-Urban Agriculture in the Global North. *Agric Hum Values* 33, 2 (2016-06-01), 341–358. <https://doi.org/10.1007/s10460-015-9610-2>
- [70] Wee Ching Pang, Gerald Seet, and Xiling Yao. 2014. A study on high-level autonomous navigational behaviors for telepresence applications. *Presence* 23, 2 (2014), 155–171.
- [71] Sabin Park, Tristan Endsley, and Taskin Padir. 2018. Comparisons of Adaptive Automation Conditions for Single-Operator Multiple-Agent Control Systems. In *2018 IEEE International Symposium on Technologies for Homeland Security (HST)*. IEEE, Virtual Symposium, 1–6. <https://doi.org/10.1109/THS.2018.8574170>
- [72] Hari Sharan Pathak, Philip Brown, and Talitha Best. 2019-12-01. A Systematic Literature Review of the Factors Affecting the Precision Agriculture Adoption Process. *Precision Agric* 20, 6 (2019-12-01), 1292–1316. <https://doi.org/10.1007/s11119-019-09653-x>
- [73] Jon Pearce, Wally Smith, Bjorn Nansen, and John Murphy. 2009. SmartGardenWatering: experiences of using a garden watering simulation. In *Proceedings of the 21st Annual Conference of the Australian Computer-Human Interaction Special Interest Group: Design: Open 24/7* (Melbourne, Australia) (OZCHI '09). Association for Computing Machinery, New York, NY, USA, 217–224. <https://doi.org/10.1145/1738826.1738861>
- [74] Eyal Peer, David Rothschild, Andrew Gordon, Zak Evernden, and Ekaterina Damer. 2022-08-01. Data Quality of Platforms and Panels for Online Behavioral Research. *Behav Res* 54, 4 (2022-08-01), 1643–1662. <https://doi.org/10.3758/s13428-021-01694-3>
- [75] James O Prochaska and John C Norcross. 2001. Stages of change. *Psychotherapy: theory, research, practice, training* 38, 4 (2001), 443.
- [76] Adrian S. Radikovic, John J. Leggett, John Keyser, and Roger S. Ulrich. 2005. Artificial window view of nature. In *CHI '05 Extended Abstracts on Human Factors in Computing Systems* (Portland, OR, USA) (CHI EA '05). Association for Computing Machinery, New York, NY, USA, 1993–1996. <https://doi.org/10.1145/1056808.1057075>
- [77] Adrian Reetz, Delcheo Valtchanov, Michael Barnett-Cowan, Mark Hancock, and James R. Wallace. 2021. Nature vs. Stress: Investigating the Use of Biophilia in Non-Violent Exploration Games to Reduce Stress. *Proc. ACM Hum.-Comput. Interact.* 5, CHI PLAY, Article 247 (oct 2021), 13 pages. <https://doi.org/10.1145/3474674>
- [78] Shannon Rodgers, Bernd Ploderer, and Margot Brereton. 2020. HCI in the Garden: Current Trends and Future Directions. In *Proceedings of the 31st Australian Conference on Human-Computer-Interaction* (Fremantle, WA, Australia) (OzCHI '19). Association for Computing Machinery, New York, NY, USA, 381–386. <https://doi.org/10.1145/3474674>

- //doi.org/10.1145/3369457.3369498
- [79] Beat Rossmly, Nada Terzimehić, Tanja Döring, Daniel Buschek, and Alexander Wiethoff. 2023. Point of no Undo: Irreversible Interactions as a Design Strategy. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (CHI '23). Association for Computing Machinery, New York, NY, USA, Article 140, 18 pages. <https://doi.org/10.1145/3544548.3581433>
- [80] Martin Schrepp, Andreas Hinderks, and Jörg Thomaschewski. 2017. Design and Evaluation of a Short Version of the User Experience Questionnaire (UEQ-S). *International Journal of Interactive Multimedia and Artificial Intelligence* 4 (01 2017), 103. <https://doi.org/10.9781/ijimai.2017.09.001>
- [81] Justin L. Schupp and Jeff S. Sharp. 2012-03-01. Exploring the Social Bases of Home Gardening. *Agric Hum Values* 29, 1 (2012-03-01), 93–105. <https://doi.org/10.1007/s10460-011-9321-2>
- [82] Justin L. Schupp, Rebecca L. Som Castellano, Jeff S. Sharp, and Molly Bean. 2016-06-02. Exploring Barriers to Home Gardening in Ohio Households. *Local Environment* 21, 6 (2016-06-02), 752–767. <https://doi.org/10.1080/13549839.2015.1017807>
- [83] Brian K. Smith and Brian J. Reiser. 1998. National Geographic unplugged: classroom-centered design of interactive nature films. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Los Angeles, California, USA) (CHI '98). ACM Press/Addison-Wesley Publishing Co., USA, 424–431. <https://doi.org/10.1145/274644.274702>
- [84] Masashi Soga, Kevin J. Gaston, and Yuichi Yamaura. 2017-03-01. Gardening Is Beneficial for Health: A Meta-Analysis. *Preventive Medicine Reports* 5 (2017-03-01), 92–99. <https://doi.org/10.1016/j.pmedr.2016.11.007>
- [85] Alessandro Soro, Margot Brereton, Tshering Dema, Jessica L. Oliver, Min Zhen Chai, and Aloha May Hufana Ambe. 2018. The Ambient Birdhouse: An IoT Device to Discover Birds and Engage with Nature. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems* (Montreal QC, Canada) (CHI '18). Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3173574.3173971>
- [86] Evgeny Stemasov, Tobias Wagner, Ali Askari, Jessica Janek, Omid Rajabi, Anja Schikorr, Julian Frommel, Jan Gugenheimer, and Enrico Rukzio. 2024. Dungeon-Maker: Embedding Tangible Creation and Destruction in Hybrid Board Games through Personal Fabrication Technology. In *Proceedings of the CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 328, 20 pages. <https://doi.org/10.1145/3613904.3642243>
- [87] Oliver Stickel and Thomas Ludwig. 2014. Computer supported urban gardening. In *Proceedings of the 2014 Companion Publication on Designing Interactive Systems* (Vancouver, BC, Canada) (DIS Companion '14). Association for Computing Machinery, New York, NY, USA, 77–80. <https://doi.org/10.1145/2598784.2602786>
- [88] Yolande A.A. Strengers. 2011. Designing Eco-Feedback Systems for Everyday Life. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Vancouver, BC, Canada) (CHI '11). Association for Computing Machinery, New York, NY, USA, 2135–2144. <https://doi.org/10.1145/1978942.1979252>
- [89] Ryo Suzuki, Adnan Karim, Tian Xia, Hooman Hedayati, and Nicolai Marquardt. 2022. Augmented Reality and Robotics: A Survey and Taxonomy for AR-enhanced Human-Robot Interaction and Robotic Interfaces. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (CHI '22). Association for Computing Machinery, New York, NY, USA, Article 553, 33 pages. <https://doi.org/10.1145/3491102.3517719>
- [90] Gareth Terry, Nikki Hayfield, Victoria Clarke, Virginia Braun, et al. 2017. Thematic analysis. *The SAGE handbook of qualitative research in psychology* 2, 17-37 (2017), 25.
- [91] Christiane Attig Thomas Franke and Daniel Wessel. 2019. A Personal Resource for Technology Interaction: Development and Validation of the Affinity for Technology Interaction (ATI) Scale. *International Journal of Human-Computer Interaction* 35, 6 (2019), 456–467. <https://doi.org/10.1080/10447318.2018.1456150> arXiv:<https://doi.org/10.1080/10447318.2018.1456150>
- [92] Simon Tresch, David Frey, Renée-Claire Le Bayon, Paul Mäder, Bernhard Stehle, Andreas Fliessbach, and Marco Moretti. 2019-07-05. Direct and Indirect Effects of Urban Gardening on Aboveground and Belowground Diversity Influencing Soil Multifunctionality. *Sci Rep* 9, 1 (2019-07-05), 9769. <https://doi.org/10.1038/s41598-019-46024-y>
- [93] Juan P. Vasconez, George A. Kantor, and Fernando A. Auat Cheein. 2019-03-01. Human-Robot Interaction in Agriculture: A Survey and Current Challenges. *Biosystems Engineering* 179 (2019-03-01), 35–48. <https://doi.org/10.1016/j.biosystemseng.2018.12.005>
- [94] Kellie Vella, Bernd Ploderer, and Margot Brereton. 2021. Human-Nature Relations in Urban Gardens: Explorations with Camera Traps. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 566, 13 pages. <https://doi.org/10.1145/3411764.3445438>
- [95] Sarah Wakefield, Fiona Yeudall, Carolin Taron, Jennifer Reynolds, and Ana Skinner. 2007. Growing urban health: community gardening in South-East Toronto. *Health promotion international* 22, 2 (2007), 92–101.
- [96] Leijie Wang, Nicholas Vincent, Julija Rukanskaitundefined, and Amy Xian Zhang. 2024. Pika: Empowering Non-Programmers to Author Executable Governance Policies in Online Communities. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 925, 18 pages. <https://doi.org/10.1145/3613904.3642012>
- [97] Xiaolan Wang, Ron Wakkary, Carman Neustaedter, and Audrey Desjardins. 2015. Information sharing, scheduling, and awareness in community gardening collaboration. In *Proceedings of the 7th International Conference on Communities and Technologies* (Limerick, Ireland) (C&T '15). Association for Computing Machinery, New York, NY, USA, 79–88. <https://doi.org/10.1145/2768545.2768556>
- [98] Sarah Webber, Ryan M. Kelly, Greg Wadley, and Wally Smith. 2023. Engaging with Nature through Technology: A Scoping Review of HCI Research. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (CHI '23). Association for Computing Machinery, New York, NY, USA, Article 521, 18 pages. <https://doi.org/10.1145/3544548.3581534>
- [99] H.A. Yanco and J. Drury. 2004. Classifying human-robot interaction: an updated taxonomy. In *2004 IEEE International Conference on Systems, Man and Cybernetics (IEEE Cat. No.04CH37583)*, Vol. 3. IEEE, The Hague, Netherlands, 2841–2846 vol.3. <https://doi.org/10.1109/ICSMC.2004.1400763>
- [100] Ilaria Zonda, Dan Xu, Mick Jongeling, and Gijs Huisman. 2019. Growkit: Using Technology to Support People Growing Food at Home. In *Extended Abstracts of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland Uk) (CHI EA '19). Association for Computing Machinery, New York, NY, USA, 1–6. <https://doi.org/10.1145/3290607.3312834>

## A GUIDELINE PROTOCOL SEMI-STRUCTURED INTERVIEWS

### 1. General Usage

- Describe your general experiences from week 1 to week 3.
  - What were your goals?
  - What was the focus over the weeks?
- What was the most enjoyable aspect? What was the least enjoyable?
- Describe a typical day and how the app was integrated into it.
- What was your thought process behind creating the garden layout?
- To what extent did the fact that it was a virtual field influence your decisions?
- During the study, did you observe the state of other participants' fields? Why or why not?

### 2. Levels of Automation

- How were the different levels of automation perceived?
- Did you switch between levels of automation?
  - Why or why not?
  - What triggered a switch?
- Which level of automation was the most useful? Why?
- Which level was the least useful? Why?

### 3. Effects of Remote Interaction

- How did it feel to never have to be on-site?
- To what extent did the app's features compensate for not being physically present?
- How was the support for decision-making (e.g., what to plant, when to water/whether watering was needed) perceived?
- What was observed in the live streams/images?
  - What was the goal of the observation?
  - What specifically did you see?
  - Were there any surprises?

#### **4. Interaction with the Robot**

- How did you assess the robot's capabilities?
  - How was it perceived that the robot was a shared resource for all fields?
  - Did you observe the robot while it was performing its tasks? Why or why not?
- Were you afraid of breaking something? Why?
  - Were there any problems, confusion, or surprises regarding the robot's behavior?
  - To what extent did participating in the study and using the system influence your perception of your gardening skills?