

	Query	Category	Mean1	Mean2	Median	Min	Max	Transitions	Zeros
1	par-arc1-q7p7r-id1-proc-unbounded.dat	applicable	137.71	72.14	56	12	382	7	0
2	par-arc1-q7p7r-id1-proc-unbounded.dat	applied	41.86	28.76	41	4	86	7	0
3	par-arc1-q7p7r-id1-proc-unbounded.dat	store	54.88	50.45	49	21	89	7	0
4	par-arc1-q7p7r-id36-proc-7.dat	applicable	27.08	23.94	25	3	67	77	0
5	par-arc1-q7p7r-id36-proc-7.dat	applied	3.55	0.00	3	0	7	77	5
6	par-arc1-q7p7r-id36-proc-7.dat	store	41.96	41.49	44	21	52	77	0
7	par-arc2-q7p7r-id2-proc-unbounded.dat	applicable	23.75	19.15	20	7	48	4	0
8	par-arc2-q7p7r-id2-proc-unbounded.dat	applied	16.50	13.70	20	4	22	4	0
9	par-arc2-q7p7r-id2-proc-unbounded.dat	store	42.60	40.29	43	21	61	4	0
10	par-arc2-q7p7r-id37-proc-7.dat	applicable	16.33	14.66	18	3	24	12	0
11	par-arc2-q7p7r-id37-proc-7.dat	applied	5.67	5.35	6	2	7	12	0
12	par-arc2-q7p7r-id37-proc-7.dat	store	38.69	37.95	41	21	46	12	0
13	par-sat-q7p7r-id3-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	8	0
14	par-sat-q7p7r-id3-proc-unbounded.dat	applied	213.22	22.83	16	1	896	8	0
15	par-sat-q7p7r-id3-proc-unbounded.dat	store	157.11	50.22	31	16	1039	8	0
16	par-sat-q7p7r-id38-proc-7.dat	applicable	35.67	12.74	15	1	120	8	0
17	par-sat-q7p7r-id38-proc-7.dat	applied	5.44	4.61	7	1	7	8	0
18	par-sat-q7p7r-id38-proc-7.dat	store	32.78	29.55	30	16	58	8	0
19	par-uf1-q30pusd-id71-proc-unbounded.dat	applicable	29.88	22.09	29	1	58	33	0
20	par-uf1-q30pusd-id71-proc-unbounded.dat	applied	29.88	22.09	29	1	58	33	0
21	par-uf1-q30pusd-id71-proc-unbounded.dat	store	77.91	72.55	77	31	118	33	0
22	par-uf1-q30pusd-id85-proc-30.dat	applicable	22.92	12.42	18	1	58	26	0
23	par-uf1-q30pusd-id85-proc-30.dat	applied	17.04	10.65	17	1	30	26	0
24	par-uf1-q30pusd-id85-proc-30.dat	store	70.41	63.34	60	31	118	26	0
25	par-uf1-q7p7r-id39-proc-7.dat	applicable	5.60	4.49	5	1	12	10	0
26	par-uf1-q7p7r-id39-proc-7.dat	applied	4.80	4.09	5	1	7	10	0
27	par-uf1-q7p7r-id39-proc-7.dat	store	18.64	17.36	17	8	26	10	0
28	par-uf1-q7p7r-id4-proc-unbounded.dat	applicable	6.60	5.32	6	1	12	10	0
29	par-uf1-q7p7r-id4-proc-unbounded.dat	applied	6.60	5.32	6	1	12	10	0
30	par-uf1-q7p7r-id4-proc-unbounded.dat	store	19.18	17.93	20	8	26	10	0

31	par-uf2-q30pusd-id72-proc-unbounded.dat	applicable	29.53	23.16	30	4	60	17	0
32	par-uf2-q30pusd-id72-proc-unbounded.dat	applied	28.59	22.37	30	4	60	17	0
33	par-uf2-q30pusd-id72-proc-unbounded.dat	store	84.17	78.08	85	31	121	17	0
34	par-uf2-q30pusd-id86-proc-30.dat	applicable	27.10	16.29	28	1	60	20	0
35	par-uf2-q30pusd-id86-proc-30.dat	applied	18.00	12.70	22	1	30	20	0
36	par-uf2-q30pusd-id86-proc-30.dat	store	75.29	67.87	67	31	121	20	0
37	par-uf2-q7p7r-id40-proc-7.dat	applicable	8.33	6.43	8	1	16	12	0
38	par-uf2-q7p7r-id40-proc-7.dat	applied	5.08	4.48	6	1	7	12	0
39	par-uf2-q7p7r-id40-proc-7.dat	store	21.00	19.58	20	8	29	12	0
40	par-uf2-q7p7r-id5-proc-unbounded.dat	applicable	8.29	7.86	7	5	14	7	0
41	par-uf2-q7p7r-id5-proc-unbounded.dat	applied	7.71	6.96	7	3	14	7	0
42	par-uf2-q7p7r-id5-proc-unbounded.dat	store	23.50	21.79	27	8	29	7	0
43	parr-arc1-q7p7r-id16-proc-unbounded.dat	applicable	113.43	32.75	56	1	298	7	0
44	parr-arc1-q7p7r-id16-proc-unbounded.dat	applied	35.86	16.33	29	1	80	7	0
45	parr-arc1-q7p7r-id16-proc-unbounded.dat	store	52.25	48.14	43	21	88	7	0
46	parr-arc1-q7p7r-id21-proc-unbounded.dat	applicable	134.57	57.00	56	3	373	7	0
47	parr-arc1-q7p7r-id21-proc-unbounded.dat	applied	40.43	24.46	44	2	83	7	0
48	parr-arc1-q7p7r-id21-proc-unbounded.dat	store	54.25	49.86	47	21	87	7	0
49	parr-arc1-q7p7r-id26-proc-unbounded.dat	applicable	135.57	81.62	94	17	338	7	0
50	parr-arc1-q7p7r-id26-proc-unbounded.dat	applied	42.71	31.16	44	5	81	7	0
51	parr-arc1-q7p7r-id26-proc-unbounded.dat	store	55.25	50.95	52	21	86	7	0
52	parr-arc1-q7p7r-id51-proc-7.dat	applicable	107.85	96.49	121	7	160	100	0
53	parr-arc1-q7p7r-id51-proc-7.dat	applied	3.45	0.00	3	0	7	100	4
54	parr-arc1-q7p7r-id51-proc-7.dat	store	50.69	50.15	51	21	61	100	0
55	parr-arc1-q7p7r-id56-proc-7.dat	applicable	97.50	84.71	89	4	169	111	0
56	parr-arc1-q7p7r-id56-proc-7.dat	applied	3.41	0.00	3	0	7	111	5
57	parr-arc1-q7p7r-id56-proc-7.dat	store	50.40	49.93	50	21	62	111	0
58	parr-arc1-q7p7r-id61-proc-7.dat	applicable	126.22	108.24	138	4	187	103	0
59	parr-arc1-q7p7r-id61-proc-7.dat	applied	3.19	0.00	3	0	7	103	8
60	parr-arc1-q7p7r-id61-proc-7.dat	store	54.93	54.18	56	21	71	103	0
61	parr-arc2-q7p7r-id17-proc-unbounded.dat	applicable	26.50	24.25	20	18	48	4	0
62	parr-arc2-q7p7r-id17-proc-unbounded.dat	applied	18.00	16.27	20	7	25	4	0

63	parr-arc2-q7p7r-id17-proc-unbounded.dat	store	43.20	40.79	43	21	61	4	0
64	parr-arc2-q7p7r-id22-proc-unbounded.dat	applicable	20.40	12.01	20	1	48	5	0
65	parr-arc2-q7p7r-id22-proc-unbounded.dat	applied	14.40	9.24	20	1	24	5	0
66	parr-arc2-q7p7r-id22-proc-unbounded.dat	store	43.17	41.17	43	21	61	5	0
67	parr-arc2-q7p7r-id27-proc-unbounded.dat	applicable	26.50	24.25	20	18	48	4	0
68	parr-arc2-q7p7r-id27-proc-unbounded.dat	applied	18.00	16.27	20	7	25	4	0
69	parr-arc2-q7p7r-id27-proc-unbounded.dat	store	43.20	40.79	43	21	61	4	0
70	parr-arc2-q7p7r-id52-proc-7.dat	applicable	23.21	21.33	22	7	38	14	0
71	parr-arc2-q7p7r-id52-proc-7.dat	applied	5.14	4.88	5	3	7	14	0
72	parr-arc2-q7p7r-id52-proc-7.dat	store	43.73	42.61	48	21	52	14	0
73	parr-arc2-q7p7r-id57-proc-7.dat	applicable	16.14	12.49	18	1	24	14	0
74	parr-arc2-q7p7r-id57-proc-7.dat	applied	5.00	4.38	5	1	7	14	0
75	parr-arc2-q7p7r-id57-proc-7.dat	store	42.13	41.18	45	21	50	14	0
76	parr-arc2-q7p7r-id62-proc-7.dat	applicable	18.71	15.17	21	1	32	14	0
77	parr-arc2-q7p7r-id62-proc-7.dat	applied	5.29	4.80	6	1	7	14	0
78	parr-arc2-q7p7r-id62-proc-7.dat	store	43.07	42.01	47	21	52	14	0
79	parr-sat-q7p7r-id18-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	8	0
80	parr-sat-q7p7r-id18-proc-unbounded.dat	applied	213.22	22.83	16	1	896	8	0
81	parr-sat-q7p7r-id18-proc-unbounded.dat	store	157.11	50.22	31	16	1039	8	0
82	parr-sat-q7p7r-id23-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	8	0
83	parr-sat-q7p7r-id23-proc-unbounded.dat	applied	213.22	22.83	16	1	896	8	0
84	parr-sat-q7p7r-id23-proc-unbounded.dat	store	157.11	50.22	31	16	1039	8	0
85	parr-sat-q7p7r-id28-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	8	0
86	parr-sat-q7p7r-id28-proc-unbounded.dat	applied	213.22	22.83	16	1	896	8	0
87	parr-sat-q7p7r-id28-proc-unbounded.dat	store	157.11	50.22	31	16	1039	8	0
88	parr-sat-q7p7r-id53-proc-7.dat	applicable	111.67	60.20	135	1	188	23	0
89	parr-sat-q7p7r-id53-proc-7.dat	applied	6.42	5.99	7	1	7	23	0
90	parr-sat-q7p7r-id53-proc-7.dat	store	83.54	67.11	82	16	163	23	0
91	parr-sat-q7p7r-id58-proc-7.dat	applicable	41.08	19.05	25	1	91	11	0
92	parr-sat-q7p7r-id58-proc-7.dat	applied	5.83	5.12	7	1	7	11	0
93	parr-sat-q7p7r-id58-proc-7.dat	store	42.58	36.89	40	16	79	11	0
94	parr-sat-q7p7r-id63-proc-7.dat	applicable	127.78	59.74	140	1	286	22	0

95	parr-sat-q7p7r-id63-proc-7.dat	applied	6.39	5.94	7	1	7	22	0
96	parr-sat-q7p7r-id63-proc-7.dat	store	80.09	64.57	79	16	156	22	0
97	parr-uf1-q30pusd-id77-proc-unbounded.dat	applicable	20.92	15.16	19	2	58	12	0
98	parr-uf1-q30pusd-id77-proc-unbounded.dat	applied	19.00	13.20	16	2	58	12	0
99	parr-uf1-q30pusd-id77-proc-unbounded.dat	store	72.46	65.21	60	31	118	12	0
100	parr-uf1-q30pusd-id79-proc-unbounded.dat	applicable	22.67	15.78	25	2	58	12	0
101	parr-uf1-q30pusd-id79-proc-unbounded.dat	applied	20.92	13.88	19	2	58	12	0
102	parr-uf1-q30pusd-id79-proc-unbounded.dat	store	73.85	66.22	60	31	118	12	0
103	parr-uf1-q30pusd-id81-proc-unbounded.dat	applicable	19.92	11.08	22	1	58	13	0
104	parr-uf1-q30pusd-id81-proc-unbounded.dat	applied	18.31	10.17	18	1	58	13	0
105	parr-uf1-q30pusd-id81-proc-unbounded.dat	store	70.14	62.22	59	31	118	13	0
106	parr-uf1-q30pusd-id91-proc-30.dat	applicable	20.00	10.71	14	1	58	15	0
107	parr-uf1-q30pusd-id91-proc-30.dat	applied	14.93	9.03	12	1	30	15	0
108	parr-uf1-q30pusd-id91-proc-30.dat	store	69.94	62.18	59	31	118	15	0
109	parr-uf1-q30pusd-id93-proc-30.dat	applicable	20.69	11.34	16	1	58	16	0
110	parr-uf1-q30pusd-id93-proc-30.dat	applied	15.44	9.62	15	1	30	16	0
111	parr-uf1-q30pusd-id93-proc-30.dat	store	70.29	62.60	60	31	118	16	0
112	parr-uf1-q30pusd-id95-proc-30.dat	applicable	19.53	10.57	15	1	58	15	0
113	parr-uf1-q30pusd-id95-proc-30.dat	applied	14.93	8.99	13	1	30	15	0
114	parr-uf1-q30pusd-id95-proc-30.dat	store	69.75	61.69	56	31	118	15	0
115	parr-uf1-q7p7r-id19-proc-unbounded.dat	applicable	4.89	3.63	6	1	12	9	0
116	parr-uf1-q7p7r-id19-proc-unbounded.dat	applied	4.56	3.40	4	1	12	9	0
117	parr-uf1-q7p7r-id19-proc-unbounded.dat	store	17.90	16.48	15	8	26	9	0
118	parr-uf1-q7p7r-id24-proc-unbounded.dat	applicable	5.62	4.65	6	1	12	8	0
119	parr-uf1-q7p7r-id24-proc-unbounded.dat	applied	5.12	4.05	5	1	12	8	0
120	parr-uf1-q7p7r-id24-proc-unbounded.dat	store	18.67	17.23	17	8	26	8	0
121	parr-uf1-q7p7r-id29-proc-unbounded.dat	applicable	4.89	3.73	6	1	12	9	0
122	parr-uf1-q7p7r-id29-proc-unbounded.dat	applied	4.44	3.38	3	1	12	9	0
123	parr-uf1-q7p7r-id29-proc-unbounded.dat	store	18.20	16.80	17	8	26	9	0
124	parr-uf1-q7p7r-id54-proc-7.dat	applicable	5.56	4.64	6	1	12	9	0
125	parr-uf1-q7p7r-id54-proc-7.dat	applied	4.44	3.84	5	1	7	9	0
126	parr-uf1-q7p7r-id54-proc-7.dat	store	18.80	17.49	18	8	26	9	0

127	parr-uf1-q7p7r-id59-proc-7.dat	applicable	5.30	4.13	5	1	12	10	0
128	parr-uf1-q7p7r-id59-proc-7.dat	applied	4.10	3.43	4	1	7	10	0
129	parr-uf1-q7p7r-id59-proc-7.dat	store	18.36	17.07	17	8	26	10	0
130	parr-uf1-q7p7r-id64-proc-7.dat	applicable	7.18	6.14	6	1	13	11	0
131	parr-uf1-q7p7r-id64-proc-7.dat	applied	4.82	4.34	5	1	7	11	0
132	parr-uf1-q7p7r-id64-proc-7.dat	store	19.00	17.77	20	8	26	11	0
133	parr-uf2-q30pusd-id78-proc-unbounded.dat	applicable	24.15	17.71	25	2	60	13	0
134	parr-uf2-q30pusd-id78-proc-unbounded.dat	applied	20.85	14.85	18	2	60	13	0
135	parr-uf2-q30pusd-id78-proc-unbounded.dat	store	78.79	71.77	73	31	121	13	0
136	parr-uf2-q30pusd-id80-proc-unbounded.dat	applicable	26.55	21.70	30	4	60	11	0
137	parr-uf2-q30pusd-id80-proc-unbounded.dat	applied	23.36	18.67	21	4	60	11	0
138	parr-uf2-q30pusd-id80-proc-unbounded.dat	store	82.25	75.59	74	31	121	11	0
139	parr-uf2-q30pusd-id82-proc-unbounded.dat	applicable	29.90	26.02	30	6	60	10	0
140	parr-uf2-q30pusd-id82-proc-unbounded.dat	applied	26.90	22.77	25	6	60	10	0
141	parr-uf2-q30pusd-id82-proc-unbounded.dat	store	87.45	80.95	91	31	121	10	0
142	parr-uf2-q30pusd-id92-proc-30.dat	applicable	24.14	14.31	30	1	60	14	0
143	parr-uf2-q30pusd-id92-proc-30.dat	applied	17.79	11.67	24	1	30	14	0
144	parr-uf2-q30pusd-id92-proc-30.dat	store	78.00	69.57	82	31	121	14	0
145	parr-uf2-q30pusd-id94-proc-30.dat	applicable	27.07	19.38	31	2	60	14	0
146	parr-uf2-q30pusd-id94-proc-30.dat	applied	19.29	15.28	23	2	30	14	0
147	parr-uf2-q30pusd-id94-proc-30.dat	store	82.80	75.21	85	31	121	14	0
148	parr-uf2-q30pusd-id96-proc-30.dat	applicable	28.25	24.05	28	6	60	12	0
149	parr-uf2-q30pusd-id96-proc-30.dat	applied	21.00	19.04	21	6	30	12	0
150	parr-uf2-q30pusd-id96-proc-30.dat	store	85.00	78.82	82	31	121	12	0
151	parr-uf2-q7p7r-id20-proc-unbounded.dat	applicable	7.57	6.49	7	2	14	7	0
152	parr-uf2-q7p7r-id20-proc-unbounded.dat	applied	7.14	5.99	7	2	14	7	0
153	parr-uf2-q7p7r-id20-proc-unbounded.dat	store	21.62	19.81	24	8	29	7	0
154	parr-uf2-q7p7r-id25-proc-unbounded.dat	applicable	7.14	6.44	7	3	14	7	0
155	parr-uf2-q7p7r-id25-proc-unbounded.dat	applied	6.43	5.58	6	3	14	7	0
156	parr-uf2-q7p7r-id25-proc-unbounded.dat	store	22.00	20.30	24	8	29	7	0
157	parr-uf2-q7p7r-id30-proc-unbounded.dat	applicable	8.29	7.78	7	4	14	7	0
158	parr-uf2-q7p7r-id30-proc-unbounded.dat	applied	7.14	6.37	6	3	14	7	0

159	parr-uf2-q7p7r-id30-proc-unbounded.dat	store	22.75	21.08	26	8	29	7	0
160	parr-uf2-q7p7r-id55-proc-7.dat	applicable	7.75	6.14	8	1	14	12	0
161	parr-uf2-q7p7r-id55-proc-7.dat	applied	5.00	4.38	5	1	7	12	0
162	parr-uf2-q7p7r-id55-proc-7.dat	store	21.69	20.12	23	8	29	12	0
163	parr-uf2-q7p7r-id60-proc-7.dat	applicable	7.11	5.77	7	1	14	9	0
164	parr-uf2-q7p7r-id60-proc-7.dat	applied	5.00	4.41	6	1	7	9	0
165	parr-uf2-q7p7r-id60-proc-7.dat	store	21.30	19.57	23	8	29	9	0
166	parr-uf2-q7p7r-id65-proc-7.dat	applicable	7.67	6.78	7	2	14	9	0
167	parr-uf2-q7p7r-id65-proc-7.dat	applied	5.56	5.22	6	2	7	9	0
168	parr-uf2-q7p7r-id65-proc-7.dat	store	22.20	20.67	24	8	29	9	0
169	pars-arc1-q7p7r-id41-proc-7.dat	applicable	64.01	58.59	64	6	109	90	0
170	pars-arc1-q7p7r-id41-proc-7.dat	applied	3.66	0.00	4	0	7	90	9
171	pars-arc1-q7p7r-id41-proc-7.dat	store	45.99	45.46	48	21	57	90	0
172	pars-arc1-q7p7r-id6-proc-unbounded.dat	applicable	137.71	72.14	56	12	382	7	0
173	pars-arc1-q7p7r-id6-proc-unbounded.dat	applied	41.86	28.76	41	4	86	7	0
174	pars-arc1-q7p7r-id6-proc-unbounded.dat	store	54.88	50.45	49	21	89	7	0
175	pars-arc2-q7p7r-id42-proc-7.dat	applicable	17.08	13.66	19	1	29	12	0
176	pars-arc2-q7p7r-id42-proc-7.dat	applied	5.33	4.79	6	1	7	12	0
177	pars-arc2-q7p7r-id42-proc-7.dat	store	39.62	38.77	42	21	46	12	0
178	pars-arc2-q7p7r-id7-proc-unbounded.dat	applicable	23.75	19.15	20	7	48	4	0
179	pars-arc2-q7p7r-id7-proc-unbounded.dat	applied	16.50	13.70	20	4	22	4	0
180	pars-arc2-q7p7r-id7-proc-unbounded.dat	store	42.60	40.29	43	21	61	4	0
181	pars-sat-q7p7r-id43-proc-7.dat	applicable	69.53	48.00	76	1	120	31	0
182	pars-sat-q7p7r-id43-proc-7.dat	applied	6.56	6.22	7	1	7	31	0
183	pars-sat-q7p7r-id43-proc-7.dat	store	111.28	87.49	110	16	219	31	0
184	pars-sat-q7p7r-id8-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	8	0
185	pars-sat-q7p7r-id8-proc-unbounded.dat	applied	213.22	22.83	16	1	896	8	0
186	pars-sat-q7p7r-id8-proc-unbounded.dat	store	157.11	50.22	31	16	1039	8	0
187	pars-uf1-q30pusd-id73-proc-unbounded.dat	applicable	27.39	18.66	29	1	58	33	0
188	pars-uf1-q30pusd-id73-proc-unbounded.dat	applied	27.36	18.64	28	1	58	33	0
189	pars-uf1-q30pusd-id73-proc-unbounded.dat	store	75.53	70.00	74	31	118	33	0
190	pars-uf1-q30pusd-id87-proc-30.dat	applicable	23.26	12.59	19	1	58	23	0

191	pars-uf1-q30pusd-id87-proc-30.dat	applied	16.70	10.52	19	1	30	23	0
192	pars-uf1-q30pusd-id87-proc-30.dat	store	70.71	63.48	63	31	118	23	0
193	pars-uf1-q7p7r-id44-proc-7.dat	applicable	5.09	3.77	5	1	12	11	0
194	pars-uf1-q7p7r-id44-proc-7.dat	applied	4.09	3.25	5	1	7	11	0
195	pars-uf1-q7p7r-id44-proc-7.dat	store	18.00	16.71	15	8	26	11	0
196	pars-uf1-q7p7r-id9-proc-unbounded.dat	applicable	5.30	3.95	5	1	12	10	0
197	pars-uf1-q7p7r-id9-proc-unbounded.dat	applied	5.20	3.88	5	1	12	10	0
198	pars-uf1-q7p7r-id9-proc-unbounded.dat	store	18.09	16.77	17	8	26	10	0
199	pars-uf2-q30pusd-id74-proc-unbounded.dat	applicable	27.79	21.68	29	4	60	19	0
200	pars-uf2-q30pusd-id74-proc-unbounded.dat	applied	26.95	21.03	23	4	60	19	0
201	pars-uf2-q30pusd-id74-proc-unbounded.dat	store	80.65	75.03	74	31	121	19	0
202	pars-uf2-q30pusd-id88-proc-30.dat	applicable	29.11	18.51	30	1	60	18	0
203	pars-uf2-q30pusd-id88-proc-30.dat	applied	19.00	14.03	23	1	30	18	0
204	pars-uf2-q30pusd-id88-proc-30.dat	store	79.16	71.90	76	31	121	18	0
205	pars-uf2-q7p7r-id10-proc-unbounded.dat	applicable	7.88	7.07	7	3	14	8	0
206	pars-uf2-q7p7r-id10-proc-unbounded.dat	applied	7.50	6.59	7	3	14	8	0
207	pars-uf2-q7p7r-id10-proc-unbounded.dat	store	22.44	20.87	26	8	29	8	0
208	pars-uf2-q7p7r-id45-proc-7.dat	applicable	8.00	6.96	9	3	14	9	0
209	pars-uf2-q7p7r-id45-proc-7.dat	applied	5.22	4.88	6	3	7	9	0
210	pars-uf2-q7p7r-id45-proc-7.dat	store	21.90	20.44	23	8	29	9	0
211	parsd-arc1-q7p7r-id11-proc-unbounded.dat	applicable	159.71	100.49	131	20	424	7	0
212	parsd-arc1-q7p7r-id11-proc-unbounded.dat	applied	47.86	36.91	41	8	92	7	0
213	parsd-arc1-q7p7r-id11-proc-unbounded.dat	store	57.50	52.66	57	21	89	7	0
214	parsd-arc1-q7p7r-id46-proc-7.dat	applicable	48.60	41.02	45	6	108	87	0
215	parsd-arc1-q7p7r-id46-proc-7.dat	applied	3.51	0.00	3	0	7	87	4
216	parsd-arc1-q7p7r-id46-proc-7.dat	store	45.53	45.24	46	21	53	87	0
217	parsd-arc2-q7p7r-id12-proc-unbounded.dat	applicable	22.60	13.57	20	1	48	5	0
218	parsd-arc2-q7p7r-id12-proc-unbounded.dat	applied	15.20	9.87	20	1	26	5	0
219	parsd-arc2-q7p7r-id12-proc-unbounded.dat	store	43.50	41.44	43	21	61	5	0
220	parsd-arc2-q7p7r-id47-proc-7.dat	applicable	16.43	13.26	17	1	28	14	0
221	parsd-arc2-q7p7r-id47-proc-7.dat	applied	5.14	4.65	5	1	7	14	0
222	parsd-arc2-q7p7r-id47-proc-7.dat	store	43.73	42.58	46	21	54	14	0

223	parsd-sat-q7p7r-id13-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	8	0
224	parsd-sat-q7p7r-id13-proc-unbounded.dat	applied	213.22	22.83	16	1	896	8	0
225	parsd-sat-q7p7r-id13-proc-unbounded.dat	store	157.11	50.22	31	16	1039	8	0
226	parsd-sat-q7p7r-id48-proc-7.dat	applicable	85.93	29.74	32	1	223	13	0
227	parsd-sat-q7p7r-id48-proc-7.dat	applied	6.00	5.35	7	1	7	13	0
228	parsd-sat-q7p7r-id48-proc-7.dat	store	49.29	41.86	47	16	93	13	0
229	parsd-uf1-q30pusd-id75-proc-unbounded.dat	applicable	17.62	10.61	14	1	58	13	0
230	parsd-uf1-q30pusd-id75-proc-unbounded.dat	applied	15.54	9.08	11	1	58	13	0
231	parsd-uf1-q30pusd-id75-proc-unbounded.dat	store	69.07	61.57	56	31	118	13	0
232	parsd-uf1-q30pusd-id89-proc-30.dat	applicable	32.54	25.13	36	2	58	24	0
233	parsd-uf1-q30pusd-id89-proc-30.dat	applied	23.12	19.22	29	2	30	24	0
234	parsd-uf1-q30pusd-id89-proc-30.dat	store	84.60	78.67	94	31	118	24	0
235	parsd-uf1-q7p7r-id14-proc-unbounded.dat	applicable	5.22	4.02	6	1	12	9	0
236	parsd-uf1-q7p7r-id14-proc-unbounded.dat	applied	4.89	3.75	4	1	12	9	0
237	parsd-uf1-q7p7r-id14-proc-unbounded.dat	store	18.20	16.80	17	8	26	9	0
238	parsd-uf1-q7p7r-id49-proc-7.dat	applicable	7.33	6.61	7	2	12	9	0
239	parsd-uf1-q7p7r-id49-proc-7.dat	applied	5.33	5.06	6	2	7	9	0
240	parsd-uf1-q7p7r-id49-proc-7.dat	store	20.60	19.33	24	8	26	9	0
241	parsd-uf2-q30pusd-id76-proc-unbounded.dat	applicable	27.33	21.84	30	3	60	12	0
242	parsd-uf2-q30pusd-id76-proc-unbounded.dat	applied	24.17	18.61	23	3	60	12	0
243	parsd-uf2-q30pusd-id76-proc-unbounded.dat	store	81.77	74.88	79	31	121	12	0
244	parsd-uf2-q30pusd-id90-proc-30.dat	applicable	34.27	29.02	36	5	60	15	0
245	parsd-uf2-q30pusd-id90-proc-30.dat	applied	23.27	21.25	28	5	30	15	0
246	parsd-uf2-q30pusd-id90-proc-30.dat	store	92.31	86.36	101	31	121	15	0
247	parsd-uf2-q7p7r-id15-proc-unbounded.dat	applicable	8.29	7.78	7	4	14	7	0
248	parsd-uf2-q7p7r-id15-proc-unbounded.dat	applied	7.14	6.37	6	3	14	7	0
249	parsd-uf2-q7p7r-id15-proc-unbounded.dat	store	22.75	21.08	26	8	29	7	0
250	parsd-uf2-q7p7r-id50-proc-7.dat	applicable	7.56	6.63	7	2	14	9	0
251	parsd-uf2-q7p7r-id50-proc-7.dat	applied	5.22	4.94	5	2	7	9	0
252	parsd-uf2-q7p7r-id50-proc-7.dat	store	21.90	20.38	23	8	29	9	0
253	seq-arc1-q7p7r-id31-proc-unbounded.dat	applicable	484.80	Inf	524	1	887	2172	0
254	seq-arc1-q7p7r-id31-proc-unbounded.dat	applied	0.22	0.00	0	0	1	2172	1691



255	seq-arc1-q7p7r-id31-proc-unbounded.dat	store	76.70	Inf	80	21	108	2172	0
256	seq-arc1-q7p7r-id66-proc-7.dat	applicable	484.80	Inf	524	1	887	2172	0
257	seq-arc1-q7p7r-id66-proc-7.dat	applied	0.22	0.00	0	0	1	2172	1691
258	seq-arc1-q7p7r-id66-proc-7.dat	store	76.70	Inf	80	21	108	2172	0
259	seq-arc2-q7p7r-id32-proc-unbounded.dat	applicable	32.95	26.99	33	1	59	129	0
260	seq-arc2-q7p7r-id32-proc-unbounded.dat	applied	0.59	0.00	1	0	1	129	53
261	seq-arc2-q7p7r-id32-proc-unbounded.dat	store	48.65	47.52	50	21	61	129	0
262	seq-arc2-q7p7r-id67-proc-7.dat	applicable	32.95	26.99	33	1	59	129	0
263	seq-arc2-q7p7r-id67-proc-7.dat	applied	0.59	0.00	1	0	1	129	53
264	seq-arc2-q7p7r-id67-proc-7.dat	store	48.65	47.52	50	21	61	129	0
265	seq-sat-q7p7r-id33-proc-unbounded.dat	applicable	817.61	Inf	895	1	898	1141	0
266	seq-sat-q7p7r-id33-proc-unbounded.dat	applied	1.00	1.00	1	1	1	1141	0
267	seq-sat-q7p7r-id33-proc-unbounded.dat	store	586.50	Inf	586	16	1157	1141	0
268	seq-sat-q7p7r-id68-proc-7.dat	applicable	817.61	Inf	895	1	898	1141	0
269	seq-sat-q7p7r-id68-proc-7.dat	applied	1.00	1.00	1	1	1	1141	0
270	seq-sat-q7p7r-id68-proc-7.dat	store	586.50	Inf	586	16	1157	1141	0
271	seq-uf1-q30pusd-id83-proc-unbounded.dat	applicable	29.42	Inf	29	1	58	250	0
272	seq-uf1-q30pusd-id83-proc-unbounded.dat	applied	0.80	0.00	1	0	1	250	51
273	seq-uf1-q30pusd-id83-proc-unbounded.dat	store	93.69	Inf	109	31	118	250	0
274	seq-uf1-q30pusd-id97-proc-30.dat	applicable	29.42	Inf	29	1	58	250	0
275	seq-uf1-q30pusd-id97-proc-30.dat	applied	0.80	0.00	1	0	1	250	51
276	seq-uf1-q30pusd-id97-proc-30.dat	store	93.69	Inf	109	31	118	250	0
277	seq-uf1-q7p7r-id34-proc-unbounded.dat	applicable	6.44	5.81	6	1	12	48	0
278	seq-uf1-q7p7r-id34-proc-unbounded.dat	applied	0.83	0.00	1	0	1	48	8
279	seq-uf1-q7p7r-id34-proc-unbounded.dat	store	21.41	20.53	26	8	26	48	0
280	seq-uf1-q7p7r-id69-proc-7.dat	applicable	6.44	5.81	6	1	12	48	0
281	seq-uf1-q7p7r-id69-proc-7.dat	applied	0.83	0.00	1	0	1	48	8
282	seq-uf1-q7p7r-id69-proc-7.dat	store	21.41	20.53	26	8	26	48	0
283	seq-uf2-q30pusd-id84-proc-unbounded.dat	applicable	33.75	Inf	36	1	60	319	0
284	seq-uf2-q30pusd-id84-proc-unbounded.dat	applied	0.77	0.00	1	0	1	319	73
285	seq-uf2-q30pusd-id84-proc-unbounded.dat	store	97.22	Inf	103	31	121	319	0
286	seq-uf2-q30pusd-id98-proc-30.dat	applicable	33.75	Inf	36	1	60	319	0

287	seq-uf2-q30pusd-id98-proc-30.dat	applied	0.77	0.00	1	0	1	319	73
288	seq-uf2-q30pusd-id98-proc-30.dat	store	97.22	Inf	103	31	121	319	0
289	seq-uf2-q7p7r-id35-proc-unbounded.dat	applicable	8.43	7.77	8	1	14	56	0
290	seq-uf2-q7p7r-id35-proc-unbounded.dat	applied	0.80	0.00	1	0	1	56	11
291	seq-uf2-q7p7r-id35-proc-unbounded.dat	store	24.65	23.75	29	8	29	56	0
292	seq-uf2-q7p7r-id70-proc-7.dat	applicable	8.43	7.77	8	1	14	56	0
293	seq-uf2-q7p7r-id70-proc-7.dat	applied	0.80	0.00	1	0	1	56	11
294	seq-uf2-q7p7r-id70-proc-7.dat	store	24.65	23.75	29	8	29	56	0