

	Query	Category	Mean1	Mean2	Median	Min	Max	Transitions	Zeros
1	par-arc1-id117-proc-5.dat	applicable	10.38	9.11	12	3	19	13	0
2	par-arc1-id117-proc-5.dat	applied	3.69	3.51	3	2	5	13	0
3	par-arc1-id117-proc-5.dat	store	23.64	23.27	24	13	28	13	0
4	par-arc1-id12-proc-unbounded.dat	applicable	44.40	35.11	36	11	85	5	0
5	par-arc1-id12-proc-unbounded.dat	applied	16.80	14.80	19	6	27	5	0
6	par-arc1-id12-proc-unbounded.dat	store	26.00	24.45	25	12	37	5	0
7	par-arc2-id118-proc-5.dat	applicable	11.06	9.48	10	2	21	18	0
8	par-arc2-id118-proc-5.dat	applied	4.28	4.13	5	2	5	18	0
9	par-arc2-id118-proc-5.dat	store	29.95	29.28	30	15	38	18	0
10	par-arc2-id13-proc-unbounded.dat	applicable	15.75	14.75	13	10	26	4	0
11	par-arc2-id13-proc-unbounded.dat	applied	11.75	10.39	13	4	16	4	0
12	par-arc2-id13-proc-unbounded.dat	store	30.00	28.45	30	15	42	4	0
13	par-blk1-id10-proc-unbounded.dat	applicable	5.00	5.00	5	5	5	2	0
14	par-blk1-id10-proc-unbounded.dat	applied	4.50	4.47	4	4	5	2	0
15	par-blk1-id10-proc-unbounded.dat	store	19.33	18.81	16	16	26	2	0
16	par-blk1-id115-proc-5.dat	applicable	5.00	5.00	5	5	5	2	0
17	par-blk1-id115-proc-5.dat	applied	4.00	3.87	4	3	5	2	0
18	par-blk1-id115-proc-5.dat	store	19.33	18.81	16	16	26	2	0
19	par-blk2-id11-proc-unbounded.dat	applicable	2.00	1.82	2	1	3	3	0
20	par-blk2-id11-proc-unbounded.dat	applied	2.00	1.82	2	1	3	3	0
21	par-blk2-id11-proc-unbounded.dat	store	17.50	17.33	16	16	22	3	0
22	par-blk2-id116-proc-5.dat	applicable	1.67	1.44	1	1	3	3	0
23	par-blk2-id116-proc-5.dat	applied	1.67	1.44	1	1	3	3	0
24	par-blk2-id116-proc-5.dat	store	17.50	17.33	16	16	22	3	0
25	par-fib-id1-proc-unbounded.dat	applicable	9.12	4.96	5	1	32	8	0
26	par-fib-id1-proc-unbounded.dat	applied	2.75	2.16	2	1	6	8	0
27	par-fib-id1-proc-unbounded.dat	store	4.67	4.08	4	2	9	8	0
28	par-fib-id106-proc-5.dat	applicable	10.92	7.05	8	1	24	12	0
29	par-fib-id106-proc-5.dat	applied	1.83	0.00	1	0	5	12	1
30	par-fib-id106-proc-5.dat	store	4.62	4.12	4	2	9	12	0

31	par-gcd-id111-proc-5.dat	applicable	5.20	4.28	6	1	8	5	0
32	par-gcd-id111-proc-5.dat	applied	1.60	0.00	2	0	2	5	1
33	par-gcd-id111-proc-5.dat	store	5.00	5.00	5	5	5	5	0
34	par-gcd-id6-proc-unbounded.dat	applicable	6.00	5.24	6	2	9	4	0
35	par-gcd-id6-proc-unbounded.dat	applied	2.50	2.28	3	1	3	4	0
36	par-gcd-id6-proc-unbounded.dat	store	5.00	5.00	5	5	5	4	0
37	par-gcd2-id112-proc-5.dat	applicable	5.90	4.37	6	1	13	10	0
38	par-gcd2-id112-proc-5.dat	applied	1.80	1.60	1	1	3	10	0
39	par-gcd2-id112-proc-5.dat	store	5.00	5.00	5	5	5	10	0
40	par-gcd2-id7-proc-unbounded.dat	applicable	3.75	2.97	3	1	7	8	0
41	par-gcd2-id7-proc-unbounded.dat	applied	2.00	1.80	2	1	3	8	0
42	par-gcd2-id7-proc-unbounded.dat	store	5.00	5.00	5	5	5	8	0
43	par-map-id119-proc-5.dat	applicable	7.50	5.65	7	1	15	6	0
44	par-map-id119-proc-5.dat	applied	3.33	0.00	3	0	5	6	1
45	par-map-id119-proc-5.dat	store	15.00	14.85	15	12	17	6	0
46	par-map-id14-proc-unbounded.dat	applicable	12.50	12.25	12	10	15	2	0
47	par-map-id14-proc-unbounded.dat	applied	10.00	8.66	10	5	15	2	0
48	par-map-id14-proc-unbounded.dat	store	15.33	15.14	17	12	17	2	0
49	par-min-id107-proc-5.dat	applicable	7.50	7.07	7	5	10	2	0
50	par-min-id107-proc-5.dat	applied	2.00	1.73	2	1	3	2	0
51	par-min-id107-proc-5.dat	store	3.67	3.30	3	2	6	2	0
52	par-min-id2-proc-unbounded.dat	applicable	10.00	10.00	10	10	10	1	0
53	par-min-id2-proc-unbounded.dat	applied	4.00	4.00	4	4	4	1	0
54	par-min-id2-proc-unbounded.dat	store	4.00	3.46	4	2	6	1	0
55	par-next0-id109-proc-5.dat	applicable	4.00	2.61	2	1	10	5	0
56	par-next0-id109-proc-5.dat	applied	1.60	1.43	1	1	3	5	0
57	par-next0-id109-proc-5.dat	store	6.00	6.00	6	6	6	5	0
58	par-next0-id4-proc-unbounded.dat	applicable	3.75	2.34	2	1	10	4	0
59	par-next0-id4-proc-unbounded.dat	applied	2.00	1.68	1	1	4	4	0
60	par-next0-id4-proc-unbounded.dat	store	6.00	6.00	6	6	6	4	0
61	par-prime-id110-proc-5.dat	applicable	1.00	1.00	1	1	1	1	0
62	par-prime-id110-proc-5.dat	applied	1.00	1.00	1	1	1	1	0

63	par-prime-id110-proc-5.dat	store	4.50	4.47	4	4	5	1	0
64	par-prime-id5-proc-unbounded.dat	applicable	1.00	1.00	1	1	1	1	0
65	par-prime-id5-proc-unbounded.dat	applied	1.00	1.00	1	1	1	1	0
66	par-prime-id5-proc-unbounded.dat	store	4.50	4.47	4	4	5	1	0
67	par-sat-id120-proc-5.dat	applicable	20.57	8.34	8	1	58	6	0
68	par-sat-id120-proc-5.dat	applied	3.86	3.38	5	1	5	6	0
69	par-sat-id120-proc-5.dat	store	20.86	19.45	19	12	34	6	0
70	par-sat-id15-proc-unbounded.dat	applicable	50.14	11.48	8	1	160	7	0
71	par-sat-id15-proc-unbounded.dat	applied	50.14	11.48	8	1	160	7	0
72	par-sat-id15-proc-unbounded.dat	store	86.88	37.37	23	12	363	7	0
73	par-sum-id108-proc-5.dat	applicable	14.14	11.33	17	2	21	7	0
74	par-sum-id108-proc-5.dat	applied	0.57	0.00	1	0	1	7	3
75	par-sum-id108-proc-5.dat	store	3.25	2.95	2	2	6	7	0
76	par-sum-id3-proc-unbounded.dat	applicable	9.33	6.21	6	2	20	3	0
77	par-sum-id3-proc-unbounded.dat	applied	1.33	1.26	1	1	2	3	0
78	par-sum-id3-proc-unbounded.dat	store	3.75	3.46	3	2	6	3	0
79	par-uf1-id113-proc-5.dat	applicable	4.12	3.64	4	1	8	8	0
80	par-uf1-id113-proc-5.dat	applied	3.25	2.95	3	1	5	8	0
81	par-uf1-id113-proc-5.dat	store	13.78	12.94	15	6	18	8	0
82	par-uf1-id8-proc-unbounded.dat	applicable	3.33	2.72	4	1	8	9	0
83	par-uf1-id8-proc-unbounded.dat	applied	3.00	2.44	2	1	8	9	0
84	par-uf1-id8-proc-unbounded.dat	store	13.00	12.21	12	6	18	9	0
85	par-uf2-id114-proc-5.dat	applicable	5.12	4.34	5	1	10	8	0
86	par-uf2-id114-proc-5.dat	applied	3.62	3.21	4	1	5	8	0
87	par-uf2-id114-proc-5.dat	store	15.22	14.01	15	6	21	8	0
88	par-uf2-id9-proc-unbounded.dat	applicable	3.78	2.93	4	1	10	9	0
89	par-uf2-id9-proc-unbounded.dat	applied	3.44	2.68	3	1	10	9	0
90	par-uf2-id9-proc-unbounded.dat	store	13.70	12.71	12	6	21	9	0
91	parr-arc1-id162-proc-5.dat	applicable	12.88	11.78	12	4	24	16	0
92	parr-arc1-id162-proc-5.dat	applied	3.12	0.00	4	0	5	16	3
93	parr-arc1-id162-proc-5.dat	store	21.76	21.38	22	11	27	16	0
94	parr-arc1-id177-proc-5.dat	applicable	49.30	38.92	57	1	75	47	0

95	parr-arc1-id177-proc-5.dat	applied	2.55	0.00	2	0	5	47	5
96	parr-arc1-id177-proc-5.dat	store	29.44	29.17	30	15	34	47	0
97	parr-arc1-id192-proc-5.dat	applicable	19.95	15.77	19	2	38	20	0
98	parr-arc1-id192-proc-5.dat	applied	3.00	2.49	3	1	5	20	0
99	parr-arc1-id192-proc-5.dat	store	24.10	23.71	24	13	31	20	0
100	parr-arc1-id57-proc-unbounded.dat	applicable	85.60	27.40	39	1	278	5	0
101	parr-arc1-id57-proc-unbounded.dat	applied	21.60	13.19	25	1	41	5	0
102	parr-arc1-id57-proc-unbounded.dat	store	31.83	29.89	29	16	50	5	0
103	parr-arc1-id72-proc-unbounded.dat	applicable	20.20	18.27	25	9	29	5	0
104	parr-arc1-id72-proc-unbounded.dat	applied	11.60	10.03	12	3	16	5	0
105	parr-arc1-id72-proc-unbounded.dat	store	24.50	23.64	25	13	31	5	0
106	parr-arc1-id87-proc-unbounded.dat	applicable	17.40	16.52	16	10	27	5	0
107	parr-arc1-id87-proc-unbounded.dat	applied	9.60	9.36	10	6	12	5	0
108	parr-arc1-id87-proc-unbounded.dat	store	21.67	20.84	23	11	27	5	0
109	parr-arc2-id163-proc-5.dat	applicable	12.92	10.90	14	1	20	13	0
110	parr-arc2-id163-proc-5.dat	applied	3.62	0.00	5	0	5	13	1
111	parr-arc2-id163-proc-5.dat	store	30.29	29.49	32	15	37	13	0
112	parr-arc2-id178-proc-5.dat	applicable	11.19	10.64	12	4	16	16	0
113	parr-arc2-id178-proc-5.dat	applied	4.12	4.00	4	2	5	16	0
114	parr-arc2-id178-proc-5.dat	store	32.18	31.37	34	15	38	16	0
115	parr-arc2-id193-proc-5.dat	applicable	17.00	13.84	17	2	35	19	0
116	parr-arc2-id193-proc-5.dat	applied	3.26	2.86	3	1	5	19	0
117	parr-arc2-id193-proc-5.dat	store	33.00	32.22	34	15	42	19	0
118	parr-arc2-id58-proc-unbounded.dat	applicable	14.50	10.90	14	2	30	6	0
119	parr-arc2-id58-proc-unbounded.dat	applied	11.33	8.01	13	1	21	6	0
120	parr-arc2-id58-proc-unbounded.dat	store	33.29	31.76	34	15	44	6	0
121	parr-arc2-id73-proc-unbounded.dat	applicable	14.00	9.42	14	1	27	5	0
122	parr-arc2-id73-proc-unbounded.dat	applied	10.80	7.56	14	1	18	5	0
123	parr-arc2-id73-proc-unbounded.dat	store	31.17	29.70	31	15	43	5	0
124	parr-arc2-id88-proc-unbounded.dat	applicable	13.80	9.28	14	1	27	5	0
125	parr-arc2-id88-proc-unbounded.dat	applied	10.80	7.56	14	1	18	5	0
126	parr-arc2-id88-proc-unbounded.dat	store	31.17	29.70	31	15	43	5	0

127	parr-blk1-id160-proc-5.dat	applicable	5.00	5.00	5	5	5	2	0
128	parr-blk1-id160-proc-5.dat	applied	4.50	4.47	4	4	5	2	0
129	parr-blk1-id160-proc-5.dat	store	19.33	18.81	16	16	26	2	0
130	parr-blk1-id175-proc-5.dat	applicable	5.00	5.00	5	5	5	2	0
131	parr-blk1-id175-proc-5.dat	applied	4.00	3.87	4	3	5	2	0
132	parr-blk1-id175-proc-5.dat	store	19.33	18.81	16	16	26	2	0
133	parr-blk1-id190-proc-5.dat	applicable	5.00	5.00	5	5	5	2	0
134	parr-blk1-id190-proc-5.dat	applied	4.50	4.47	4	4	5	2	0
135	parr-blk1-id190-proc-5.dat	store	19.33	18.81	16	16	26	2	0
136	parr-blk1-id55-proc-unbounded.dat	applicable	5.00	5.00	5	5	5	2	0
137	parr-blk1-id55-proc-unbounded.dat	applied	4.50	4.47	4	4	5	2	0
138	parr-blk1-id55-proc-unbounded.dat	store	19.33	18.81	16	16	26	2	0
139	parr-blk1-id70-proc-unbounded.dat	applicable	5.00	5.00	5	5	5	2	0
140	parr-blk1-id70-proc-unbounded.dat	applied	4.00	3.87	4	3	5	2	0
141	parr-blk1-id70-proc-unbounded.dat	store	19.33	18.81	16	16	26	2	0
142	parr-blk1-id85-proc-unbounded.dat	applicable	5.00	5.00	5	5	5	2	0
143	parr-blk1-id85-proc-unbounded.dat	applied	4.00	3.87	4	3	5	2	0
144	parr-blk1-id85-proc-unbounded.dat	store	19.33	18.81	16	16	26	2	0
145	parr-blk2-id161-proc-5.dat	applicable	2.00	1.73	2	1	3	2	0
146	parr-blk2-id161-proc-5.dat	applied	2.00	1.73	2	1	3	2	0
147	parr-blk2-id161-proc-5.dat	store	18.00	17.79	16	16	22	2	0
148	parr-blk2-id176-proc-5.dat	applicable	2.50	2.45	2	2	3	2	0
149	parr-blk2-id176-proc-5.dat	applied	2.50	2.45	2	2	3	2	0
150	parr-blk2-id176-proc-5.dat	store	18.00	17.79	16	16	22	2	0
151	parr-blk2-id191-proc-5.dat	applicable	1.50	1.32	1	1	3	4	0
152	parr-blk2-id191-proc-5.dat	applied	1.50	1.32	1	1	3	4	0
153	parr-blk2-id191-proc-5.dat	store	17.20	17.05	16	16	22	4	0
154	parr-blk2-id56-proc-unbounded.dat	applicable	1.67	1.44	1	1	3	3	0
155	parr-blk2-id56-proc-unbounded.dat	applied	1.67	1.44	1	1	3	3	0
156	parr-blk2-id56-proc-unbounded.dat	store	17.50	17.33	16	16	22	3	0
157	parr-blk2-id71-proc-unbounded.dat	applicable	3.00	3.00	3	3	3	1	0
158	parr-blk2-id71-proc-unbounded.dat	applied	3.00	3.00	3	3	3	1	0

159	parr-blk2-id71-proc-unbounded.dat	store	19.00	18.76	19	16	22	1	0
160	parr-blk2-id86-proc-unbounded.dat	applicable	2.00	1.73	2	1	3	2	0
161	parr-blk2-id86-proc-unbounded.dat	applied	2.00	1.73	2	1	3	2	0
162	parr-blk2-id86-proc-unbounded.dat	store	18.00	17.79	16	16	22	2	0
163	parr-fib-id151-proc-5.dat	applicable	17.94	11.29	18	1	35	16	0
164	parr-fib-id151-proc-5.dat	applied	1.38	0.00	1	0	5	16	5
165	parr-fib-id151-proc-5.dat	store	4.12	3.68	4	2	8	16	0
166	parr-fib-id166-proc-5.dat	applicable	17.13	11.00	18	1	35	15	0
167	parr-fib-id166-proc-5.dat	applied	1.47	0.00	1	0	5	15	5
168	parr-fib-id166-proc-5.dat	store	3.94	3.37	3	2	9	15	0
169	parr-fib-id181-proc-5.dat	applicable	12.62	8.93	15	1	24	13	0
170	parr-fib-id181-proc-5.dat	applied	1.69	0.00	1	0	5	13	2
171	parr-fib-id181-proc-5.dat	store	4.57	4.06	4	2	9	13	0
172	parr-fib-id46-proc-unbounded.dat	applicable	9.12	4.96	5	1	32	8	0
173	parr-fib-id46-proc-unbounded.dat	applied	2.75	2.16	2	1	6	8	0
174	parr-fib-id46-proc-unbounded.dat	store	4.67	4.08	4	2	9	8	0
175	parr-fib-id61-proc-unbounded.dat	applicable	9.12	4.96	5	1	32	8	0
176	parr-fib-id61-proc-unbounded.dat	applied	2.75	2.16	2	1	6	8	0
177	parr-fib-id61-proc-unbounded.dat	store	4.67	4.08	4	2	9	8	0
178	parr-fib-id76-proc-unbounded.dat	applicable	9.12	4.96	5	1	32	8	0
179	parr-fib-id76-proc-unbounded.dat	applied	2.75	2.16	2	1	6	8	0
180	parr-fib-id76-proc-unbounded.dat	store	4.67	4.08	4	2	9	8	0
181	parr-gcd-id156-proc-5.dat	applicable	6.25	6.05	6	4	8	4	0
182	parr-gcd-id156-proc-5.dat	applied	2.25	2.06	2	1	3	4	0
183	parr-gcd-id156-proc-5.dat	store	5.00	5.00	5	5	5	4	0
184	parr-gcd-id171-proc-5.dat	applicable	6.25	5.38	6	2	10	4	0
185	parr-gcd-id171-proc-5.dat	applied	1.75	0.00	2	0	3	4	1
186	parr-gcd-id171-proc-5.dat	store	5.00	5.00	5	5	5	4	0
187	parr-gcd-id186-proc-5.dat	applicable	7.20	6.62	8	3	11	5	0
188	parr-gcd-id186-proc-5.dat	applied	1.80	0.00	2	0	3	5	1
189	parr-gcd-id186-proc-5.dat	store	5.00	5.00	5	5	5	5	0
190	parr-gcd-id51-proc-unbounded.dat	applicable	6.33	6.32	6	6	7	3	0

191	parr-gcd-id51-proc-unbounded.dat	applied	2.67	2.62	3	2	3	3	0
192	parr-gcd-id51-proc-unbounded.dat	store	5.00	5.00	5	5	5	3	0
193	parr-gcd-id66-proc-unbounded.dat	applicable	6.00	5.24	6	2	9	4	0
194	parr-gcd-id66-proc-unbounded.dat	applied	2.50	2.28	3	1	3	4	0
195	parr-gcd-id66-proc-unbounded.dat	store	5.00	5.00	5	5	5	4	0
196	parr-gcd-id81-proc-unbounded.dat	applicable	6.33	6.32	6	6	7	3	0
197	parr-gcd-id81-proc-unbounded.dat	applied	2.67	2.62	3	2	3	3	0
198	parr-gcd-id81-proc-unbounded.dat	store	5.00	5.00	5	5	5	3	0
199	parr-gcd2-id157-proc-5.dat	applicable	3.10	2.35	2	1	7	10	0
200	parr-gcd2-id157-proc-5.dat	applied	1.60	1.47	1	1	3	10	0
201	parr-gcd2-id157-proc-5.dat	store	5.00	5.00	5	5	5	10	0
202	parr-gcd2-id172-proc-5.dat	applicable	7.29	6.85	8	3	11	7	0
203	parr-gcd2-id172-proc-5.dat	applied	2.00	0.00	2	0	3	7	1
204	parr-gcd2-id172-proc-5.dat	store	5.00	5.00	5	5	5	7	0
205	parr-gcd2-id187-proc-5.dat	applicable	6.71	5.79	7	2	12	7	0
206	parr-gcd2-id187-proc-5.dat	applied	1.71	0.00	2	0	3	7	1
207	parr-gcd2-id187-proc-5.dat	store	5.00	5.00	5	5	5	7	0
208	parr-gcd2-id52-proc-unbounded.dat	applicable	4.14	3.47	4	1	7	7	0
209	parr-gcd2-id52-proc-unbounded.dat	applied	2.14	1.95	2	1	3	7	0
210	parr-gcd2-id52-proc-unbounded.dat	store	5.00	5.00	5	5	5	7	0
211	parr-gcd2-id67-proc-unbounded.dat	applicable	8.00	7.71	7	6	12	4	0
212	parr-gcd2-id67-proc-unbounded.dat	applied	3.00	3.00	3	3	3	4	0
213	parr-gcd2-id67-proc-unbounded.dat	store	5.00	5.00	5	5	5	4	0
214	parr-gcd2-id82-proc-unbounded.dat	applicable	5.17	4.07	6	1	9	6	0
215	parr-gcd2-id82-proc-unbounded.dat	applied	2.33	2.08	3	1	3	6	0
216	parr-gcd2-id82-proc-unbounded.dat	store	5.00	5.00	5	5	5	6	0
217	parr-map-id164-proc-5.dat	applicable	9.80	9.20	10	5	15	5	0
218	parr-map-id164-proc-5.dat	applied	4.00	3.47	5	1	5	5	0
219	parr-map-id164-proc-5.dat	store	15.17	15.02	16	12	17	5	0
220	parr-map-id179-proc-5.dat	applicable	7.50	6.04	7	2	15	6	0
221	parr-map-id179-proc-5.dat	applied	3.33	2.90	3	1	5	6	0
222	parr-map-id179-proc-5.dat	store	15.00	14.87	15	12	17	6	0

223	parr-map-id194-proc-5.dat	applicable	9.40	8.84	9	5	15	5	0
224	parr-map-id194-proc-5.dat	applied	4.00	3.47	5	1	5	5	0
225	parr-map-id194-proc-5.dat	store	15.17	15.02	16	12	17	5	0
226	parr-map-id59-proc-unbounded.dat	applicable	12.50	12.25	12	10	15	2	0
227	parr-map-id59-proc-unbounded.dat	applied	10.00	8.66	10	5	15	2	0
228	parr-map-id59-proc-unbounded.dat	store	15.33	15.14	17	12	17	2	0
229	parr-map-id74-proc-unbounded.dat	applicable	12.50	12.25	12	10	15	2	0
230	parr-map-id74-proc-unbounded.dat	applied	10.00	8.66	10	5	15	2	0
231	parr-map-id74-proc-unbounded.dat	store	15.33	15.14	17	12	17	2	0
232	parr-map-id89-proc-unbounded.dat	applicable	12.50	12.25	12	10	15	2	0
233	parr-map-id89-proc-unbounded.dat	applied	10.00	8.66	10	5	15	2	0
234	parr-map-id89-proc-unbounded.dat	store	15.33	15.14	17	12	17	2	0
235	parr-min-id152-proc-5.dat	applicable	7.50	7.07	7	5	10	2	0
236	parr-min-id152-proc-5.dat	applied	2.00	1.73	2	1	3	2	0
237	parr-min-id152-proc-5.dat	store	3.67	3.30	3	2	6	2	0
238	parr-min-id167-proc-5.dat	applicable	7.50	7.07	7	5	10	2	0
239	parr-min-id167-proc-5.dat	applied	2.00	1.73	2	1	3	2	0
240	parr-min-id167-proc-5.dat	store	3.67	3.30	3	2	6	2	0
241	parr-min-id182-proc-5.dat	applicable	7.50	7.07	7	5	10	2	0
242	parr-min-id182-proc-5.dat	applied	2.00	1.73	2	1	3	2	0
243	parr-min-id182-proc-5.dat	store	3.67	3.30	3	2	6	2	0
244	parr-min-id47-proc-unbounded.dat	applicable	10.00	10.00	10	10	10	1	0
245	parr-min-id47-proc-unbounded.dat	applied	4.00	4.00	4	4	4	1	0
246	parr-min-id47-proc-unbounded.dat	store	4.00	3.46	4	2	6	1	0
247	parr-min-id62-proc-unbounded.dat	applicable	10.00	10.00	10	10	10	1	0
248	parr-min-id62-proc-unbounded.dat	applied	4.00	4.00	4	4	4	1	0
249	parr-min-id62-proc-unbounded.dat	store	4.00	3.46	4	2	6	1	0
250	parr-min-id77-proc-unbounded.dat	applicable	10.00	10.00	10	10	10	1	0
251	parr-min-id77-proc-unbounded.dat	applied	4.00	4.00	4	4	4	1	0
252	parr-min-id77-proc-unbounded.dat	store	4.00	3.46	4	2	6	1	0
253	parr-next0-id154-proc-5.dat	applicable	5.50	3.94	5	1	10	4	0
254	parr-next0-id154-proc-5.dat	applied	1.75	1.57	1	1	3	4	0



255	parr-next0-id154-proc-5.dat	store	6.00	6.00	6	6	6	4	0
256	parr-next0-id169-proc-5.dat	applicable	4.00	2.61	2	1	10	5	0
257	parr-next0-id169-proc-5.dat	applied	1.60	1.43	1	1	3	5	0
258	parr-next0-id169-proc-5.dat	store	6.00	6.00	6	6	6	5	0
259	parr-next0-id184-proc-5.dat	applicable	4.25	2.66	3	1	10	4	0
260	parr-next0-id184-proc-5.dat	applied	1.50	1.41	1	1	2	4	0
261	parr-next0-id184-proc-5.dat	store	6.00	6.00	6	6	6	4	0
262	parr-next0-id49-proc-unbounded.dat	applicable	4.33	2.71	2	1	10	3	0
263	parr-next0-id49-proc-unbounded.dat	applied	2.33	2.00	2	1	4	3	0
264	parr-next0-id49-proc-unbounded.dat	store	6.00	6.00	6	6	6	3	0
265	parr-next0-id64-proc-unbounded.dat	applicable	4.50	2.78	3	1	10	4	0
266	parr-next0-id64-proc-unbounded.dat	applied	2.25	1.86	2	1	4	4	0
267	parr-next0-id64-proc-unbounded.dat	store	6.00	6.00	6	6	6	4	0
268	parr-next0-id79-proc-unbounded.dat	applicable	3.50	2.11	1	1	10	4	0
269	parr-next0-id79-proc-unbounded.dat	applied	2.00	1.68	1	1	4	4	0
270	parr-next0-id79-proc-unbounded.dat	store	6.00	6.00	6	6	6	4	0
271	parr-prime-id155-proc-5.dat	applicable	1.00	1.00	1	1	1	1	0
272	parr-prime-id155-proc-5.dat	applied	1.00	1.00	1	1	1	1	0
273	parr-prime-id155-proc-5.dat	store	4.50	4.47	4	4	5	1	0
274	parr-prime-id170-proc-5.dat	applicable	1.00	1.00	1	1	1	1	0
275	parr-prime-id170-proc-5.dat	applied	1.00	1.00	1	1	1	1	0
276	parr-prime-id170-proc-5.dat	store	4.50	4.47	4	4	5	1	0
277	parr-prime-id185-proc-5.dat	applicable	1.00	1.00	1	1	1	1	0
278	parr-prime-id185-proc-5.dat	applied	1.00	1.00	1	1	1	1	0
279	parr-prime-id185-proc-5.dat	store	4.50	4.47	4	4	5	1	0
280	parr-prime-id50-proc-unbounded.dat	applicable	1.00	1.00	1	1	1	1	0
281	parr-prime-id50-proc-unbounded.dat	applied	1.00	1.00	1	1	1	1	0
282	parr-prime-id50-proc-unbounded.dat	store	4.50	4.47	4	4	5	1	0
283	parr-prime-id65-proc-unbounded.dat	applicable	1.00	1.00	1	1	1	1	0
284	parr-prime-id65-proc-unbounded.dat	applied	1.00	1.00	1	1	1	1	0
285	parr-prime-id65-proc-unbounded.dat	store	4.50	4.47	4	4	5	1	0
286	parr-prime-id80-proc-unbounded.dat	applicable	1.00	1.00	1	1	1	1	0

287	parr-prime-id80-proc-unbounded.dat	applied	1.00	1.00	1	1	1	1	0
288	parr-prime-id80-proc-unbounded.dat	store	4.50	4.47	4	4	5	1	0
289	parr-sat-id165-proc-5.dat	applicable	61.48	36.84	65	1	117	20	0
290	parr-sat-id165-proc-5.dat	applied	4.62	4.39	5	1	5	20	0
291	parr-sat-id165-proc-5.dat	store	54.62	45.02	54	12	104	20	0
292	parr-sat-id180-proc-5.dat	applicable	63.75	49.34	72	1	109	72	0
293	parr-sat-id180-proc-5.dat	applied	4.88	4.80	5	1	5	72	0
294	parr-sat-id180-proc-5.dat	store	184.16	141.04	184	12	363	72	0
295	parr-sat-id195-proc-5.dat	applicable	65.01	50.42	72	1	105	72	0
296	parr-sat-id195-proc-5.dat	applied	4.88	4.80	5	1	5	72	0
297	parr-sat-id195-proc-5.dat	store	184.16	141.04	184	12	363	72	0
298	parr-sat-id60-proc-unbounded.dat	applicable	50.14	11.48	8	1	160	6	0
299	parr-sat-id60-proc-unbounded.dat	applied	50.14	11.48	8	1	160	6	0
300	parr-sat-id60-proc-unbounded.dat	store	47.43	27.01	19	12	203	6	0
301	parr-sat-id75-proc-unbounded.dat	applicable	50.14	11.48	8	1	160	7	0
302	parr-sat-id75-proc-unbounded.dat	applied	50.14	11.48	8	1	160	7	0
303	parr-sat-id75-proc-unbounded.dat	store	86.88	37.37	23	12	363	7	0
304	parr-sat-id90-proc-unbounded.dat	applicable	50.14	11.48	8	1	160	6	0
305	parr-sat-id90-proc-unbounded.dat	applied	50.14	11.48	8	1	160	6	0
306	parr-sat-id90-proc-unbounded.dat	store	47.43	27.01	19	12	203	6	0
307	parr-sum-id153-proc-5.dat	applicable	13.83	11.54	15	3	21	6	0
308	parr-sum-id153-proc-5.dat	applied	0.67	0.00	0	0	2	6	3
309	parr-sum-id153-proc-5.dat	store	3.00	2.74	2	2	6	6	0
310	parr-sum-id168-proc-5.dat	applicable	13.83	11.54	15	3	21	6	0
311	parr-sum-id168-proc-5.dat	applied	0.67	0.00	0	0	2	6	3
312	parr-sum-id168-proc-5.dat	store	3.00	2.74	2	2	6	6	0
313	parr-sum-id183-proc-5.dat	applicable	13.83	11.54	15	3	21	6	0
314	parr-sum-id183-proc-5.dat	applied	0.67	0.00	0	0	2	6	3
315	parr-sum-id183-proc-5.dat	store	3.00	2.74	2	2	6	6	0
316	parr-sum-id48-proc-unbounded.dat	applicable	9.33	6.21	6	2	20	3	0
317	parr-sum-id48-proc-unbounded.dat	applied	1.33	1.26	1	1	2	3	0
318	parr-sum-id48-proc-unbounded.dat	store	3.75	3.46	3	2	6	3	0

319	parr-sum-id63-proc-unbounded.dat	applicable	9.33	6.21	6	2	20	3	0
320	parr-sum-id63-proc-unbounded.dat	applied	1.33	1.26	1	1	2	3	0
321	parr-sum-id63-proc-unbounded.dat	store	3.75	3.46	3	2	6	3	0
322	parr-sum-id78-proc-unbounded.dat	applicable	9.33	6.21	6	2	20	3	0
323	parr-sum-id78-proc-unbounded.dat	applied	1.33	1.26	1	1	2	3	0
324	parr-sum-id78-proc-unbounded.dat	store	3.75	3.46	3	2	6	3	0
325	parr-uf1-id158-proc-5.dat	applicable	3.70	2.72	4	1	8	10	0
326	parr-uf1-id158-proc-5.dat	applied	2.70	2.22	3	1	5	10	0
327	parr-uf1-id158-proc-5.dat	store	12.64	11.80	10	6	18	10	0
328	parr-uf1-id173-proc-5.dat	applicable	3.56	2.92	4	1	8	9	0
329	parr-uf1-id173-proc-5.dat	applied	3.11	2.68	3	1	5	9	0
330	parr-uf1-id173-proc-5.dat	store	13.30	12.48	13	6	18	9	0
331	parr-uf1-id188-proc-5.dat	applicable	3.30	2.75	3	1	8	10	0
332	parr-uf1-id188-proc-5.dat	applied	2.70	2.38	2	1	5	10	0
333	parr-uf1-id188-proc-5.dat	store	13.18	12.44	12	6	18	10	0
334	parr-uf1-id53-proc-unbounded.dat	applicable	3.78	3.05	4	1	8	9	0
335	parr-uf1-id53-proc-unbounded.dat	applied	3.67	2.96	3	1	8	9	0
336	parr-uf1-id53-proc-unbounded.dat	store	13.30	12.48	13	6	18	9	0
337	parr-uf1-id68-proc-unbounded.dat	applicable	3.78	3.05	4	1	8	9	0
338	parr-uf1-id68-proc-unbounded.dat	applied	3.67	2.96	3	1	8	9	0
339	parr-uf1-id68-proc-unbounded.dat	store	13.30	12.48	13	6	18	9	0
340	parr-uf1-id83-proc-unbounded.dat	applicable	3.78	3.05	4	1	8	9	0
341	parr-uf1-id83-proc-unbounded.dat	applied	3.67	2.96	3	1	8	9	0
342	parr-uf1-id83-proc-unbounded.dat	store	13.30	12.48	13	6	18	9	0
343	parr-uf2-id159-proc-5.dat	applicable	5.75	5.40	5	3	10	8	0
344	parr-uf2-id159-proc-5.dat	applied	4.25	4.13	5	3	5	8	0
345	parr-uf2-id159-proc-5.dat	store	15.89	14.99	18	6	21	8	0
346	parr-uf2-id174-proc-5.dat	applicable	5.57	5.10	5	2	10	7	0
347	parr-uf2-id174-proc-5.dat	applied	4.29	4.12	5	2	5	7	0
348	parr-uf2-id174-proc-5.dat	store	16.00	14.81	18	6	21	7	0
349	parr-uf2-id189-proc-5.dat	applicable	4.50	3.65	4	1	10	8	0
350	parr-uf2-id189-proc-5.dat	applied	3.62	3.21	4	1	5	8	0

351	parr-uf2-id189-proc-5.dat	store	13.89	12.94	12	6	21	8	0
352	parr-uf2-id54-proc-unbounded.dat	applicable	5.14	4.62	5	2	10	7	0
353	parr-uf2-id54-proc-unbounded.dat	applied	5.00	4.48	5	2	10	7	0
354	parr-uf2-id54-proc-unbounded.dat	store	15.25	14.25	16	6	21	7	0
355	parr-uf2-id69-proc-unbounded.dat	applicable	4.12	3.16	4	1	10	8	0
356	parr-uf2-id69-proc-unbounded.dat	applied	3.88	2.97	3	1	10	8	0
357	parr-uf2-id69-proc-unbounded.dat	store	13.89	12.79	12	6	21	8	0
358	parr-uf2-id84-proc-unbounded.dat	applicable	5.67	5.25	5	3	10	6	0
359	parr-uf2-id84-proc-unbounded.dat	applied	5.50	5.06	4	3	10	6	0
360	parr-uf2-id84-proc-unbounded.dat	store	15.71	14.60	18	6	21	6	0
361	pars-arc1-id132-proc-5.dat	applicable	16.38	15.27	17	4	29	21	0
362	pars-arc1-id132-proc-5.dat	applied	3.14	0.00	3	0	5	21	1
363	pars-arc1-id132-proc-5.dat	store	24.64	24.24	26	12	30	21	0
364	pars-arc1-id27-proc-unbounded.dat	applicable	43.50	36.19	38	14	83	4	0
365	pars-arc1-id27-proc-unbounded.dat	applied	20.50	18.79	20	11	30	4	0
366	pars-arc1-id27-proc-unbounded.dat	store	29.80	28.01	29	15	44	4	0
367	pars-arc2-id133-proc-5.dat	applicable	11.36	9.44	13	1	18	11	0
368	pars-arc2-id133-proc-5.dat	applied	3.91	3.59	4	1	5	11	0
369	pars-arc2-id133-proc-5.dat	store	27.83	27.24	29	15	33	11	0
370	pars-arc2-id28-proc-unbounded.dat	applicable	15.75	14.75	13	10	26	4	0
371	pars-arc2-id28-proc-unbounded.dat	applied	11.75	10.39	13	4	16	4	0
372	pars-arc2-id28-proc-unbounded.dat	store	30.00	28.45	30	15	42	4	0
373	pars-blk1-id130-proc-5.dat	applicable	5.00	5.00	5	5	5	2	0
374	pars-blk1-id130-proc-5.dat	applied	3.50	3.16	3	2	5	2	0
375	pars-blk1-id130-proc-5.dat	store	19.33	18.81	16	16	26	2	0
376	pars-blk1-id25-proc-unbounded.dat	applicable	5.00	5.00	5	5	5	2	0
377	pars-blk1-id25-proc-unbounded.dat	applied	5.00	5.00	5	5	5	2	0
378	pars-blk1-id25-proc-unbounded.dat	store	19.33	18.81	16	16	26	2	0
379	pars-blk2-id131-proc-5.dat	applicable	3.00	3.00	3	3	3	1	0
380	pars-blk2-id131-proc-5.dat	applied	3.00	3.00	3	3	3	1	0
381	pars-blk2-id131-proc-5.dat	store	19.00	18.76	19	16	22	1	0
382	pars-blk2-id26-proc-unbounded.dat	applicable	2.00	1.73	2	1	3	2	0

383	pars-blk2-id26-proc-unbounded.dat	applied	2.00	1.73	2	1	3	2	0
384	pars-blk2-id26-proc-unbounded.dat	store	18.00	17.79	16	16	22	2	0
385	pars-fib-id121-proc-5.dat	applicable	13.43	8.66	8	1	32	14	0
386	pars-fib-id121-proc-5.dat	applied	1.57	0.00	1	0	5	14	3
387	pars-fib-id121-proc-5.dat	store	4.00	3.67	3	2	8	14	0
388	pars-fib-id16-proc-unbounded.dat	applicable	9.12	4.96	5	1	32	8	0
389	pars-fib-id16-proc-unbounded.dat	applied	2.75	2.16	2	1	6	8	0
390	pars-fib-id16-proc-unbounded.dat	store	4.67	4.08	4	2	9	8	0
391	pars-gcd-id126-proc-5.dat	applicable	6.25	5.38	6	2	10	4	0
392	pars-gcd-id126-proc-5.dat	applied	1.75	0.00	2	0	3	4	1
393	pars-gcd-id126-proc-5.dat	store	5.00	5.00	5	5	5	4	0
394	pars-gcd-id21-proc-unbounded.dat	applicable	5.67	4.76	6	2	9	3	0
395	pars-gcd-id21-proc-unbounded.dat	applied	2.33	2.08	3	1	3	3	0
396	pars-gcd-id21-proc-unbounded.dat	store	5.00	5.00	5	5	5	3	0
397	pars-gcd2-id127-proc-5.dat	applicable	5.00	3.53	5	1	10	10	0
398	pars-gcd2-id127-proc-5.dat	applied	1.90	1.66	1	1	3	10	0
399	pars-gcd2-id127-proc-5.dat	store	5.00	5.00	5	5	5	10	0
400	pars-gcd2-id22-proc-unbounded.dat	applicable	4.40	3.99	4	2	7	5	0
401	pars-gcd2-id22-proc-unbounded.dat	applied	2.20	2.05	2	1	3	5	0
402	pars-gcd2-id22-proc-unbounded.dat	store	5.00	5.00	5	5	5	5	0
403	pars-map-id134-proc-5.dat	applicable	8.50	6.74	9	2	15	6	0
404	pars-map-id134-proc-5.dat	applied	3.33	2.90	3	1	5	6	0
405	pars-map-id134-proc-5.dat	store	14.71	14.57	14	12	17	6	0
406	pars-map-id29-proc-unbounded.dat	applicable	12.50	12.25	12	10	15	2	0
407	pars-map-id29-proc-unbounded.dat	applied	10.00	8.66	10	5	15	2	0
408	pars-map-id29-proc-unbounded.dat	store	15.33	15.14	17	12	17	2	0
409	pars-min-id122-proc-5.dat	applicable	7.50	7.07	7	5	10	2	0
410	pars-min-id122-proc-5.dat	applied	2.00	1.73	2	1	3	2	0
411	pars-min-id122-proc-5.dat	store	3.67	3.30	3	2	6	2	0
412	pars-min-id17-proc-unbounded.dat	applicable	10.00	10.00	10	10	10	1	0
413	pars-min-id17-proc-unbounded.dat	applied	4.00	4.00	4	4	4	1	0
414	pars-min-id17-proc-unbounded.dat	store	4.00	3.46	4	2	6	1	0

415	pars-next0-id124-proc-5.dat	applicable	5.00	3.66	4	1	10	4	0
416	pars-next0-id124-proc-5.dat	applied	1.75	1.68	2	1	2	4	0
417	pars-next0-id124-proc-5.dat	store	6.00	6.00	6	6	6	4	0
418	pars-next0-id19-proc-unbounded.dat	applicable	5.50	3.16	5	1	10	2	0
419	pars-next0-id19-proc-unbounded.dat	applied	2.50	2.00	2	1	4	2	0
420	pars-next0-id19-proc-unbounded.dat	store	6.00	6.00	6	6	6	2	0
421	pars-prime-id125-proc-5.dat	applicable	1.00	1.00	1	1	1	1	0
422	pars-prime-id125-proc-5.dat	applied	1.00	1.00	1	1	1	1	0
423	pars-prime-id125-proc-5.dat	store	4.50	4.47	4	4	5	1	0
424	pars-prime-id20-proc-unbounded.dat	applicable	1.00	1.00	1	1	1	1	0
425	pars-prime-id20-proc-unbounded.dat	applied	1.00	1.00	1	1	1	1	0
426	pars-prime-id20-proc-unbounded.dat	store	4.50	4.47	4	4	5	1	0
427	pars-sat-id135-proc-5.dat	applicable	42.26	35.41	46	1	70	72	0
428	pars-sat-id135-proc-5.dat	applied	4.88	4.80	5	1	5	72	0
429	pars-sat-id135-proc-5.dat	store	184.16	141.04	184	12	363	72	0
430	pars-sat-id30-proc-unbounded.dat	applicable	50.14	11.48	8	1	160	6	0
431	pars-sat-id30-proc-unbounded.dat	applied	50.14	11.48	8	1	160	6	0
432	pars-sat-id30-proc-unbounded.dat	store	47.43	27.01	19	12	203	6	0
433	pars-sum-id123-proc-5.dat	applicable	13.83	11.54	15	3	21	6	0
434	pars-sum-id123-proc-5.dat	applied	0.67	0.00	0	0	2	6	3
435	pars-sum-id123-proc-5.dat	store	3.14	2.83	2	2	6	6	0
436	pars-sum-id18-proc-unbounded.dat	applicable	9.33	6.21	6	2	20	3	0
437	pars-sum-id18-proc-unbounded.dat	applied	1.33	1.26	1	1	2	3	0
438	pars-sum-id18-proc-unbounded.dat	store	3.75	3.46	3	2	6	3	0
439	pars-uf1-id128-proc-5.dat	applicable	3.88	3.15	4	1	8	8	0
440	pars-uf1-id128-proc-5.dat	applied	3.38	2.89	4	1	5	8	0
441	pars-uf1-id128-proc-5.dat	store	13.44	12.54	15	6	18	8	0
442	pars-uf1-id23-proc-unbounded.dat	applicable	3.75	3.24	4	1	8	8	0
443	pars-uf1-id23-proc-unbounded.dat	applied	3.50	2.98	3	1	8	8	0
444	pars-uf1-id23-proc-unbounded.dat	store	13.44	12.63	12	6	18	8	0
445	pars-uf2-id129-proc-5.dat	applicable	4.36	3.35	4	1	10	11	0
446	pars-uf2-id129-proc-5.dat	applied	3.36	2.82	4	1	5	11	0

447	pars-uf2-id129-proc-5.dat	store	14.42	13.40	16	6	21	11	0
448	pars-uf2-id24-proc-unbounded.dat	applicable	4.86	4.25	5	2	10	7	0
449	pars-uf2-id24-proc-unbounded.dat	applied	4.29	3.61	4	2	10	7	0
450	pars-uf2-id24-proc-unbounded.dat	store	15.62	14.40	16	6	21	7	0
451	parsd-arc1-id147-proc-5.dat	applicable	10.92	9.30	11	2	21	13	0
452	parsd-arc1-id147-proc-5.dat	applied	3.08	2.71	3	1	5	13	0
453	parsd-arc1-id147-proc-5.dat	store	22.14	21.79	23	12	26	13	0
454	parsd-arc1-id42-proc-unbounded.dat	applicable	38.80	29.67	32	11	74	5	0
455	parsd-arc1-id42-proc-unbounded.dat	applied	18.00	14.82	17	4	30	5	0
456	parsd-arc1-id42-proc-unbounded.dat	store	29.67	28.20	29	15	42	5	0
457	parsd-arc2-id148-proc-5.dat	applicable	10.91	9.13	13	1	15	11	0
458	parsd-arc2-id148-proc-5.dat	applied	3.73	3.35	4	1	5	11	0
459	parsd-arc2-id148-proc-5.dat	store	29.42	28.60	31	15	36	11	0
460	parsd-arc2-id43-proc-unbounded.dat	applicable	13.00	8.62	14	1	27	5	0
461	parsd-arc2-id43-proc-unbounded.dat	applied	10.40	7.25	14	1	17	5	0
462	parsd-arc2-id43-proc-unbounded.dat	store	31.00	29.57	31	15	43	5	0
463	parsd-blk1-id145-proc-5.dat	applicable	5.00	5.00	5	5	5	2	0
464	parsd-blk1-id145-proc-5.dat	applied	4.50	4.47	4	4	5	2	0
465	parsd-blk1-id145-proc-5.dat	store	19.33	18.81	16	16	26	2	0
466	parsd-blk1-id40-proc-unbounded.dat	applicable	5.00	5.00	5	5	5	2	0
467	parsd-blk1-id40-proc-unbounded.dat	applied	4.00	3.87	4	3	5	2	0
468	parsd-blk1-id40-proc-unbounded.dat	store	19.33	18.81	16	16	26	2	0
469	parsd-blk2-id146-proc-5.dat	applicable	1.50	1.32	1	1	3	4	0
470	parsd-blk2-id146-proc-5.dat	applied	1.50	1.32	1	1	3	4	0
471	parsd-blk2-id146-proc-5.dat	store	17.20	17.05	16	16	22	4	0
472	parsd-blk2-id41-proc-unbounded.dat	applicable	2.00	1.73	2	1	3	2	0
473	parsd-blk2-id41-proc-unbounded.dat	applied	2.00	1.73	2	1	3	2	0
474	parsd-blk2-id41-proc-unbounded.dat	store	18.00	17.79	16	16	22	2	0
475	parsd-fib-id136-proc-5.dat	applicable	25.22	15.54	23	1	53	18	0
476	parsd-fib-id136-proc-5.dat	applied	1.22	0.00	0	0	5	18	9
477	parsd-fib-id136-proc-5.dat	store	3.47	2.96	2	2	9	18	0
478	parsd-fib-id31-proc-unbounded.dat	applicable	9.12	4.96	5	1	32	8	0

479	parsd-fib-id31-proc-unbounded.dat	applied	2.75	2.16	2	1	6	8	0
480	parsd-fib-id31-proc-unbounded.dat	store	4.67	4.08	4	2	9	8	0
481	parsd-gcd-id141-proc-5.dat	applicable	6.25	5.38	6	2	10	4	0
482	parsd-gcd-id141-proc-5.dat	applied	1.75	0.00	2	0	3	4	1
483	parsd-gcd-id141-proc-5.dat	store	5.00	5.00	5	5	5	4	0
484	parsd-gcd-id36-proc-unbounded.dat	applicable	6.33	6.32	6	6	7	3	0
485	parsd-gcd-id36-proc-unbounded.dat	applied	2.67	2.62	3	2	3	3	0
486	parsd-gcd-id36-proc-unbounded.dat	store	5.00	5.00	5	5	5	3	0
487	parsd-gcd2-id142-proc-5.dat	applicable	7.22	6.99	7	4	11	9	0
488	parsd-gcd2-id142-proc-5.dat	applied	2.11	1.96	2	1	3	9	0
489	parsd-gcd2-id142-proc-5.dat	store	5.00	5.00	5	5	5	9	0
490	parsd-gcd2-id37-proc-unbounded.dat	applicable	4.14	3.47	4	1	7	7	0
491	parsd-gcd2-id37-proc-unbounded.dat	applied	2.14	1.95	2	1	3	7	0
492	parsd-gcd2-id37-proc-unbounded.dat	store	5.00	5.00	5	5	5	7	0
493	parsd-map-id149-proc-5.dat	applicable	10.60	9.95	10	5	15	5	0
494	parsd-map-id149-proc-5.dat	applied	4.00	3.76	5	2	5	5	0
495	parsd-map-id149-proc-5.dat	store	15.33	15.19	16	12	17	5	0
496	parsd-map-id44-proc-unbounded.dat	applicable	12.50	12.25	12	10	15	2	0
497	parsd-map-id44-proc-unbounded.dat	applied	10.00	8.66	10	5	15	2	0
498	parsd-map-id44-proc-unbounded.dat	store	15.33	15.14	17	12	17	2	0
499	parsd-min-id137-proc-5.dat	applicable	7.50	7.07	7	5	10	2	0
500	parsd-min-id137-proc-5.dat	applied	2.00	0.00	2	0	4	2	1
501	parsd-min-id137-proc-5.dat	store	3.33	2.88	2	2	6	2	0
502	parsd-min-id32-proc-unbounded.dat	applicable	10.00	10.00	10	10	10	1	0
503	parsd-min-id32-proc-unbounded.dat	applied	4.00	4.00	4	4	4	1	0
504	parsd-min-id32-proc-unbounded.dat	store	4.00	3.46	4	2	6	1	0
505	parsd-next0-id139-proc-5.dat	applicable	4.75	3.31	4	1	10	4	0
506	parsd-next0-id139-proc-5.dat	applied	1.75	1.57	1	1	3	4	0
507	parsd-next0-id139-proc-5.dat	store	6.00	6.00	6	6	6	4	0
508	parsd-next0-id34-proc-unbounded.dat	applicable	5.67	3.91	6	1	10	3	0
509	parsd-next0-id34-proc-unbounded.dat	applied	2.67	2.29	3	1	4	3	0
510	parsd-next0-id34-proc-unbounded.dat	store	6.00	6.00	6	6	6	3	0



511	parsd-prime-id140-proc-5.dat	applicable	1.00	1.00	1	1	1	1	0
512	parsd-prime-id140-proc-5.dat	applied	1.00	1.00	1	1	1	1	0
513	parsd-prime-id140-proc-5.dat	store	4.50	4.47	4	4	5	1	0
514	parsd-prime-id35-proc-unbounded.dat	applicable	1.00	1.00	1	1	1	1	0
515	parsd-prime-id35-proc-unbounded.dat	applied	1.00	1.00	1	1	1	1	0
516	parsd-prime-id35-proc-unbounded.dat	store	4.50	4.47	4	4	5	1	0
517	parsd-sat-id150-proc-5.dat	applicable	44.46	34.33	41	1	94	72	0
518	parsd-sat-id150-proc-5.dat	applied	4.88	4.80	5	1	5	72	0
519	parsd-sat-id150-proc-5.dat	store	184.16	141.04	184	12	363	72	0
520	parsd-sat-id45-proc-unbounded.dat	applicable	50.14	11.48	8	1	160	7	0
521	parsd-sat-id45-proc-unbounded.dat	applied	50.14	11.48	8	1	160	7	0
522	parsd-sat-id45-proc-unbounded.dat	store	86.88	37.37	23	12	363	7	0
523	parsd-sum-id138-proc-5.dat	applicable	13.83	11.54	15	3	21	6	0
524	parsd-sum-id138-proc-5.dat	applied	0.67	0.00	0	0	2	6	3
525	parsd-sum-id138-proc-5.dat	store	3.00	2.74	2	2	6	6	0
526	parsd-sum-id33-proc-unbounded.dat	applicable	9.33	6.21	6	2	20	3	0
527	parsd-sum-id33-proc-unbounded.dat	applied	1.33	1.26	1	1	2	3	0
528	parsd-sum-id33-proc-unbounded.dat	store	3.75	3.46	3	2	6	3	0
529	parsd-uf1-id143-proc-5.dat	applicable	4.62	4.03	4	1	8	8	0
530	parsd-uf1-id143-proc-5.dat	applied	3.62	3.26	4	1	5	8	0
531	parsd-uf1-id143-proc-5.dat	store	13.78	12.94	15	6	18	8	0
532	parsd-uf1-id38-proc-unbounded.dat	applicable	3.78	3.05	4	1	8	9	0
533	parsd-uf1-id38-proc-unbounded.dat	applied	3.67	2.96	3	1	8	9	0
534	parsd-uf1-id38-proc-unbounded.dat	store	13.30	12.48	13	6	18	9	0
535	parsd-uf2-id144-proc-5.dat	applicable	4.11	3.18	4	1	10	9	0
536	parsd-uf2-id144-proc-5.dat	applied	3.33	2.84	4	1	5	9	0
537	parsd-uf2-id144-proc-5.dat	store	13.70	12.76	13	6	21	9	0
538	parsd-uf2-id39-proc-unbounded.dat	applicable	3.88	2.97	3	1	10	8	0
539	parsd-uf2-id39-proc-unbounded.dat	applied	3.75	2.89	3	1	10	8	0
540	parsd-uf2-id39-proc-unbounded.dat	store	13.22	12.28	12	6	21	8	0
541	seq-arc1-id102-proc-unbounded.dat	applicable	137.39	Inf	138	1	257	419	0
542	seq-arc1-id102-proc-unbounded.dat	applied	0.31	0.00	0	0	1	419	291

543	seq-arc1-id102-proc-unbounded.dat	store	34.37	Inf	32	15	51	419	0
544	seq-arc1-id207-proc-5.dat	applicable	31.31	26.45	34	1	56	129	0
545	seq-arc1-id207-proc-5.dat	applied	0.54	0.00	1	0	1	129	59
546	seq-arc1-id207-proc-5.dat	store	32.85	32.37	33	16	41	129	0
547	seq-arc2-id103-proc-unbounded.dat	applicable	20.20	17.56	19	1	37	86	0
548	seq-arc2-id103-proc-unbounded.dat	applied	0.63	0.00	1	0	1	86	32
549	seq-arc2-id103-proc-unbounded.dat	store	33.93	33.14	35	15	43	86	0
550	seq-arc2-id208-proc-5.dat	applicable	22.29	19.41	21	1	41	98	0
551	seq-arc2-id208-proc-5.dat	applied	0.62	0.00	1	0	1	98	37
552	seq-arc2-id208-proc-5.dat	store	35.61	34.74	37	15	45	98	0
553	seq-blk1-id100-proc-unbounded.dat	applicable	3.60	3.28	4	1	5	10	0
554	seq-blk1-id100-proc-unbounded.dat	applied	0.90	0.00	1	0	1	10	1
555	seq-blk1-id100-proc-unbounded.dat	store	18.73	18.42	16	16	26	10	0
556	seq-blk1-id205-proc-5.dat	applicable	3.50	3.21	4	1	5	10	0
557	seq-blk1-id205-proc-5.dat	applied	0.90	0.00	1	0	1	10	1
558	seq-blk1-id205-proc-5.dat	store	18.73	18.42	16	16	26	10	0
559	seq-blk2-id101-proc-unbounded.dat	applicable	2.20	2.05	2	1	3	5	0
560	seq-blk2-id101-proc-unbounded.dat	applied	0.80	0.00	1	0	1	5	1
561	seq-blk2-id101-proc-unbounded.dat	store	18.00	17.86	17	16	22	5	0
562	seq-blk2-id206-proc-5.dat	applicable	2.00	1.82	2	1	3	6	0
563	seq-blk2-id206-proc-5.dat	applied	0.83	0.00	1	0	1	6	1
564	seq-blk2-id206-proc-5.dat	store	17.71	17.58	16	16	22	6	0
565	seq-fib-id196-proc-5.dat	applicable	23.61	17.80	25	1	47	89	0
566	seq-fib-id196-proc-5.dat	applied	0.25	0.00	0	0	1	89	67
567	seq-fib-id196-proc-5.dat	store	4.97	4.71	4	2	9	89	0
568	seq-fib-id91-proc-unbounded.dat	applicable	23.61	17.80	25	1	47	89	0
569	seq-fib-id91-proc-unbounded.dat	applied	0.25	0.00	0	0	1	89	67
570	seq-fib-id91-proc-unbounded.dat	store	4.97	4.71	4	2	9	89	0
571	seq-gcd-id201-proc-5.dat	applicable	8.32	7.22	9	1	14	25	0
572	seq-gcd-id201-proc-5.dat	applied	0.32	0.00	0	0	1	25	17
573	seq-gcd-id201-proc-5.dat	store	5.00	5.00	5	5	5	25	0
574	seq-gcd-id96-proc-unbounded.dat	applicable	9.18	7.87	9	1	17	28	0

575	seq-gcd-id96-proc-unbounded.dat	applied	0.29	0.00	0	0	1	28	20
576	seq-gcd-id96-proc-unbounded.dat	store	5.00	5.00	5	5	5	28	0
577	seq-gcd2-id202-proc-5.dat	applicable	9.09	7.84	10	1	14	53	0
578	seq-gcd2-id202-proc-5.dat	applied	0.36	0.00	0	0	1	53	34
579	seq-gcd2-id202-proc-5.dat	store	5.00	5.00	5	5	5	53	0
580	seq-gcd2-id97-proc-unbounded.dat	applicable	8.73	7.37	10	1	14	52	0
581	seq-gcd2-id97-proc-unbounded.dat	applied	0.37	0.00	0	0	1	52	33
582	seq-gcd2-id97-proc-unbounded.dat	store	5.00	5.00	5	5	5	52	0
583	seq-map-id104-proc-unbounded.dat	applicable	9.32	8.03	10	1	15	25	0
584	seq-map-id104-proc-unbounded.dat	applied	0.80	0.00	1	0	1	25	5
585	seq-map-id104-proc-unbounded.dat	store	15.85	15.75	17	12	17	25	0
586	seq-map-id209-proc-5.dat	applicable	7.96	6.95	8	1	15	25	0
587	seq-map-id209-proc-5.dat	applied	0.80	0.00	1	0	1	25	5
588	seq-map-id209-proc-5.dat	store	15.85	15.75	17	12	17	25	0
589	seq-min-id197-proc-5.dat	applicable	5.50	4.53	5	1	10	10	0
590	seq-min-id197-proc-5.dat	applied	0.40	0.00	0	0	1	10	6
591	seq-min-id197-proc-5.dat	store	4.09	3.87	4	2	6	10	0
592	seq-min-id92-proc-unbounded.dat	applicable	5.50	4.53	5	1	10	10	0
593	seq-min-id92-proc-unbounded.dat	applied	0.40	0.00	0	0	1	10	6
594	seq-min-id92-proc-unbounded.dat	store	3.73	3.41	4	2	6	10	0
595	seq-next0-id199-proc-5.dat	applicable	5.38	4.62	5	1	10	13	0
596	seq-next0-id199-proc-5.dat	applied	0.46	0.00	0	0	1	13	7
597	seq-next0-id199-proc-5.dat	store	6.00	6.00	6	6	6	13	0
598	seq-next0-id94-proc-unbounded.dat	applicable	7.06	5.97	8	1	12	17	0
599	seq-next0-id94-proc-unbounded.dat	applied	0.47	0.00	0	0	1	17	9
600	seq-next0-id94-proc-unbounded.dat	store	6.00	6.00	6	6	6	17	0
601	seq-prime-id200-proc-5.dat	applicable	1.00	1.00	1	1	1	1	0
602	seq-prime-id200-proc-5.dat	applied	1.00	1.00	1	1	1	1	0
603	seq-prime-id200-proc-5.dat	store	4.50	4.47	4	4	5	1	0
604	seq-prime-id95-proc-unbounded.dat	applicable	1.00	1.00	1	1	1	1	0
605	seq-prime-id95-proc-unbounded.dat	applied	1.00	1.00	1	1	1	1	0
606	seq-prime-id95-proc-unbounded.dat	store	4.50	4.47	4	4	5	1	0

607	seq-sat-id105-proc-unbounded.dat	applicable	141.89	Inf	159	1	160	215	0
608	seq-sat-id105-proc-unbounded.dat	applied	1.00	1.00	1	1	1	215	0
609	seq-sat-id105-proc-unbounded.dat	store	119.50	Inf	119	12	227	215	0
610	seq-sat-id210-proc-5.dat	applicable	113.34	Inf	146	1	160	351	0
611	seq-sat-id210-proc-5.dat	applied	1.00	1.00	1	1	1	351	0
612	seq-sat-id210-proc-5.dat	store	187.50	Inf	187	12	363	351	0
613	seq-sum-id198-proc-5.dat	applicable	14.12	11.54	16	1	25	32	0
614	seq-sum-id198-proc-5.dat	applied	0.12	0.00	0	0	1	32	28
615	seq-sum-id198-proc-5.dat	store	3.73	3.59	3	2	6	32	0
616	seq-sum-id93-proc-unbounded.dat	applicable	13.69	11.15	14	1	25	32	0
617	seq-sum-id93-proc-unbounded.dat	applied	0.12	0.00	0	0	1	32	28
618	seq-sum-id93-proc-unbounded.dat	store	3.94	3.82	4	2	6	32	0
619	seq-uf1-id203-proc-5.dat	applicable	6.43	5.91	6	1	10	42	0
620	seq-uf1-id203-proc-5.dat	applied	0.86	0.00	1	0	1	42	6
621	seq-uf1-id203-proc-5.dat	store	16.21	15.85	18	6	18	42	0
622	seq-uf1-id98-proc-unbounded.dat	applicable	6.43	5.91	6	1	10	42	0
623	seq-uf1-id98-proc-unbounded.dat	applied	0.86	0.00	1	0	1	42	6
624	seq-uf1-id98-proc-unbounded.dat	store	16.21	15.85	18	6	18	42	0
625	seq-uf2-id204-proc-5.dat	applicable	5.97	5.54	6	1	10	35	0
626	seq-uf2-id204-proc-5.dat	applied	0.91	0.00	1	0	1	35	3
627	seq-uf2-id204-proc-5.dat	store	16.67	16.10	15	6	21	35	0
628	seq-uf2-id99-proc-unbounded.dat	applicable	5.74	5.05	6	1	10	35	0
629	seq-uf2-id99-proc-unbounded.dat	applied	0.91	0.00	1	0	1	35	3
630	seq-uf2-id99-proc-unbounded.dat	store	17.50	16.81	18	6	21	35	0