

	Query	Category	Mean1	Mean2	Median	Min	Max	Transitions	Zeros
1	par-arc1-id177-proc-7.dat	applicable	28.97	25.40	27	2	61	79	0
2	par-arc1-id177-proc-7.dat	applied	3.81	0.00	4	0	7	79	1
3	par-arc1-id177-proc-7.dat	store	40.41	40.12	41	20	48	79	0
4	par-arc1-id27-proc-unbounded.dat	applicable	49.33	27.31	35	2	106	6	0
5	par-arc1-id27-proc-unbounded.dat	applied	26.83	15.37	27	1	55	6	0
6	par-arc1-id27-proc-unbounded.dat	store	49.00	46.13	44	22	71	6	0
7	par-arc2-id178-proc-7.dat	applicable	15.18	13.56	15	6	26	11	0
8	par-arc2-id178-proc-7.dat	applied	5.55	5.35	6	3	7	11	0
9	par-arc2-id178-proc-7.dat	store	37.83	37.09	39	21	46	11	0
10	par-arc2-id28-proc-unbounded.dat	applicable	24.40	14.45	21	1	50	5	0
11	par-arc2-id28-proc-unbounded.dat	applied	16.20	10.53	20	1	28	5	0
12	par-arc2-id28-proc-unbounded.dat	store	44.50	42.27	44	21	62	5	0
13	par-blk1-id175-proc-7.dat	applicable	7.00	7.00	7	7	7	2	0
14	par-blk1-id175-proc-7.dat	applied	6.00	5.92	6	5	7	2	0
15	par-blk1-id175-proc-7.dat	store	26.67	25.92	22	22	36	2	0
16	par-blk1-id25-proc-unbounded.dat	applicable	7.00	7.00	7	7	7	2	0
17	par-blk1-id25-proc-unbounded.dat	applied	5.00	4.58	5	3	7	2	0
18	par-blk1-id25-proc-unbounded.dat	store	26.67	25.92	22	22	36	2	0
19	par-blk2-id176-proc-7.dat	applicable	2.67	2.52	2	2	4	3	0
20	par-blk2-id176-proc-7.dat	applied	2.00	1.59	1	1	4	3	0
21	par-blk2-id176-proc-7.dat	store	24.00	23.77	22	22	30	3	0
22	par-blk2-id26-proc-unbounded.dat	applicable	2.00	1.59	1	1	4	3	0
23	par-blk2-id26-proc-unbounded.dat	applied	2.00	1.59	1	1	4	3	0
24	par-blk2-id26-proc-unbounded.dat	store	24.00	23.77	22	22	30	3	0
25	par-fib-id16-proc-unbounded.dat	applicable	37.55	11.00	8	1	184	11	0
26	par-fib-id16-proc-unbounded.dat	applied	5.55	3.50	4	1	15	11	0
27	par-fib-id16-proc-unbounded.dat	store	8.17	6.01	5	2	21	11	0
28	par-fib-id166-proc-7.dat	applicable	25.84	16.09	23	1	60	31	0
29	par-fib-id166-proc-7.dat	applied	1.97	0.00	1	0	7	31	9
30	par-fib-id166-proc-7.dat	store	8.22	6.83	8	2	18	31	0

31	par-gcd-id171-proc-7.dat	applicable	19.56	15.94	20	3	36	9	0
32	par-gcd-id171-proc-7.dat	applied	2.11	1.70	1	1	5	9	0
33	par-gcd-id171-proc-7.dat	store	7.00	7.00	7	7	7	9	0
34	par-gcd-id21-proc-unbounded.dat	applicable	10.20	6.06	15	1	17	5	0
35	par-gcd-id21-proc-unbounded.dat	applied	3.20	2.51	4	1	5	5	0
36	par-gcd-id21-proc-unbounded.dat	store	7.00	7.00	7	7	7	5	0
37	par-gcd2-id172-proc-7.dat	applicable	22.74	11.47	22	1	47	23	0
38	par-gcd2-id172-proc-7.dat	applied	2.04	1.75	2	1	4	23	0
39	par-gcd2-id172-proc-7.dat	store	7.00	7.00	7	7	7	23	0
40	par-gcd2-id22-proc-unbounded.dat	applicable	4.19	2.31	1	1	18	26	0
41	par-gcd2-id22-proc-unbounded.dat	applied	1.96	1.61	1	1	5	26	0
42	par-gcd2-id22-proc-unbounded.dat	store	7.00	7.00	7	7	7	26	0
43	par-map-id179-proc-7.dat	applicable	10.17	7.33	9	1	21	6	0
44	par-map-id179-proc-7.dat	applied	4.67	0.00	5	0	7	6	1
45	par-map-id179-proc-7.dat	store	20.29	20.06	21	16	23	6	0
46	par-map-id29-proc-unbounded.dat	applicable	17.50	17.15	17	14	21	2	0
47	par-map-id29-proc-unbounded.dat	applied	14.00	12.12	14	7	21	2	0
48	par-map-id29-proc-unbounded.dat	store	20.67	20.38	23	16	23	2	0
49	par-min-id167-proc-7.dat	applicable	14.00	12.72	14	7	21	3	0
50	par-min-id167-proc-7.dat	applied	2.00	1.82	2	1	3	3	0
51	par-min-id167-proc-7.dat	store	4.50	3.94	4	2	8	3	0
52	par-min-id17-proc-unbounded.dat	applicable	21.00	21.00	21	21	21	1	0
53	par-min-id17-proc-unbounded.dat	applied	6.00	6.00	6	6	6	1	0
54	par-min-id17-proc-unbounded.dat	store	5.00	4.00	5	2	8	1	0
55	par-next0-id169-proc-7.dat	applicable	9.40	6.23	8	2	21	5	0
56	par-next0-id169-proc-7.dat	applied	2.00	1.89	2	1	3	5	0
57	par-next0-id169-proc-7.dat	store	8.00	8.00	8	8	8	5	0
58	par-next0-id19-proc-unbounded.dat	applicable	8.20	5.19	6	1	21	5	0
59	par-next0-id19-proc-unbounded.dat	applied	3.20	2.70	3	1	6	5	0
60	par-next0-id19-proc-unbounded.dat	store	8.00	8.00	8	8	8	5	0
61	par-prime-id170-proc-7.dat	applicable	3.00	3.00	3	3	3	1	0
62	par-prime-id170-proc-7.dat	applied	2.00	2.00	2	2	2	1	0

63	par-prime-id170-proc-7.dat	store	6.00	5.92	6	5	7	1	0
64	par-prime-id20-proc-unbounded.dat	applicable	3.00	3.00	3	3	3	1	0
65	par-prime-id20-proc-unbounded.dat	applied	2.00	2.00	2	2	2	1	0
66	par-prime-id20-proc-unbounded.dat	store	6.00	5.92	6	5	7	1	0
67	par-sat-id180-proc-7.dat	applicable	57.84	Inf	57	1	120	279	0
68	par-sat-id180-proc-7.dat	applied	6.88	6.77	7	1	7	279	0
69	par-sat-id180-proc-7.dat	store	976.67	Inf	978	16	1935	279	0
70	par-sat-id30-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	8	0
71	par-sat-id30-proc-unbounded.dat	applied	213.22	22.83	16	1	896	8	0
72	par-sat-id30-proc-unbounded.dat	store	157.11	50.22	31	16	1039	8	0
73	par-sum-id168-proc-7.dat	applicable	31.90	26.55	36	5	49	10	0
74	par-sum-id168-proc-7.dat	applied	0.60	0.00	0	0	2	10	5
75	par-sum-id168-proc-7.dat	store	3.45	3.01	2	2	8	10	0
76	par-sum-id18-proc-unbounded.dat	applicable	18.67	10.03	12	2	42	3	0
77	par-sum-id18-proc-unbounded.dat	applied	2.00	1.82	2	1	3	3	0
78	par-sum-id18-proc-unbounded.dat	store	4.50	3.94	4	2	8	3	0
79	par-uf1-id173-proc-7.dat	applicable	5.44	4.16	6	1	12	9	0
80	par-uf1-id173-proc-7.dat	applied	4.33	3.56	5	1	7	9	0
81	par-uf1-id173-proc-7.dat	store	18.50	17.07	18	8	26	9	0
82	par-uf1-id23-proc-unbounded.dat	applicable	4.89	3.73	6	1	12	9	0
83	par-uf1-id23-proc-unbounded.dat	applied	4.44	3.38	3	1	12	9	0
84	par-uf1-id23-proc-unbounded.dat	store	18.20	16.80	17	8	26	9	0
85	par-uf2-id174-proc-7.dat	applicable	6.90	5.49	7	1	14	10	0
86	par-uf2-id174-proc-7.dat	applied	4.60	4.00	5	1	7	10	0
87	par-uf2-id174-proc-7.dat	store	20.36	18.78	20	8	29	10	0
88	par-uf2-id24-proc-unbounded.dat	applicable	6.12	5.27	6	2	14	8	0
89	par-uf2-id24-proc-unbounded.dat	applied	5.62	4.80	4	2	14	8	0
90	par-uf2-id24-proc-unbounded.dat	store	20.11	18.67	17	8	29	8	0
91	parr-arc1-id102-proc-7.dat	applicable	133.17	110.30	120	2	246	126	0
92	parr-arc1-id102-proc-7.dat	applied	3.26	0.00	3	0	7	126	7
93	parr-arc1-id102-proc-7.dat	store	54.18	53.22	53	21	76	126	0
94	parr-arc1-id117-proc-unbounded.dat	applicable	115.83	69.32	101	15	304	6	0

95	parr-arc1-id117-proc-unbounded.dat	applied	41.83	30.31	37	5	78	6	0
96	parr-arc1-id117-proc-unbounded.dat	store	54.00	49.42	47	21	89	6	0
97	parr-arc1-id12-proc-unbounded.dat	applicable	27.71	12.58	19	1	81	7	0
98	parr-arc1-id12-proc-unbounded.dat	applied	17.00	9.05	19	1	39	7	0
99	parr-arc1-id12-proc-unbounded.dat	store	43.75	41.78	42	20	63	7	0
100	parr-arc1-id132-proc-unbounded.dat	applicable	134.33	91.80	109	18	276	6	0
101	parr-arc1-id132-proc-unbounded.dat	applied	44.83	37.82	45	16	78	6	0
102	parr-arc1-id132-proc-unbounded.dat	store	53.29	48.37	56	19	80	6	0
103	parr-arc1-id57-proc-7.dat	applicable	72.31	64.70	84	7	109	65	0
104	parr-arc1-id57-proc-7.dat	applied	3.86	0.00	4	0	7	65	4
105	parr-arc1-id57-proc-7.dat	store	47.65	46.93	47	19	58	65	0
106	parr-arc1-id87-proc-7.dat	applicable	165.67	133.34	180	7	280	89	0
107	parr-arc1-id87-proc-7.dat	applied	3.11	0.00	3	0	7	89	9
108	parr-arc1-id87-proc-7.dat	store	56.24	55.15	56	21	76	89	0
109	parr-arc2-id103-proc-7.dat	applicable	17.00	15.03	20	3	23	12	0
110	parr-arc2-id103-proc-7.dat	applied	6.00	5.74	6	2	7	12	0
111	parr-arc2-id103-proc-7.dat	store	41.92	40.82	45	21	50	12	0
112	parr-arc2-id118-proc-unbounded.dat	applicable	28.25	26.32	22	20	48	4	0
113	parr-arc2-id118-proc-unbounded.dat	applied	18.50	16.98	20	8	26	4	0
114	parr-arc2-id118-proc-unbounded.dat	store	43.40	40.95	43	21	61	4	0
115	parr-arc2-id13-proc-unbounded.dat	applicable	27.50	25.45	21	19	48	4	0
116	parr-arc2-id13-proc-unbounded.dat	applied	17.25	15.29	19	6	24	4	0
117	parr-arc2-id13-proc-unbounded.dat	store	42.40	40.14	42	21	60	4	0
118	parr-arc2-id133-proc-unbounded.dat	applicable	25.00	16.82	22	2	51	5	0
119	parr-arc2-id133-proc-unbounded.dat	applied	17.40	12.80	20	2	30	5	0
120	parr-arc2-id133-proc-unbounded.dat	store	46.00	43.55	47	21	63	5	0
121	parr-arc2-id58-proc-7.dat	applicable	17.14	15.62	18	4	28	14	0
122	parr-arc2-id58-proc-7.dat	applied	5.36	4.98	6	2	7	14	0
123	parr-arc2-id58-proc-7.dat	store	43.33	42.25	47	21	52	14	0
124	parr-arc2-id88-proc-7.dat	applicable	15.13	12.45	17	1	26	15	0
125	parr-arc2-id88-proc-7.dat	applied	5.40	4.96	6	1	7	15	0
126	parr-arc2-id88-proc-7.dat	store	43.12	42.12	46	21	52	15	0

127	parr-blk1-id10-proc-unbounded.dat	applicable	7.00	7.00	7	7	7	2	0
128	parr-blk1-id10-proc-unbounded.dat	applied	6.00	5.92	6	5	7	2	0
129	parr-blk1-id10-proc-unbounded.dat	store	26.67	25.92	22	22	36	2	0
130	parr-blk1-id100-proc-7.dat	applicable	7.00	7.00	7	7	7	2	0
131	parr-blk1-id100-proc-7.dat	applied	6.00	5.92	6	5	7	2	0
132	parr-blk1-id100-proc-7.dat	store	26.67	25.92	22	22	36	2	0
133	parr-blk1-id115-proc-unbounded.dat	applicable	7.00	7.00	7	7	7	2	0
134	parr-blk1-id115-proc-unbounded.dat	applied	5.50	5.29	5	4	7	2	0
135	parr-blk1-id115-proc-unbounded.dat	store	26.67	25.92	22	22	36	2	0
136	parr-blk1-id130-proc-unbounded.dat	applicable	7.00	7.00	7	7	7	2	0
137	parr-blk1-id130-proc-unbounded.dat	applied	6.00	5.92	6	5	7	2	0
138	parr-blk1-id130-proc-unbounded.dat	store	26.67	25.92	22	22	36	2	0
139	parr-blk1-id55-proc-7.dat	applicable	7.00	7.00	7	7	7	2	0
140	parr-blk1-id55-proc-7.dat	applied	5.00	4.58	5	3	7	2	0
141	parr-blk1-id55-proc-7.dat	store	26.67	25.92	22	22	36	2	0
142	parr-blk1-id85-proc-7.dat	applicable	7.00	7.00	7	7	7	2	0
143	parr-blk1-id85-proc-7.dat	applied	5.50	5.29	5	4	7	2	0
144	parr-blk1-id85-proc-7.dat	store	26.67	25.92	22	22	36	2	0
145	parr-blk2-id101-proc-7.dat	applicable	1.75	1.41	1	1	4	4	0
146	parr-blk2-id101-proc-7.dat	applied	1.75	1.41	1	1	4	4	0
147	parr-blk2-id101-proc-7.dat	store	23.60	23.41	22	22	30	4	0
148	parr-blk2-id11-proc-unbounded.dat	applicable	3.50	3.46	3	3	4	2	0
149	parr-blk2-id11-proc-unbounded.dat	applied	3.50	3.46	3	3	4	2	0
150	parr-blk2-id11-proc-unbounded.dat	store	24.67	24.40	22	22	30	2	0
151	parr-blk2-id116-proc-unbounded.dat	applicable	3.00	2.83	3	2	4	2	0
152	parr-blk2-id116-proc-unbounded.dat	applied	3.00	2.83	3	2	4	2	0
153	parr-blk2-id116-proc-unbounded.dat	store	24.67	24.40	22	22	30	2	0
154	parr-blk2-id131-proc-unbounded.dat	applicable	3.50	3.46	3	3	4	2	0
155	parr-blk2-id131-proc-unbounded.dat	applied	3.00	2.83	3	2	4	2	0
156	parr-blk2-id131-proc-unbounded.dat	store	24.67	24.40	22	22	30	2	0
157	parr-blk2-id56-proc-7.dat	applicable	1.75	1.41	1	1	4	4	0
158	parr-blk2-id56-proc-7.dat	applied	1.75	1.41	1	1	4	4	0

159	parr-blk2-id56-proc-7.dat	store	23.60	23.41	22	22	30	4	0
160	parr-blk2-id86-proc-7.dat	applicable	1.60	1.32	1	1	4	5	0
161	parr-blk2-id86-proc-7.dat	applied	1.60	1.32	1	1	4	5	0
162	parr-blk2-id86-proc-7.dat	store	23.33	23.17	22	22	30	5	0
163	parr-fib-id1-proc-unbounded.dat	applicable	37.55	11.00	8	1	184	11	0
164	parr-fib-id1-proc-unbounded.dat	applied	5.55	3.50	4	1	15	11	0
165	parr-fib-id1-proc-unbounded.dat	store	8.17	6.01	5	2	21	11	0
166	parr-fib-id106-proc-unbounded.dat	applicable	37.55	11.00	8	1	184	11	0
167	parr-fib-id106-proc-unbounded.dat	applied	5.55	3.50	4	1	15	11	0
168	parr-fib-id106-proc-unbounded.dat	store	8.17	6.01	5	2	21	11	0
169	parr-fib-id121-proc-unbounded.dat	applicable	37.55	11.00	8	1	184	11	0
170	parr-fib-id121-proc-unbounded.dat	applied	5.55	3.50	4	1	15	11	0
171	parr-fib-id121-proc-unbounded.dat	store	8.17	6.01	5	2	21	11	0
172	parr-fib-id46-proc-7.dat	applicable	45.97	27.69	55	1	90	33	0
173	parr-fib-id46-proc-7.dat	applied	1.85	0.00	1	0	7	33	7
174	parr-fib-id46-proc-7.dat	store	7.03	5.77	4	2	18	33	0
175	parr-fib-id76-proc-7.dat	applicable	24.48	18.49	30	1	42	27	0
176	parr-fib-id76-proc-7.dat	applied	2.26	0.00	2	0	7	27	3
177	parr-fib-id76-proc-7.dat	store	8.04	6.55	7	2	18	27	0
178	parr-fib-id91-proc-7.dat	applicable	29.12	18.23	22	1	68	25	0
179	parr-fib-id91-proc-7.dat	applied	2.44	0.00	2	0	7	25	2
180	parr-fib-id91-proc-7.dat	store	8.04	7.02	9	2	17	25	0
181	parr-gcd-id111-proc-unbounded.dat	applicable	10.75	8.23	12	2	17	4	0
182	parr-gcd-id111-proc-unbounded.dat	applied	3.50	2.94	4	1	5	4	0
183	parr-gcd-id111-proc-unbounded.dat	store	7.00	7.00	7	7	7	4	0
184	parr-gcd-id126-proc-unbounded.dat	applicable	10.50	7.99	11	2	17	4	0
185	parr-gcd-id126-proc-unbounded.dat	applied	3.50	2.94	4	1	5	4	0
186	parr-gcd-id126-proc-unbounded.dat	store	7.00	7.00	7	7	7	4	0
187	parr-gcd-id51-proc-7.dat	applicable	18.38	16.96	21	6	24	8	0
188	parr-gcd-id51-proc-7.dat	applied	1.88	0.00	2	0	3	8	2
189	parr-gcd-id51-proc-7.dat	store	7.00	7.00	7	7	7	8	0
190	parr-gcd-id6-proc-unbounded.dat	applicable	15.33	15.07	15	12	19	3	0

191	parr-gcd-id6-proc-unbounded.dat	applied	4.33	4.22	5	3	5	3	0
192	parr-gcd-id6-proc-unbounded.dat	store	7.00	7.00	7	7	7	3	0
193	parr-gcd-id81-proc-7.dat	applicable	11.80	6.70	12	1	24	10	0
194	parr-gcd-id81-proc-7.dat	applied	1.80	0.00	1	0	5	10	1
195	parr-gcd-id81-proc-7.dat	store	7.00	7.00	7	7	7	10	0
196	parr-gcd-id96-proc-7.dat	applicable	11.89	7.40	14	1	24	9	0
197	parr-gcd-id96-proc-7.dat	applied	1.78	1.54	1	1	4	9	0
198	parr-gcd-id96-proc-7.dat	store	7.00	7.00	7	7	7	9	0
199	parr-gcd2-id112-proc-unbounded.dat	applicable	8.15	6.49	6	3	16	13	0
200	parr-gcd2-id112-proc-unbounded.dat	applied	3.23	2.98	3	2	5	13	0
201	parr-gcd2-id112-proc-unbounded.dat	store	7.00	7.00	7	7	7	13	0
202	parr-gcd2-id127-proc-unbounded.dat	applicable	9.70	8.18	9	3	16	10	0
203	parr-gcd2-id127-proc-unbounded.dat	applied	3.60	3.35	3	2	5	10	0
204	parr-gcd2-id127-proc-unbounded.dat	store	7.00	7.00	7	7	7	10	0
205	parr-gcd2-id52-proc-7.dat	applicable	17.73	15.52	22	2	25	15	0
206	parr-gcd2-id52-proc-7.dat	applied	2.20	1.92	2	1	4	15	0
207	parr-gcd2-id52-proc-7.dat	store	7.00	7.00	7	7	7	15	0
208	parr-gcd2-id7-proc-unbounded.dat	applicable	6.33	4.14	3	1	16	15	0
209	parr-gcd2-id7-proc-unbounded.dat	applied	2.67	2.25	2	1	5	15	0
210	parr-gcd2-id7-proc-unbounded.dat	store	7.00	7.00	7	7	7	15	0
211	parr-gcd2-id82-proc-7.dat	applicable	16.70	9.95	18	1	37	20	0
212	parr-gcd2-id82-proc-7.dat	applied	1.80	1.64	2	1	3	20	0
213	parr-gcd2-id82-proc-7.dat	store	7.00	7.00	7	7	7	20	0
214	parr-gcd2-id97-proc-7.dat	applicable	20.13	12.71	21	1	36	15	0
215	parr-gcd2-id97-proc-7.dat	applied	1.67	0.00	1	0	4	15	1
216	parr-gcd2-id97-proc-7.dat	store	7.00	7.00	7	7	7	15	0
217	parr-map-id104-proc-7.dat	applicable	12.20	11.31	10	7	21	5	0
218	parr-map-id104-proc-7.dat	applied	5.60	5.12	6	2	7	5	0
219	parr-map-id104-proc-7.dat	store	20.83	20.63	22	16	23	5	0
220	parr-map-id119-proc-unbounded.dat	applicable	17.50	17.15	17	14	21	2	0
221	parr-map-id119-proc-unbounded.dat	applied	14.00	12.12	14	7	21	2	0
222	parr-map-id119-proc-unbounded.dat	store	20.67	20.38	23	16	23	2	0

223	parr-map-id134-proc-unbounded.dat	applicable	17.50	17.15	17	14	21	2	0
224	parr-map-id134-proc-unbounded.dat	applied	14.00	12.12	14	7	21	2	0
225	parr-map-id134-proc-unbounded.dat	store	20.67	20.38	23	16	23	2	0
226	parr-map-id14-proc-unbounded.dat	applicable	17.50	17.15	17	14	21	2	0
227	parr-map-id14-proc-unbounded.dat	applied	14.00	12.12	14	7	21	2	0
228	parr-map-id14-proc-unbounded.dat	store	20.67	20.38	23	16	23	2	0
229	parr-map-id59-proc-7.dat	applicable	10.50	8.21	10	2	21	6	0
230	parr-map-id59-proc-7.dat	applied	4.67	3.90	5	1	7	6	0
231	parr-map-id59-proc-7.dat	store	20.14	19.95	20	16	23	6	0
232	parr-map-id89-proc-7.dat	applicable	12.20	11.26	11	7	21	5	0
233	parr-map-id89-proc-7.dat	applied	5.60	5.47	5	4	7	5	0
234	parr-map-id89-proc-7.dat	store	20.83	20.66	22	16	23	5	0
235	parr-min-id107-proc-unbounded.dat	applicable	21.00	21.00	21	21	21	1	0
236	parr-min-id107-proc-unbounded.dat	applied	6.00	6.00	6	6	6	1	0
237	parr-min-id107-proc-unbounded.dat	store	5.00	4.00	5	2	8	1	0
238	parr-min-id122-proc-unbounded.dat	applicable	21.00	21.00	21	21	21	1	0
239	parr-min-id122-proc-unbounded.dat	applied	6.00	6.00	6	6	6	1	0
240	parr-min-id122-proc-unbounded.dat	store	5.00	4.00	5	2	8	1	0
241	parr-min-id2-proc-unbounded.dat	applicable	21.00	21.00	21	21	21	1	0
242	parr-min-id2-proc-unbounded.dat	applied	6.00	6.00	6	6	6	1	0
243	parr-min-id2-proc-unbounded.dat	store	5.00	4.00	5	2	8	1	0
244	parr-min-id47-proc-7.dat	applicable	14.00	12.72	14	7	21	3	0
245	parr-min-id47-proc-7.dat	applied	2.00	1.59	1	1	4	3	0
246	parr-min-id47-proc-7.dat	store	4.25	3.72	3	2	8	3	0
247	parr-min-id77-proc-7.dat	applicable	14.00	12.72	14	7	21	3	0
248	parr-min-id77-proc-7.dat	applied	2.00	1.82	2	1	3	3	0
249	parr-min-id77-proc-7.dat	store	4.50	3.94	4	2	8	3	0
250	parr-min-id92-proc-7.dat	applicable	14.00	12.72	14	7	21	3	0
251	parr-min-id92-proc-7.dat	applied	2.00	1.59	1	1	4	3	0
252	parr-min-id92-proc-7.dat	store	4.25	3.72	3	2	8	3	0
253	parr-next0-id109-proc-unbounded.dat	applicable	9.00	5.52	4	2	21	3	0
254	parr-next0-id109-proc-unbounded.dat	applied	3.67	3.30	3	2	6	3	0



255	parr-next0-id109-proc-unbounded.dat	store	8.00	8.00	8	8	8	3	0
256	parr-next0-id124-proc-unbounded.dat	applicable	8.00	4.74	5	1	21	4	0
257	parr-next0-id124-proc-unbounded.dat	applied	3.50	2.91	3	1	6	4	0
258	parr-next0-id124-proc-unbounded.dat	store	8.00	8.00	8	8	8	4	0
259	parr-next0-id4-proc-unbounded.dat	applicable	6.80	4.08	3	1	21	5	0
260	parr-next0-id4-proc-unbounded.dat	applied	2.80	2.35	2	1	6	5	0
261	parr-next0-id4-proc-unbounded.dat	store	8.00	8.00	8	8	8	5	0
262	parr-next0-id49-proc-7.dat	applicable	7.86	4.78	5	1	21	7	0
263	parr-next0-id49-proc-7.dat	applied	2.29	2.16	2	1	3	7	0
264	parr-next0-id49-proc-7.dat	store	8.00	8.00	8	8	8	7	0
265	parr-next0-id79-proc-7.dat	applicable	7.38	4.40	5	1	21	8	0
266	parr-next0-id79-proc-7.dat	applied	2.12	1.96	2	1	3	8	0
267	parr-next0-id79-proc-7.dat	store	8.00	8.00	8	8	8	8	0
268	parr-next0-id94-proc-7.dat	applicable	7.50	3.56	3	1	21	8	0
269	parr-next0-id94-proc-7.dat	applied	1.88	1.57	1	1	4	8	0
270	parr-next0-id94-proc-7.dat	store	8.00	8.00	8	8	8	8	0
271	parr-prime-id110-proc-unbounded.dat	applicable	3.00	3.00	3	3	3	1	0
272	parr-prime-id110-proc-unbounded.dat	applied	2.00	2.00	2	2	2	1	0
273	parr-prime-id110-proc-unbounded.dat	store	6.00	5.92	6	5	7	1	0
274	parr-prime-id125-proc-unbounded.dat	applicable	3.00	3.00	3	3	3	1	0
275	parr-prime-id125-proc-unbounded.dat	applied	2.00	2.00	2	2	2	1	0
276	parr-prime-id125-proc-unbounded.dat	store	6.00	5.92	6	5	7	1	0
277	parr-prime-id5-proc-unbounded.dat	applicable	3.00	3.00	3	3	3	1	0
278	parr-prime-id5-proc-unbounded.dat	applied	2.00	2.00	2	2	2	1	0
279	parr-prime-id5-proc-unbounded.dat	store	6.00	5.92	6	5	7	1	0
280	parr-prime-id50-proc-7.dat	applicable	3.00	3.00	3	3	3	1	0
281	parr-prime-id50-proc-7.dat	applied	2.00	2.00	2	2	2	1	0
282	parr-prime-id50-proc-7.dat	store	6.00	5.92	6	5	7	1	0
283	parr-prime-id80-proc-7.dat	applicable	3.00	3.00	3	3	3	1	0
284	parr-prime-id80-proc-7.dat	applied	2.00	2.00	2	2	2	1	0
285	parr-prime-id80-proc-7.dat	store	6.00	5.92	6	5	7	1	0
286	parr-prime-id95-proc-7.dat	applicable	3.00	3.00	3	3	3	1	0

287	parr-prime-id95-proc-7.dat	applied	2.00	2.00	2	2	2	1	0
288	parr-prime-id95-proc-7.dat	store	6.00	5.92	6	5	7	1	0
289	parr-sat-id105-proc-7.dat	applicable	99.39	53.37	106	1	182	22	0
290	parr-sat-id105-proc-7.dat	applied	6.39	5.94	7	1	7	22	0
291	parr-sat-id105-proc-7.dat	store	80.09	64.57	79	16	156	22	0
292	parr-sat-id120-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	8	0
293	parr-sat-id120-proc-unbounded.dat	applied	213.22	22.83	16	1	896	8	0
294	parr-sat-id120-proc-unbounded.dat	store	157.11	50.22	31	16	1039	8	0
295	parr-sat-id135-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	9	0
296	parr-sat-id135-proc-unbounded.dat	applied	213.22	22.83	16	1	896	9	0
297	parr-sat-id135-proc-unbounded.dat	store	334.90	72.36	39	16	1935	9	0
298	parr-sat-id15-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	9	0
299	parr-sat-id15-proc-unbounded.dat	applied	213.22	22.83	16	1	896	9	0
300	parr-sat-id15-proc-unbounded.dat	store	334.90	72.36	39	16	1935	9	0
301	parr-sat-id60-proc-7.dat	applicable	257.43	Inf	281	1	446	277	0
302	parr-sat-id60-proc-7.dat	applied	6.93	6.88	7	1	7	277	0
303	parr-sat-id60-proc-7.dat	store	971.56	Inf	971	16	1935	277	0
304	parr-sat-id90-proc-7.dat	applicable	62.13	29.15	84	1	141	14	0
305	parr-sat-id90-proc-7.dat	applied	6.07	5.45	7	1	7	14	0
306	parr-sat-id90-proc-7.dat	store	52.67	44.37	51	16	100	14	0
307	parr-sum-id108-proc-unbounded.dat	applicable	18.67	10.03	12	2	42	3	0
308	parr-sum-id108-proc-unbounded.dat	applied	2.00	1.82	2	1	3	3	0
309	parr-sum-id108-proc-unbounded.dat	store	4.50	3.94	4	2	8	3	0
310	parr-sum-id123-proc-unbounded.dat	applicable	18.67	10.03	12	2	42	3	0
311	parr-sum-id123-proc-unbounded.dat	applied	2.00	1.82	2	1	3	3	0
312	parr-sum-id123-proc-unbounded.dat	store	4.50	3.94	4	2	8	3	0
313	parr-sum-id3-proc-unbounded.dat	applicable	18.67	10.03	12	2	42	3	0
314	parr-sum-id3-proc-unbounded.dat	applied	2.00	1.82	2	1	3	3	0
315	parr-sum-id3-proc-unbounded.dat	store	4.50	3.94	4	2	8	3	0
316	parr-sum-id48-proc-7.dat	applicable	28.89	23.32	32	4	47	9	0
317	parr-sum-id48-proc-7.dat	applied	0.67	0.00	0	0	3	9	5
318	parr-sum-id48-proc-7.dat	store	3.60	3.27	3	2	8	9	0

319	parr-sum-id78-proc-7.dat	applicable	29.30	20.27	32	1	49	10	0
320	parr-sum-id78-proc-7.dat	applied	0.60	0.00	0	0	2	10	6
321	parr-sum-id78-proc-7.dat	store	3.45	3.09	3	2	8	10	0
322	parr-sum-id93-proc-7.dat	applicable	29.30	20.27	32	1	49	10	0
323	parr-sum-id93-proc-7.dat	applied	0.60	0.00	0	0	2	10	6
324	parr-sum-id93-proc-7.dat	store	3.36	2.98	3	2	8	10	0
325	parr-uf1-id113-proc-unbounded.dat	applicable	4.70	3.61	5	1	12	10	0
326	parr-uf1-id113-proc-unbounded.dat	applied	4.30	3.31	3	1	12	10	0
327	parr-uf1-id113-proc-unbounded.dat	store	17.82	16.52	17	8	26	10	0
328	parr-uf1-id128-proc-unbounded.dat	applicable	5.22	4.02	6	1	12	9	0
329	parr-uf1-id128-proc-unbounded.dat	applied	4.89	3.75	4	1	12	9	0
330	parr-uf1-id128-proc-unbounded.dat	store	18.20	16.80	17	8	26	9	0
331	parr-uf1-id53-proc-7.dat	applicable	5.40	4.23	5	1	12	10	0
332	parr-uf1-id53-proc-7.dat	applied	4.70	3.86	5	1	7	10	0
333	parr-uf1-id53-proc-7.dat	store	18.64	17.29	17	8	26	10	0
334	parr-uf1-id8-proc-unbounded.dat	applicable	5.75	5.07	6	2	12	8	0
335	parr-uf1-id8-proc-unbounded.dat	applied	5.38	4.65	5	2	12	8	0
336	parr-uf1-id8-proc-unbounded.dat	store	19.00	17.70	17	8	26	8	0
337	parr-uf1-id83-proc-7.dat	applicable	6.00	5.16	6	2	12	9	0
338	parr-uf1-id83-proc-7.dat	applied	4.78	4.34	6	2	7	9	0
339	parr-uf1-id83-proc-7.dat	store	19.10	17.82	18	8	26	9	0
340	parr-uf1-id98-proc-7.dat	applicable	5.80	4.29	6	1	12	10	0
341	parr-uf1-id98-proc-7.dat	applied	4.40	3.60	5	1	7	10	0
342	parr-uf1-id98-proc-7.dat	store	18.64	17.24	20	8	26	10	0
343	parr-uf2-id114-proc-unbounded.dat	applicable	7.71	7.00	7	3	14	7	0
344	parr-uf2-id114-proc-unbounded.dat	applied	7.14	6.20	7	3	14	7	0
345	parr-uf2-id114-proc-unbounded.dat	store	22.38	20.66	26	8	29	7	0
346	parr-uf2-id129-proc-unbounded.dat	applicable	7.86	6.90	7	2	14	7	0
347	parr-uf2-id129-proc-unbounded.dat	applied	6.71	5.77	6	2	14	7	0
348	parr-uf2-id129-proc-unbounded.dat	store	20.88	19.28	23	8	29	7	0
349	parr-uf2-id54-proc-7.dat	applicable	7.33	6.75	7	3	14	9	0
350	parr-uf2-id54-proc-7.dat	applied	5.44	5.28	6	3	7	9	0

351	parr-uf2-id54-proc-7.dat	store	22.20	20.67	24	8	29	9	0
352	parr-uf2-id84-proc-7.dat	applicable	6.40	4.90	7	1	14	10	0
353	parr-uf2-id84-proc-7.dat	applied	4.70	3.85	5	1	7	10	0
354	parr-uf2-id84-proc-7.dat	store	20.91	19.04	20	8	29	10	0
355	parr-uf2-id9-proc-unbounded.dat	applicable	8.38	7.58	7	3	14	8	0
356	parr-uf2-id9-proc-unbounded.dat	applied	8.00	7.07	7	3	14	8	0
357	parr-uf2-id9-proc-unbounded.dat	store	22.78	21.19	26	8	29	8	0
358	parr-uf2-id99-proc-7.dat	applicable	7.70	6.32	8	1	14	10	0
359	parr-uf2-id99-proc-7.dat	applied	5.20	4.64	5	1	7	10	0
360	parr-uf2-id99-proc-7.dat	store	22.00	20.32	23	8	29	10	0
361	pars-arc1-id42-proc-7.dat	applicable	37.28	34.25	37	4	61	36	0
362	pars-arc1-id42-proc-7.dat	applied	4.36	3.66	4	1	7	36	0
363	pars-arc1-id42-proc-7.dat	store	42.86	42.29	43	20	53	36	0
364	pars-arc1-id72-proc-unbounded.dat	applicable	92.67	71.73	86	19	163	6	0
365	pars-arc1-id72-proc-unbounded.dat	applied	37.17	30.41	39	8	61	6	0
366	pars-arc1-id72-proc-unbounded.dat	store	50.71	47.00	49	20	72	6	0
367	pars-arc2-id43-proc-7.dat	applicable	15.92	12.90	16	1	26	12	0
368	pars-arc2-id43-proc-7.dat	applied	5.17	4.63	5	1	7	12	0
369	pars-arc2-id43-proc-7.dat	store	39.15	38.32	41	21	50	12	0
370	pars-arc2-id73-proc-unbounded.dat	applicable	23.20	13.85	20	1	49	5	0
371	pars-arc2-id73-proc-unbounded.dat	applied	15.20	9.87	20	1	26	5	0
372	pars-arc2-id73-proc-unbounded.dat	store	43.50	41.44	43	21	61	5	0
373	pars-blk1-id40-proc-7.dat	applicable	7.00	7.00	7	7	7	2	0
374	pars-blk1-id40-proc-7.dat	applied	6.00	5.92	6	5	7	2	0
375	pars-blk1-id40-proc-7.dat	store	26.67	25.92	22	22	36	2	0
376	pars-blk1-id70-proc-unbounded.dat	applicable	7.00	7.00	7	7	7	2	0
377	pars-blk1-id70-proc-unbounded.dat	applied	5.50	5.29	5	4	7	2	0
378	pars-blk1-id70-proc-unbounded.dat	store	26.67	25.92	22	22	36	2	0
379	pars-blk2-id41-proc-7.dat	applicable	2.33	2.00	2	1	4	3	0
380	pars-blk2-id41-proc-7.dat	applied	2.33	2.00	2	1	4	3	0
381	pars-blk2-id41-proc-7.dat	store	24.00	23.77	22	22	30	3	0
382	pars-blk2-id71-proc-unbounded.dat	applicable	3.00	2.83	3	2	4	2	0

383	pars-blk2-id71-proc-unbounded.dat	applied	3.00	2.83	3	2	4	2	0
384	pars-blk2-id71-proc-unbounded.dat	store	24.67	24.40	22	22	30	2	0
385	pars-fib-id31-proc-7.dat	applicable	21.92	15.56	20	1	53	25	0
386	pars-fib-id31-proc-7.dat	applied	2.44	0.00	2	0	7	25	3
387	pars-fib-id31-proc-7.dat	store	7.65	6.49	7	2	17	25	0
388	pars-fib-id61-proc-unbounded.dat	applicable	37.55	11.00	8	1	184	11	0
389	pars-fib-id61-proc-unbounded.dat	applied	5.55	3.50	4	1	15	11	0
390	pars-fib-id61-proc-unbounded.dat	store	8.17	6.01	5	2	21	11	0
391	pars-gcd-id36-proc-7.dat	applicable	15.57	13.87	18	4	23	7	0
392	pars-gcd-id36-proc-7.dat	applied	1.86	0.00	2	0	3	7	2
393	pars-gcd-id36-proc-7.dat	store	7.00	7.00	7	7	7	7	0
394	pars-gcd-id66-proc-unbounded.dat	applicable	10.20	6.06	15	1	17	5	0
395	pars-gcd-id66-proc-unbounded.dat	applied	3.20	2.51	4	1	5	5	0
396	pars-gcd-id66-proc-unbounded.dat	store	7.00	7.00	7	7	7	5	0
397	pars-gcd2-id37-proc-7.dat	applicable	25.54	20.67	26	2	44	13	0
398	pars-gcd2-id37-proc-7.dat	applied	1.77	0.00	3	0	4	13	6
399	pars-gcd2-id37-proc-7.dat	store	7.00	7.00	7	7	7	13	0
400	pars-gcd2-id67-proc-unbounded.dat	applicable	4.78	2.48	1	1	16	23	0
401	pars-gcd2-id67-proc-unbounded.dat	applied	2.13	1.67	1	1	5	23	0
402	pars-gcd2-id67-proc-unbounded.dat	store	7.00	7.00	7	7	7	23	0
403	pars-map-id44-proc-7.dat	applicable	10.83	8.39	10	2	21	6	0
404	pars-map-id44-proc-7.dat	applied	4.67	3.90	5	1	7	6	0
405	pars-map-id44-proc-7.dat	store	20.00	19.82	20	16	23	6	0
406	pars-map-id74-proc-unbounded.dat	applicable	17.50	17.15	17	14	21	2	0
407	pars-map-id74-proc-unbounded.dat	applied	14.00	12.12	14	7	21	2	0
408	pars-map-id74-proc-unbounded.dat	store	20.67	20.38	23	16	23	2	0
409	pars-min-id32-proc-7.dat	applicable	14.00	12.72	14	7	21	3	0
410	pars-min-id32-proc-7.dat	applied	2.00	0.00	2	0	4	3	1
411	pars-min-id32-proc-7.dat	store	4.00	3.36	3	2	8	3	0
412	pars-min-id62-proc-unbounded.dat	applicable	21.00	21.00	21	21	21	1	0
413	pars-min-id62-proc-unbounded.dat	applied	6.00	6.00	6	6	6	1	0
414	pars-min-id62-proc-unbounded.dat	store	5.00	4.00	5	2	8	1	0

415	pars-next0-id34-proc-7.dat	applicable	7.29	4.15	3	1	21	7	0
416	pars-next0-id34-proc-7.dat	applied	1.71	1.57	2	1	3	7	0
417	pars-next0-id34-proc-7.dat	store	8.00	8.00	8	8	8	7	0
418	pars-next0-id64-proc-unbounded.dat	applicable	5.33	2.30	1	1	21	6	0
419	pars-next0-id64-proc-unbounded.dat	applied	2.33	1.70	1	1	6	6	0
420	pars-next0-id64-proc-unbounded.dat	store	8.00	8.00	8	8	8	6	0
421	pars-prime-id35-proc-7.dat	applicable	3.00	3.00	3	3	3	1	0
422	pars-prime-id35-proc-7.dat	applied	2.00	2.00	2	2	2	1	0
423	pars-prime-id35-proc-7.dat	store	6.00	5.92	6	5	7	1	0
424	pars-prime-id65-proc-unbounded.dat	applicable	3.00	3.00	3	3	3	1	0
425	pars-prime-id65-proc-unbounded.dat	applied	2.00	2.00	2	2	2	1	0
426	pars-prime-id65-proc-unbounded.dat	store	6.00	5.92	6	5	7	1	0
427	pars-sat-id45-proc-7.dat	applicable	35.44	12.71	15	1	120	8	0
428	pars-sat-id45-proc-7.dat	applied	5.44	4.61	7	1	7	8	0
429	pars-sat-id45-proc-7.dat	store	32.78	29.55	30	16	58	8	0
430	pars-sat-id75-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	8	0
431	pars-sat-id75-proc-unbounded.dat	applied	213.22	22.83	16	1	896	8	0
432	pars-sat-id75-proc-unbounded.dat	store	157.11	50.22	31	16	1039	8	0
433	pars-sum-id33-proc-7.dat	applicable	29.30	20.27	32	1	49	10	0
434	pars-sum-id33-proc-7.dat	applied	0.60	0.00	0	0	2	10	6
435	pars-sum-id33-proc-7.dat	store	3.18	2.77	2	2	8	10	0
436	pars-sum-id63-proc-unbounded.dat	applicable	18.67	10.03	12	2	42	3	0
437	pars-sum-id63-proc-unbounded.dat	applied	2.00	1.82	2	1	3	3	0
438	pars-sum-id63-proc-unbounded.dat	store	4.50	3.94	4	2	8	3	0
439	pars-uf1-id38-proc-7.dat	applicable	6.22	5.20	6	1	12	9	0
440	pars-uf1-id38-proc-7.dat	applied	4.67	4.12	5	1	7	9	0
441	pars-uf1-id38-proc-7.dat	store	19.40	18.08	20	8	26	9	0
442	pars-uf1-id68-proc-unbounded.dat	applicable	4.70	3.61	5	1	12	10	0
443	pars-uf1-id68-proc-unbounded.dat	applied	4.30	3.31	3	1	12	10	0
444	pars-uf1-id68-proc-unbounded.dat	store	17.82	16.52	17	8	26	10	0
445	pars-uf2-id39-proc-7.dat	applicable	7.33	6.34	7	2	14	9	0
446	pars-uf2-id39-proc-7.dat	applied	5.11	4.77	6	2	7	9	0

447	pars-uf2-id39-proc-7.dat	store	21.30	19.81	21	8	29	9	0
448	pars-uf2-id69-proc-unbounded.dat	applicable	7.29	6.83	7	4	14	7	0
449	pars-uf2-id69-proc-unbounded.dat	applied	6.57	5.98	5	4	14	7	0
450	pars-uf2-id69-proc-unbounded.dat	store	21.62	20.16	23	8	29	7	0
451	parsd-arc1-id192-proc-7.dat	applicable	22.40	18.43	20	2	40	25	0
452	parsd-arc1-id192-proc-7.dat	applied	5.08	4.76	5	1	7	25	0
453	parsd-arc1-id192-proc-7.dat	store	42.65	42.00	44	20	50	25	0
454	parsd-arc1-id207-proc-unbounded.dat	applicable	42.57	30.44	34	4	87	7	0
455	parsd-arc1-id207-proc-unbounded.dat	applied	24.14	17.65	26	2	43	7	0
456	parsd-arc1-id207-proc-unbounded.dat	store	46.50	44.21	46	20	62	7	0
457	parsd-arc2-id193-proc-7.dat	applicable	16.36	13.46	17	1	28	14	0
458	parsd-arc2-id193-proc-7.dat	applied	5.14	4.59	6	1	7	14	0
459	parsd-arc2-id193-proc-7.dat	store	41.80	40.88	44	21	50	14	0
460	parsd-arc2-id208-proc-unbounded.dat	applicable	25.75	23.24	19	16	48	4	0
461	parsd-arc2-id208-proc-unbounded.dat	applied	16.75	14.46	19	5	23	4	0
462	parsd-arc2-id208-proc-unbounded.dat	store	42.20	39.97	42	21	60	4	0
463	parsd-blk1-id190-proc-7.dat	applicable	7.00	7.00	7	7	7	2	0
464	parsd-blk1-id190-proc-7.dat	applied	5.50	5.29	5	4	7	2	0
465	parsd-blk1-id190-proc-7.dat	store	26.67	25.92	22	22	36	2	0
466	parsd-blk1-id205-proc-unbounded.dat	applicable	7.00	7.00	7	7	7	2	0
467	parsd-blk1-id205-proc-unbounded.dat	applied	6.00	5.92	6	5	7	2	0
468	parsd-blk1-id205-proc-unbounded.dat	store	26.67	25.92	22	22	36	2	0
469	parsd-blk2-id191-proc-7.dat	applicable	3.00	2.83	3	2	4	2	0
470	parsd-blk2-id191-proc-7.dat	applied	3.00	2.83	3	2	4	2	0
471	parsd-blk2-id191-proc-7.dat	store	24.67	24.40	22	22	30	2	0
472	parsd-blk2-id206-proc-unbounded.dat	applicable	2.33	2.00	2	1	4	3	0
473	parsd-blk2-id206-proc-unbounded.dat	applied	2.33	2.00	2	1	4	3	0
474	parsd-blk2-id206-proc-unbounded.dat	store	24.00	23.77	22	22	30	3	0
475	parsd-fib-id181-proc-7.dat	applicable	44.37	29.24	46	1	94	35	0
476	parsd-fib-id181-proc-7.dat	applied	1.74	0.00	1	0	7	35	12
477	parsd-fib-id181-proc-7.dat	store	8.47	6.86	9	2	19	35	0
478	parsd-fib-id196-proc-unbounded.dat	applicable	37.55	11.00	8	1	184	11	0

479	parsd-fib-id196-proc-unbounded.dat	applied	5.55	3.50	4	1	15	11	0
480	parsd-fib-id196-proc-unbounded.dat	store	8.17	6.01	5	2	21	11	0
481	parsd-gcd-id186-proc-7.dat	applicable	18.78	16.03	22	3	28	9	0
482	parsd-gcd-id186-proc-7.dat	applied	1.78	0.00	2	0	3	9	2
483	parsd-gcd-id186-proc-7.dat	store	7.00	7.00	7	7	7	9	0
484	parsd-gcd-id201-proc-unbounded.dat	applicable	13.00	12.10	14	6	17	4	0
485	parsd-gcd-id201-proc-unbounded.dat	applied	4.00	3.76	4	2	5	4	0
486	parsd-gcd-id201-proc-unbounded.dat	store	7.00	7.00	7	7	7	4	0
487	parsd-gcd2-id187-proc-7.dat	applicable	18.13	11.67	20	1	33	15	0
488	parsd-gcd2-id187-proc-7.dat	applied	1.80	1.61	2	1	3	15	0
489	parsd-gcd2-id187-proc-7.dat	store	7.00	7.00	7	7	7	15	0
490	parsd-gcd2-id202-proc-unbounded.dat	applicable	5.05	2.64	2	1	18	19	0
491	parsd-gcd2-id202-proc-unbounded.dat	applied	2.16	1.72	1	1	5	19	0
492	parsd-gcd2-id202-proc-unbounded.dat	store	7.00	7.00	7	7	7	19	0
493	parsd-map-id194-proc-7.dat	applicable	13.40	12.24	13	7	21	5	0
494	parsd-map-id194-proc-7.dat	applied	5.60	5.36	6	3	7	5	0
495	parsd-map-id194-proc-7.dat	store	20.50	20.34	21	16	23	5	0
496	parsd-map-id209-proc-unbounded.dat	applicable	17.50	17.15	17	14	21	2	0
497	parsd-map-id209-proc-unbounded.dat	applied	14.00	12.12	14	7	21	2	0
498	parsd-map-id209-proc-unbounded.dat	store	20.67	20.38	23	16	23	2	0
499	parsd-min-id182-proc-7.dat	applicable	14.00	12.72	14	7	21	3	0
500	parsd-min-id182-proc-7.dat	applied	2.00	0.00	2	0	4	3	1
501	parsd-min-id182-proc-7.dat	store	4.50	3.72	4	2	8	3	0
502	parsd-min-id197-proc-unbounded.dat	applicable	21.00	21.00	21	21	21	1	0
503	parsd-min-id197-proc-unbounded.dat	applied	6.00	6.00	6	6	6	1	0
504	parsd-min-id197-proc-unbounded.dat	store	5.00	4.00	5	2	8	1	0
505	parsd-next0-id184-proc-7.dat	applicable	6.88	4.13	3	1	21	8	0
506	parsd-next0-id184-proc-7.dat	applied	1.88	1.77	2	1	3	8	0
507	parsd-next0-id184-proc-7.dat	store	8.00	8.00	8	8	8	8	0
508	parsd-next0-id199-proc-unbounded.dat	applicable	8.80	4.52	6	1	21	5	0
509	parsd-next0-id199-proc-unbounded.dat	applied	3.20	2.46	3	1	6	5	0
510	parsd-next0-id199-proc-unbounded.dat	store	8.00	8.00	8	8	8	5	0



511	parsd-prime-id185-proc-7.dat	applicable	3.00	3.00	3	3	3	1	0
512	parsd-prime-id185-proc-7.dat	applied	2.00	2.00	2	2	2	1	0
513	parsd-prime-id185-proc-7.dat	store	6.00	5.92	6	5	7	1	0
514	parsd-prime-id200-proc-unbounded.dat	applicable	3.00	3.00	3	3	3	1	0
515	parsd-prime-id200-proc-unbounded.dat	applied	2.00	2.00	2	2	2	1	0
516	parsd-prime-id200-proc-unbounded.dat	store	6.00	5.92	6	5	7	1	0
517	parsd-sat-id195-proc-7.dat	applicable	95.35	Inf	90	1	223	277	0
518	parsd-sat-id195-proc-7.dat	applied	6.93	6.86	7	1	7	277	0
519	parsd-sat-id195-proc-7.dat	store	971.57	Inf	971	16	1935	277	0
520	parsd-sat-id210-proc-unbounded.dat	applicable	213.22	22.83	16	1	896	8	0
521	parsd-sat-id210-proc-unbounded.dat	applied	213.22	22.83	16	1	896	8	0
522	parsd-sat-id210-proc-unbounded.dat	store	157.11	50.22	31	16	1039	8	0
523	parsd-sum-id183-proc-7.dat	applicable	31.90	26.55	36	5	49	10	0
524	parsd-sum-id183-proc-7.dat	applied	0.60	0.00	0	0	2	10	5
525	parsd-sum-id183-proc-7.dat	store	3.45	3.01	2	2	8	10	0
526	parsd-sum-id198-proc-unbounded.dat	applicable	18.67	10.03	12	2	42	3	0
527	parsd-sum-id198-proc-unbounded.dat	applied	2.00	1.82	2	1	3	3	0
528	parsd-sum-id198-proc-unbounded.dat	store	4.50	3.94	4	2	8	3	0
529	parsd-uf1-id188-proc-7.dat	applicable	5.56	4.23	6	1	12	9	0
530	parsd-uf1-id188-proc-7.dat	applied	4.44	3.62	5	1	7	9	0
531	parsd-uf1-id188-proc-7.dat	store	18.50	17.07	18	8	26	9	0
532	parsd-uf1-id203-proc-unbounded.dat	applicable	5.33	3.92	6	1	12	9	0
533	parsd-uf1-id203-proc-unbounded.dat	applied	5.22	3.84	5	1	12	9	0
534	parsd-uf1-id203-proc-unbounded.dat	store	18.20	16.75	17	8	26	9	0
535	parsd-uf2-id189-proc-7.dat	applicable	7.89	7.31	8	3	14	9	0
536	parsd-uf2-id189-proc-7.dat	applied	5.44	5.28	5	3	7	9	0
537	parsd-uf2-id189-proc-7.dat	store	22.20	20.73	24	8	29	9	0
538	parsd-uf2-id204-proc-unbounded.dat	applicable	6.75	5.60	7	2	14	8	0
539	parsd-uf2-id204-proc-unbounded.dat	applied	6.25	5.07	5	2	14	8	0
540	parsd-uf2-id204-proc-unbounded.dat	store	21.11	19.36	23	8	29	8	0
541	seq-arc1-id147-proc-7.dat	applicable	157.41	Inf	175	1	268	758	0
542	seq-arc1-id147-proc-7.dat	applied	0.34	0.00	0	0	1	758	503

543	seq-arc1-id147-proc-7.dat	store	57.50	Inf	62	20	77	758	0
544	seq-arc1-id162-proc-unbounded.dat	applicable	441.72	Inf	454	1	926	1792	0
545	seq-arc1-id162-proc-unbounded.dat	applied	0.23	0.00	0	0	1	1792	1383
546	seq-arc1-id162-proc-unbounded.dat	store	66.90	Inf	67	22	97	1792	0
547	seq-arc2-id148-proc-7.dat	applicable	40.73	34.35	43	1	74	176	0
548	seq-arc2-id148-proc-7.dat	applied	0.55	0.00	1	0	1	176	79
549	seq-arc2-id148-proc-7.dat	store	52.11	51.03	55	21	64	176	0
550	seq-arc2-id163-proc-unbounded.dat	applicable	38.17	31.99	37	1	74	157	0
551	seq-arc2-id163-proc-unbounded.dat	applied	0.53	0.00	1	0	1	157	74
552	seq-arc2-id163-proc-unbounded.dat	store	49.22	48.23	50	21	62	157	0
553	seq-blk1-id145-proc-7.dat	applicable	4.64	4.19	5	1	7	14	0
554	seq-blk1-id145-proc-7.dat	applied	0.79	0.00	1	0	1	14	3
555	seq-blk1-id145-proc-7.dat	store	25.73	25.32	22	22	36	14	0
556	seq-blk1-id160-proc-unbounded.dat	applicable	5.14	4.59	6	1	7	14	0
557	seq-blk1-id160-proc-unbounded.dat	applied	0.79	0.00	1	0	1	14	3
558	seq-blk1-id160-proc-unbounded.dat	store	25.73	25.32	22	22	36	14	0
559	seq-blk2-id146-proc-7.dat	applicable	2.88	2.67	3	1	4	8	0
560	seq-blk2-id146-proc-7.dat	applied	0.75	0.00	1	0	1	8	2
561	seq-blk2-id146-proc-7.dat	store	24.22	24.06	22	22	30	8	0
562	seq-blk2-id161-proc-unbounded.dat	applicable	2.38	2.14	2	1	4	8	0
563	seq-blk2-id161-proc-unbounded.dat	applied	0.88	0.00	1	0	1	8	1
564	seq-blk2-id161-proc-unbounded.dat	store	24.22	24.06	22	22	30	8	0
565	seq-fib-id136-proc-7.dat	applicable	138.06	Inf	134	1	297	509	0
566	seq-fib-id136-proc-7.dat	applied	0.12	0.00	0	0	1	509	448
567	seq-fib-id136-proc-7.dat	store	9.41	Inf	9	2	21	509	0
568	seq-fib-id151-proc-unbounded.dat	applicable	138.06	Inf	134	1	297	509	0
569	seq-fib-id151-proc-unbounded.dat	applied	0.12	0.00	0	0	1	509	448
570	seq-fib-id151-proc-unbounded.dat	store	9.41	Inf	9	2	21	509	0
571	seq-gcd-id141-proc-7.dat	applicable	21.48	18.69	25	1	32	75	0
572	seq-gcd-id141-proc-7.dat	applied	0.21	0.00	0	0	1	75	59
573	seq-gcd-id141-proc-7.dat	store	7.00	7.00	7	7	7	75	0
574	seq-gcd-id156-proc-unbounded.dat	applicable	25.51	21.12	27	1	46	75	0

575	seq-gcd-id156-proc-unbounded.dat	applied	0.19	0.00	0	0	1	75	61
576	seq-gcd-id156-proc-unbounded.dat	store	7.00	7.00	7	7	7	75	0
577	seq-gcd2-id142-proc-7.dat	applicable	14.16	11.12	17	1	27	122	0
578	seq-gcd2-id142-proc-7.dat	applied	0.32	0.00	0	0	1	122	83
579	seq-gcd2-id142-proc-7.dat	store	7.00	7.00	7	7	7	122	0
580	seq-gcd2-id157-proc-unbounded.dat	applicable	14.82	11.07	12	1	30	200	0
581	seq-gcd2-id157-proc-unbounded.dat	applied	0.34	0.00	0	0	1	200	133
582	seq-gcd2-id157-proc-unbounded.dat	store	7.00	7.00	7	7	7	200	0
583	seq-map-id149-proc-7.dat	applicable	11.49	9.92	12	1	21	35	0
584	seq-map-id149-proc-7.dat	applied	0.80	0.00	1	0	1	35	7
585	seq-map-id149-proc-7.dat	store	21.44	21.31	23	16	23	35	0
586	seq-map-id164-proc-unbounded.dat	applicable	10.97	9.47	11	1	21	35	0
587	seq-map-id164-proc-unbounded.dat	applied	0.80	0.00	1	0	1	35	7
588	seq-map-id164-proc-unbounded.dat	store	21.44	21.31	23	16	23	35	0
589	seq-min-id137-proc-7.dat	applicable	11.00	8.68	11	1	21	21	0
590	seq-min-id137-proc-7.dat	applied	0.29	0.00	0	0	1	21	15
591	seq-min-id137-proc-7.dat	store	5.23	4.78	6	2	8	21	0
592	seq-min-id152-proc-unbounded.dat	applicable	11.00	8.68	11	1	21	21	0
593	seq-min-id152-proc-unbounded.dat	applied	0.29	0.00	0	0	1	21	15
594	seq-min-id152-proc-unbounded.dat	store	5.45	5.18	6	2	8	21	0
595	seq-next0-id139-proc-7.dat	applicable	10.42	8.74	11	1	21	43	0
596	seq-next0-id139-proc-7.dat	applied	0.37	0.00	0	0	1	43	27
597	seq-next0-id139-proc-7.dat	store	8.00	8.00	8	8	8	43	0
598	seq-next0-id154-proc-unbounded.dat	applicable	10.31	9.08	10	1	21	49	0
599	seq-next0-id154-proc-unbounded.dat	applied	0.37	0.00	0	0	1	49	31
600	seq-next0-id154-proc-unbounded.dat	store	8.00	8.00	8	8	8	49	0
601	seq-prime-id140-proc-7.dat	applicable	2.00	1.82	2	1	3	3	0
602	seq-prime-id140-proc-7.dat	applied	0.67	0.00	1	0	1	3	1
603	seq-prime-id140-proc-7.dat	store	5.75	5.69	5	5	7	3	0
604	seq-prime-id155-proc-unbounded.dat	applicable	2.00	1.82	2	1	3	3	0
605	seq-prime-id155-proc-unbounded.dat	applied	0.67	0.00	1	0	1	3	1
606	seq-prime-id155-proc-unbounded.dat	store	6.00	5.96	6	5	7	3	0

607	seq-sat-id150-proc-7.dat	applicable	818.55	Inf	895	1	898	1085	0
608	seq-sat-id150-proc-7.dat	applied	1.00	1.00	1	1	1	1085	0
609	seq-sat-id150-proc-7.dat	store	558.50	Inf	558	16	1101	1085	0
610	seq-sat-id165-proc-unbounded.dat	applicable	644.04	Inf	837	1	897	1919	0
611	seq-sat-id165-proc-unbounded.dat	applied	1.00	1.00	1	1	1	1919	0
612	seq-sat-id165-proc-unbounded.dat	store	975.50	Inf	975	16	1935	1919	0
613	seq-sum-id138-proc-7.dat	applicable	28.50	22.81	30	1	51	72	0
614	seq-sum-id138-proc-7.dat	applied	0.08	0.00	0	0	1	72	66
615	seq-sum-id138-proc-7.dat	store	4.99	4.77	5	2	8	72	0
616	seq-sum-id153-proc-unbounded.dat	applicable	30.36	23.96	34	1	51	72	0
617	seq-sum-id153-proc-unbounded.dat	applied	0.08	0.00	0	0	1	72	66
618	seq-sum-id153-proc-unbounded.dat	store	4.60	4.41	4	2	8	72	0
619	seq-uf1-id143-proc-7.dat	applicable	10.42	9.51	11	1	16	81	0
620	seq-uf1-id143-proc-7.dat	applied	0.81	0.00	1	0	1	81	15
621	seq-uf1-id143-proc-7.dat	store	22.89	22.39	26	8	26	81	0
622	seq-uf1-id158-proc-unbounded.dat	applicable	10.42	9.51	11	1	16	81	0
623	seq-uf1-id158-proc-unbounded.dat	applied	0.81	0.00	1	0	1	81	15
624	seq-uf1-id158-proc-unbounded.dat	store	22.89	22.39	26	8	26	81	0
625	seq-uf2-id144-proc-7.dat	applicable	8.78	8.15	9	1	14	58	0
626	seq-uf2-id144-proc-7.dat	applied	0.88	0.00	1	0	1	58	7
627	seq-uf2-id144-proc-7.dat	store	23.37	22.75	23	8	29	58	0
628	seq-uf2-id159-proc-unbounded.dat	applicable	9.43	8.73	10	1	14	65	0
629	seq-uf2-id159-proc-unbounded.dat	applied	0.88	0.00	1	0	1	65	8
630	seq-uf2-id159-proc-unbounded.dat	store	24.70	24.13	26	8	29	65	0