



ulm university universität  
**uulm**

# **PHILharmonicFlows: Research and Design Methodology**

**Vera Künzle, Manfred Reichert**

## **Ulmer Informatik-Berichte**

**Nr. 2011-05  
Mai 2011**



# PHILharmonicFlows: Research and Design Methodology

Vera Künzle and Manfred Reichert

Institute of Databases and Information Systems, Ulm University, Germany  
`vera.kuenzle,manfred.reichert@uni-ulm.de`

**Abstract.** In comprehensive case studies we found out that many limitations of existing Process Management Systems (PrMS) can be traced back to the unsatisfactory integration of processes and data. In the PHILharmonicFlows<sup>1</sup> project, we aim at a deep and extensive understanding of the inherent relationships between processes and data, and thus want to overcome some of the fundamental limitations known from activity-centered PrMS. Overall, we target at a comprehensive framework providing integrated access to processes, data, and functions to its users.

## 1 Introduction

Enterprises spend a lot of time and money for introducing Information Technology (IT) to improve their *effectiveness* and *efficiency* [1]. Effectiveness addresses the distance between business goals and the capabilities offered by IT in order to achieve these goals; i.e., the *alignment of IT* with different business perspectives [2]. These perspectives, in turn, typically comprise business data, business functions, and business processes.

*Business data* is typically represented by a number of business objects. These cover domain-specific business entities like orders, customers, or products. Each business object, in turn, is represented by a set of attributes. As example consider the delivery date of an order or the name of a customer. In addition, business objects are related to each other; e.g., an order may comprise several products. *Business functions*, in turn, constitute a wide range of (various) activities. Typically, many of them are used to create and delete business objects or to change their properties. As example consider user forms enabling humans to fill in desired property values. Finally, *business processes* comprise a number of related business functions to be executed in order to achieve a certain business goal.

To reach competitive advantages, it is further important to introduce new products and services as quickly as possible at the market. In addition, for dealing with increasing competitive pressure and market dynamics, it should be possible to continuously adapt IT systems in a quick and effective way. Hence, *rapid development* and improved *maintenance* are important success factors. In this context, *process management systems* (PrMS) offer promising perspectives in respect to comprehensive lifecycle support of business processes. In these PrMS,

---

<sup>1</sup> Process, Humans and Information Linkage for harmonic Business Flows

business processes are modeled in terms of activities required for achieving a particular business goal as well as their control flow defining the order and the constraints for executing these activities [3]. Each activity is then linked with a specific business function of an application service (e.g., business application). In addition, most PrMS handle atomic data elements which are connected with one or more activities reading or writing it. These data elements are also used for process control (i.e., for evaluating routing conditions).

The remainder of this paper is structured as follows. We first motivate the problem addressed in our research in Section 2. In Section 3 a discussion on how process support looks like in today's companies follows. Section 4 then introduces fundamental research questions and expected solutions, while Section 5 investigates related work along a well defined evaluation schema. The relevance of our research is discussed in Section 6. Section 7 describes the research methodology we apply. Finally, Section 8 sketches the solution approach we target at and Section 9 closes with a summary and outlook.

## 2 Problem Statement

Despite the widespread adoption of existing PrMS, there exist numerous processes not adequately supported by these PrMS. In particular, traditional PrMS have been primarily designed for supporting highly structured, repetitive business processes [4]. For various other processes, in turn, there is a contradiction between the way these processes can be defined and the preferred work practice [5, 6, 7]. These processes are often characterized as "information-centric" [8] or "knowledge-intensive" [9]. Further, they are rather "unstructured" [6] and cannot be "straight-jacked into activities" [9].

Moreover, existing PrMS focus on the business process perspective; i.e., activities and their control flow. Business functions (which are linked with activities) and business data, in turn, are usually out of the control of existing PrMS. For this reason, generic support is only provided for process enactment in existing PrMS. For realizing business functions, specific programming is required. Typically, this consumes more time and efforts as the modeling of the corresponding processes. Moreover, in existing PrMS business functions are treated as "black-boxes". This means, what is done during activity execution is out of the control of existing PrMS; i.e., business data is managed by the invoked business functions themselves. Obviously, this missing link between business data and business process prohibits integrated access to them. Consequently, users cannot access and manage data at any point in time during process execution (assuming proper authorization).

## 3 Background

Many processes not adequately supported by existing PrMS are more or less hard-coded within specific business applications. Consequently, long develop-

ment cycles arise and even simple process changes require costly code adaptations and high efforts for testing. However, the more specific a business application is, the better it meets the requirements of the respective application domain; i.e., business-IT-alignment is improved. In particular, *taylor-made business applications* requiring a customer-specific programming of all functionalities typically fit business needs best.

Regarding the support of business processes, companies typically face Mortons fork: Either they can use PrMS to enable rapid development as well as improved maintenance and therefore achieve a high degree of efficiency, or they directly apply tailor-made applications for providing the required effectiveness; i.e., adequate business-IT-alignment (cf. Fig. 1).




Fig. 1. Dilemma between efficiency and effectiveness

Many companies have achieved considerable benefits from their investments in *domain-specific business applications* (i.e., ERP packages). Regarding the latter, some standard functionality is already pre-implemented. These applications can be customized for the specific needs of an enterprise. Usually, customizability is realized through configuration support (e.g., based on some settings one can configure a particular process variant). Thus, domain-specific business applications constitute a trade-off between effectiveness and efficiency. However, since configurability depends on the range of preconfigured alternatives, domain-specific enterprise applications are huge and complex [10]. An additional problem emerging in this context are the lack of transparency of the configurable processes.

## 4 Research Questions

Starting with the basic observation that there are business processes not adequately supported by existing PrMS, we define the following research questions:

**Research Question 1:** What are the common properties of business processes currently not adequately supported by PrMS?

*Expected Solution:* A collection of characteristic properties relating to different

business perspectives; i.e., the inter-relationships between business processes, business data, business functions, and users.

**Research Question 2:** Which requirements must be fulfilled by a PrMS to adequately capture these properties?

*Expected Solution:* A set of elicited requirements for PrMS enabling the support of the identified properties.

**Research Question 3:** How to support the requirements elicited in an integrated process support framework?

*Expected Solution:* Concepts, methods and tools for realizing a PrMS enabling process support in tight integration with data to overcome the aforementioned limitations.

## 5 Related Work

Generally, we believe that the identified limitations of existing PrMS can be traced back to the unsatisfactory integration of processes and data. In particular, many processes necessitate *object-awareness*; i.e., they focus on the processing of business data represented by business objects. The latter comprise a set of object attributes and are related to each other. To understand the inherent relationships between process and data, we investigate on processes currently not adequately supported. This includes a systematic analysis of their properties. In summary, our process analysis has revealed the following major characteristics of object-aware processes:

1. *Object behavior:* The behavior of the involved business objects must be taken into account during process execution.
2. *Object interactions:* Interactions between business objects must be adequately considered; i.e., the behavior of individual objects must be coordinated with the one of related business objects.
3. *Data-driven execution:* Since the progress of a process mainly depends on available business objects and on their attribute values, process execution has to be accomplished in a data-driven manner.
4. *Integrated access:* Authorized users must be able to access and manage process-related objects at any point in time (assuming proper authorization).
5. *Flexible activity execution:* Activities must be executable at different levels of granularity. While one user may work on a particular object instance, another one may process a number of related object instances in one go.

Though there exist several approaches targeting at a tighter integration of business processes and business data [9, 11, 12, 13, 14, 7, 5], as illustrated in Fig. 2, none of them supports all identified properties in an integrated and comprehensive way. In addition, some approaches only deal with the modeling of processes,




Fig. 2. Characteristics supported by related work

but exclude process execution; e.g., they do not provide a well-defined operational semantics for the automatic enactment of the defined processes. Consequently, existing approaches provide generic support for only few of the identified characteristics.

## 6 Relevance

Altogether we believe that a tighter integration of the different business perspectives (cf. Fig. 3) will provide an important contribution to overcome some of the fundamental limitations known from contemporary PrMS. For this purpose, we aim at a deep and extensive understanding of the inherent relationships that exist between processes, data, functions, and users in order to enable generic enactment for object-aware process management. Their support could impact the realization of more flexible process management technology in which daily work can be done in a more natural way.

Moreover, we assume that a tighter integration between process and data not only fosters effectivity, but also efficiency. This means, not only generic process support but also generic business functions become possible. In addition to process-oriented views (i.e., work-lists) we aim at the *automatic generation of form-based activities and data-oriented views* (e.g., overview table) at run-time. This way, integrated access to business process, business functions, and business data shall be provided to users.




Fig. 3. Business perspectives in object-aware PrMS

## 7 Research Design and Methods

Regarding research in the field of information technology (IT), there are two kinds of sciences: *design science* and *natural science* [15, 1]. Natural science research is a knowledge-producing activity comprising the two steps *discovery* and *justification* [15]. Design science, in turn, is a knowledge-using activity [15]. It aims at developing IT systems. Here, *building* and *evaluation* as the two major activities [1].

Generally, doing research means applying natural science. Regarding IT, however, design research is considered as being more successful and important. Nevertheless, technology and behavior cannot be separated from each other [1]. Thus, in accordance with [15, 1], it is an opportunity for IT research to make significant contributions by engaging in both. As illustrated in Fig. 4, IT research calls for synergistic efforts between natural and design science research [1].

Our main research activities are as follows (cf. Fig. 5): We start with natural research to identify the characteristic properties of object-aware processes (cf. Research Question 1). To deal with Research Question 2, we evaluate existing approaches (using already available and applicable knowledge) to elicit the requirements for a PrMS supporting the identified properties. Finally, we address Research Question 3 and develop a comprehensive framework and proof-of-concept prototype for object-aware process management based on design research.

### 7.1 Doing Natural Research: Property Investigation and Justification

To discover the properties of those business processes not adequately supported by current PrMS, we perform a detailed *property investigation* by analyzing these business processes. We then justify our findings with an extensive *literature study*.






Fig. 4. IT Research [1]




Fig. 5. Research Methodology

*Process analysis Data Source:* Due to the limitations of contemporary PrMS there exist numerous business applications (e.g., ERP or CRM systems) which are process-aware, but do not rely on PrMS. Instead they contain hard-coded process logic; i.e., process logic interwoven with application code. To ensure that the processes we analyze are not "self-made" examples, but constitute real-world processes of high practical relevance, we select processes as implemented in existing business applications. Amongst others, we analyze the processes implemented in the human resource management system Persis and the conference reviewing system Easychair [16, 17]. In particular, our evaluation is not restricted to the inspection of user interfaces solely. In addition, we rely on extensive practical experiences gathered during the development of contemporary business applications; i.e., we have deep insights into their application code and process logic. Finally, we underpin our results by interviewing system users as well as business consultants being familiar with the respective business applications.

*Selection Criteria:* We evaluate the processes (and additional features) based on the main business perspectives. These comprise processes, data, functions, and users. In particular, we focus on their interdependencies.

*Literature study Ensuring importance:* We complement our process analyses by an extensive literature study. This way we want show that other researchers consider some of the properties we identified as being relevant as well.

*Ensuring completeness:* To not exclude important properties already identified by other researchers, we compare our analysis results with existing literature. However, to set a focus we exclude properties in respect to process change and process evolution. Instead, our focus is on process modeling, execution and monitoring.

*Ensuring generalisation:* Interestingly, some authors refer to similar application examples as we do, while addressing different properties. Based on these insights we contrast the different application examples with the total set of identified properties. This way, we are able to demonstrate two things: first, the properties are related to each other. Second, broad support for them is required by a variety of processes from different application domains.

## 7.2 Using applicable knowledge: Requirements Engineering

Concerning Research Question 2, we first discuss to what degree existing PrMS cover the identified properties. More precisely, we evaluate which properties cannot be directly supported when applying traditional imperative and declarative process support paradigms [18]. Based on this evaluation we then elicit the basic requirements as inquired by Research Question 2.

### 7.3 Doing Design Research: Framework Design and Proof-of-Concept

Hevner et al [1] consider solution design as search process being inherently iterative. This has been confirmed by other authors [19, 20]. Simon [19], in turn, describes the nature of the design process as a "Generate/Test Cycle". The spiral model [20], in turn, defines an approach in which one and the same step is repeated several times, each time improving the results of the previous outcome. For this purpose, we perform iterative walkthroughs. In particular, we revise our solution and improve it step by step. This leads to different development versions. Additionally, we investigate in user interface design [21, 22]. This way, shortcomings concerning the usability of the framework design are identified at early project stages and can be considered in subsequent iterative revisions.

To evaluate our framework we develop a proof-of-concept prototype for the modeling as well as the run-time environment. In addition, we apply the prototype to real-world cases. In particular, we use scenarios from the medical domain, order processing, and house building which are different from the ones we consider in the context of our process analyses. Finally, we elaborate the benefits of our approach when applying it to these processes as well as lessons learned.

## 8 Contribution

In the course of our *PHILharmonicFlows* project we are developing a *comprehensive framework* supporting the *modeling, execution* and *monitoring* of *object-aware processes*. Opposed to traditional process support paradigms, we provide a uniform methodology for modeling processes on well-defined levels of granularity. The proper execution as well as termination of processes at run-time is further ensured by a set of *correctness rules*. In addition, a *well-defined operational semantics* not only enables generic support for process execution, but also *generic realization of business functions*. In particular, PHILharmonicFlows enables *integrated access* to business processes, business functions, and business data. For this purpose, we automatically create end-user components like worklists, form-based activities, and overview tables during run-time based on the corresponding models.

One fundamental pillar of our framework enables the processing of individual business objects to enforce object behavior. Like existing work considering object behavior during process execution [12, 23, 11, 24, 8, 13, 25, 14], our approach applies the well established concept of modeling *object behavior* in terms of *states* and state transitions. Opposed to existing approaches, however, PHILharmonicFlows enables a *mapping between attribute values and objects states* and therefore ensures compliance between them [26]. Moreover, this mapping allows us to combine object behavior with *data-driven execution*.

Another fundamental pillar of our framework enables the modeling and execution of processes involving multiple business objects (i.e., objects of the same and of different type). Thereby, we consider their individual behavior as well as their inter-relationships. More precisely, we enable the coordination of object-specific

processes that represent object behavior taking the relationships between the involved business objects into account. Regarding the latter, we obtain a complex process structure comprising inter-related, object-specific processes. Opposed to existing work [12, 7] we *hide this complex structure from modelers as well as from end users*. For this purpose, our approach provides sophisticated concepts for defining *aggregations* abstracting from individual business objects. This way, different *cardinality constraints* can be taken into account. In addition, coordination is not only possible along direct object relations (e.g., a review directly refers to a paper). In fact, in *PHILharmonicFlows* the processing of business objects can be coordinated based on *complex inter-relationships taking transitive as well as transverse relationships* between business objects into account.

The presented execution paradigm applies *data-driven process execution* in a comprehensive way; i.e., in respect to object behavior and object interactions. Since in some situations explicit user decisions and commitments are required, *PHILharmonicFlows* combines its data-driven execution paradigm with *activity-oriented aspects*. Finally, such tight integration of process and data necessitates advanced concepts for user integration; i.e., process authorization must be compliant with data authorization and vice versa. For this purpose, we introduce an *advanced concept for actor assignment and authorization*.

## 9 Summary and Outlook

Our basic mission in the *PHILharmonicFlows* project is to develop generic concepts, methods and tools for realizing *object- and process-aware information systems*. In particular, we aim at the flexible integration of business data, business processes, and business functions to overcome limitations known from purely activity-centered PrMS. In this paper, we report on our overall vision and on the research methodology we apply.

We have already conducted extended process analysis in the areas of human resource management and paper reviewing. In [16, 17] we reported on the basic challenges for integrating processes, data, functions and users, and we described the properties of object-aware process management in detail [27]. Based on a detailed comparison of traditional process support paradigms [18] we elicit the major requirements for object-aware process support [18, 27]. Currently, we are developing a *comprehensive framework for object-aware process management* [27, 26] as well as a *proof-of-concept prototype*. In [27] we give an overview about our framework, whereas [26] reports on our modeling paradigm for integrating processes and data at the micro level (i.e., for realizing object behavior). In future work we elaborate more detailed issues in the context of our framework and apply it to other real world processes for evaluation purpose (i.e., health care, order processing, house building).

## References

1. Hevner, A.R., March, S.T., Park, J., Ram, S.: Design Science in Information Systems Research. *MIS Quarterly* **28**(1) (2004) 75–105
2. Mutschler, B., Reichert, M., Bumiller, J.: Unleashing the Effectiveness of Process-Oriented Information Systems: Problem Analysis, Critical Success Factors, and Implications. *IEEE Transactions on Systems, Man, and Cybernetics* **38**(3) (2008) 280–291
3. van der Aalst, W.M.P., van Hee, K.: *Workflow-Management - Models, Methods and Systems*. MIT Press, Cambridge, MA, USA (2004)
4. Leymann, F., Roller, D.: *Production Workflow*. Prentice-Hall (2000)
5. Sadiq, S., Orłowska, M., Sadiq, W., Schulz, K.: When workflows will not deliver: The case of contradicting work practice. In: *Proc. BIS'05*. (2005)
6. Silver, B.: Case Management: Addressing unique BPM Requirements. *BPM Watch* (2009) 1–12
7. van der Aalst, W.M.P., Barthelmess, P., Ellis, C.A., Wainer, J.: Workflow Modeling using Procllets. In: *Proc. CoopIS'00*. (2000) 198–209
8. Redding, G., Dumas, M., ter Hofstede, A.H.M., Iordachescu, A.: Transforming Object-oriented Models to Process-oriented Models. In: *Proc. BPM'07 Workshops*. LNCS 4928 (2007) 132–143
9. van der Aalst, W.M.P., Weske, M., Grünbauer, D.: Case Handling: A new Paradigm for Business Process Support. *DKE* **53**(2) (2005) 129–162
10. Klaus, H., Rosemann, M., Gable, G.G.: What is ERP? *Information Systems Frontiers* **2**(2) (2000) 141–162
11. Bhattacharya, K., Hull, R., Su, J. In: *A Data-Centric Design Methodology for Business Processes*. IGI Global (2009) 503–531
12. Müller, D., Reichert, M., Herbst, J.: Data-Driven Modeling and Coordination of Large Process Structures. In: *Proc. CoopIS'07*. LNCS 4803 (2007) 131–149
13. Redding, G.M., Dumas, M., ter Hofstede, A.H.M., Iordachescu, A.: A flexible, object-centric approach for business process modelling. *SOCA* (2009) 1–11
14. Vanderfeesten, I., Reijers, H.A., van der Aalst, W.M.P.: Product-Based Workflow Support: Dynamic Workflow Execution. In: *Proc. CAiSE'08*. LNCS 5074 (2008) 571–574
15. March, S.T., Smith, G.: Design and natural science research on information technology. *Decision Support Systems* **15** (1995) 251–266
16. Künzle, V., Reichert, M.: Towards Object-aware Process Management Systems: Issues, Challenges, Benefits. In: *Proc. BPMDS'09*. (2009) 197–210
17. Künzle, V., Reichert, M.: Integrating Users in Object-aware Process Management Systems: Issues and Challenges. In: *Proc. BPD'09*. (2009) 29–41
18. Künzle, V., Weber, B., Reichert, M.: Object-aware Business Processes: Fundamental Requirements and their Support in Existing Approaches. *International Journal of Information System Modeling and Design* **2**(2) (2010) 19–46
19. Simon, H.A.: *The Sciences of the Artificial* (3rd ed.). MIT Press Cambridge USA (1996)
20. Boehm, B.: A spiral model of software development and enhancement. *SIGSOFT Softw. Eng. Notes* **11**(4) (1986) 14–24
21. Scheb, C.: *Entwicklung eines Usability-Konzepts für die Laufzeitumgebung eines datenorientierten Prozess-Management-Systems*. Diploma thesis, Ulm University (2010)

22. Wagner, N.: Entwicklung eines Usability-Konzepts für die Modellierungsumgebung eines datenorientierten Prozess-Management-Systems. Diploma thesis, Ulm University (2010)
23. Gerede, C.E., Su, J.: Specification and Verification of Artifact Behaviors in Business Process Models. In: Proc. ICSOC'07. (2007) 181–192
24. Küster, J., Ryndina, K., Gall, H.: Generation of Business Process Models for Object Life Cycle Compliance. In: Proc. BPM'07. LNCS 4714 (2007) 165–181
25. Reijers, H.A., Liman, S., van der Aalst, W.M.P.: Product-Based Workflow Design. *Management Information Systems* **20**(1) (2003) 229–262
26. Künzle, V., Reichert, M.: A Modeling Paradigm for Integrating Processes and Data at the Micro Level. In: Proc. BPMDS'11, Springer (2011)
27. Künzle, V., Reichert, M.: PHILharmonicFlows: Towards a Framework for Object-aware Process Management. *Journal of Software Maintenance and Evolution: Research and Practice* **23**(4) (June 2011) 205–244

## Liste der bisher erschienenen Ulmer Informatik-Berichte

Einige davon sind per FTP von `ftp.informatik.uni-ulm.de` erhältlich

Die mit \* markierten Berichte sind vergriffen

## List of technical reports published by the University of Ulm

Some of them are available by FTP from `ftp.informatik.uni-ulm.de`

Reports marked with \* are out of print

- 91-01     *Ker-I Ko, P. Orponen, U. Schöning, O. Watanabe*  
Instance Complexity
- 91-02\*    *K. Gladitz, H. Fassbender, H. Vogler*  
Compiler-Based Implementation of Syntax-Directed Functional Programming
- 91-03\*    *Alfons Geser*  
Relative Termination
- 91-04\*    *J. Köbler, U. Schöning, J. Toran*  
Graph Isomorphism is low for PP
- 91-05     *Johannes Köbler, Thomas Thierauf*  
Complexity Restricted Advice Functions
- 91-06\*    *Uwe Schöning*  
Recent Highlights in Structural Complexity Theory
- 91-07\*    *F. Green, J. Köbler, J. Toran*  
The Power of Middle Bit
- 91-08\*    *V.Arvind, Y. Han, L. Hamachandra, J. Köbler, A. Lozano, M. Mundhenk, A. Ogiwara,  
U. Schöning, R. Silvestri, T. Thierauf*  
Reductions for Sets of Low Information Content
- 92-01\*    *Vikraman Arvind, Johannes Köbler, Martin Mundhenk*  
On Bounded Truth-Table and Conjunctive Reductions to Sparse and Tally Sets
- 92-02\*    *Thomas Noll, Heiko Vogler*  
Top-down Parsing with Simultaneous Evaluation of Noncircular Attribute Grammars
- 92-03     *Fakultät für Informatik*  
17. Workshop über Komplexitätstheorie, effiziente Algorithmen und Datenstrukturen
- 92-04\*    *V. Arvind, J. Köbler, M. Mundhenk*  
Lowness and the Complexity of Sparse and Tally Descriptions
- 92-05\*    *Johannes Köbler*  
Locating P/poly Optimally in the Extended Low Hierarchy
- 92-06\*    *Armin Kühnemann, Heiko Vogler*  
Synthesized and inherited functions -a new computational model for syntax-directed semantics
- 92-07\*    *Heinz Fassbender, Heiko Vogler*  
A Universal Unification Algorithm Based on Unification-Driven Leftmost Outermost Narrowing

- 92-08\* *Uwe Schöning*  
On Random Reductions from Sparse Sets to Tally Sets
- 92-09\* *Hermann von Hasseln, Laura Martignon*  
Consistency in Stochastic Network
- 92-10 *Michael Schmitt*  
A Slightly Improved Upper Bound on the Size of Weights Sufficient to Represent Any Linearly Separable Boolean Function
- 92-11 *Johannes Köbler, Seinosuke Toda*  
On the Power of Generalized MOD-Classes
- 92-12 *V. Arvind, J. Köbler, M. Mundhenk*  
Reliable Reductions, High Sets and Low Sets
- 92-13 *Alfons Geser*  
On a monotonic semantic path ordering
- 92-14\* *Joost Engelfriet, Heiko Vogler*  
The Translation Power of Top-Down Tree-To-Graph Transducers
- 93-01 *Alfred Lupper, Konrad Froitzheim*  
AppleTalk Link Access Protocol basierend auf dem Abstract Personal Communications Manager
- 93-02 *M.H. Scholl, C. Laasch, C. Rich, H.-J. Schek, M. Tresch*  
The COCOON Object Model
- 93-03 *Thomas Thierauf, Seinosuke Toda, Osamu Watanabe*  
On Sets Bounded Truth-Table Reducible to P-selective Sets
- 93-04 *Jin-Yi Cai, Frederic Green, Thomas Thierauf*  
On the Correlation of Symmetric Functions
- 93-05 *K.Kuhn, M.Reichert, M. Nathe, T. Beuter, C. Heinlein, P. Dadam*  
A Conceptual Approach to an Open Hospital Information System
- 93-06 *Klaus Gaßner*  
Rechnerunterstützung für die konzeptuelle Modellierung
- 93-07 *Ullrich Keßler, Peter Dadam*  
Towards Customizable, Flexible Storage Structures for Complex Objects
- 94-01 *Michael Schmitt*  
On the Complexity of Consistency Problems for Neurons with Binary Weights
- 94-02 *Armin Kühnemann, Heiko Vogler*  
A Pumping Lemma for Output Languages of Attributed Tree Transducers
- 94-03 *Harry Buhrman, Jim Kadin, Thomas Thierauf*  
On Functions Computable with Nonadaptive Queries to NP
- 94-04 *Heinz Faßbender, Heiko Vogler, Andrea Wedel*  
Implementation of a Deterministic Partial E-Unification Algorithm for Macro Tree Transducers



- 94-05 *V. Arvind, J. Köbler, R. Schuler*  
On Helping and Interactive Proof Systems
- 94-06 *Christian Kalus, Peter Dadam*  
Incorporating record subtyping into a relational data model
- 94-07 *Markus Tresch, Marc H. Scholl*  
A Classification of Multi-Database Languages
- 94-08 *Friedrich von Henke, Harald Rueß*  
Arbeitstreffen Typtheorie: Zusammenfassung der Beiträge
- 94-09 *F.W. von Henke, A. Dold, H. Rueß, D. Schwier, M. Strecker*  
Construction and Deduction Methods for the Formal Development of Software
- 94-10 *Axel Dold*  
Formalisierung schematischer Algorithmen
- 94-11 *Johannes Köbler, Osamu Watanabe*  
New Collapse Consequences of NP Having Small Circuits
- 94-12 *Rainer Schuler*  
On Average Polynomial Time
- 94-13 *Rainer Schuler, Osamu Watanabe*  
Towards Average-Case Complexity Analysis of NP Optimization Problems
- 94-14 *Wolfram Schulte, Ton Vullingsh*  
Linking Reactive Software to the X-Window System
- 94-15 *Alfred Lupper*  
Namensverwaltung und Adressierung in Distributed Shared Memory-Systemen
- 94-16 *Robert Regn*  
Verteilte Unix-Betriebssysteme
- 94-17 *Helmuth Partsch*  
Again on Recognition and Parsing of Context-Free Grammars:  
Two Exercises in Transformational Programming
- 94-18 *Helmuth Partsch*  
Transformational Development of Data-Parallel Algorithms: an Example
- 95-01 *Oleg Verbitsky*  
On the Largest Common Subgraph Problem
- 95-02 *Uwe Schöning*  
Complexity of Presburger Arithmetic with Fixed Quantifier Dimension
- 95-03 *Harry Buhrman, Thomas Thierauf*  
The Complexity of Generating and Checking Proofs of Membership
- 95-04 *Rainer Schuler, Tomoyuki Yamakami*  
Structural Average Case Complexity
- 95-05 *Klaus Achatz, Wolfram Schulte*  
Architecture Independent Massive Parallelization of Divide-And-Conquer Algorithms

- 95-06 *Christoph Karg, Rainer Schuler*  
Structure in Average Case Complexity
- 95-07 *P. Dadam, K. Kuhn, M. Reichert, T. Beuter, M. Nathe*  
ADEPT: Ein integrierender Ansatz zur Entwicklung flexibler, zuverlässiger kooperierender Assistenzsysteme in klinischen Anwendungsumgebungen
- 95-08 *Jürgen Kehrer, Peter Schulthess*  
Aufbereitung von gescannten Röntgenbildern zur filmlosen Diagnostik
- 95-09 *Hans-Jörg Burtschick, Wolfgang Lindner*  
On Sets Turing Reducible to P-Selective Sets
- 95-10 *Boris Hartmann*  
Berücksichtigung lokaler Randbedingung bei globaler Zielloptimierung mit neuronalen Netzen am Beispiel Truck Backer-Upper
- 95-12 *Klaus Achatz, Wolfram Schulte*  
Massive Parallelization of Divide-and-Conquer Algorithms over Powerlists
- 95-13 *Andrea Mößle, Heiko Vogler*  
Efficient Call-by-value Evaluation Strategy of Primitive Recursive Program Schemes
- 95-14 *Axel Dold, Friedrich W. von Henke, Holger Pfeifer, Harald Rueß*  
A Generic Specification for Verifying Peephole Optimizations
- 96-01 *Ercüment Canver, Jan-Tecker Gayen, Adam Moik*  
Formale Entwicklung der Steuerungssoftware für eine elektrisch ortsbediente Weiche mit VSE
- 96-02 *Bernhard Nebel*  
Solving Hard Qualitative Temporal Reasoning Problems: Evaluating the Efficiency of Using the ORD-Horn Class
- 96-03 *Ton Vullingsh, Wolfram Schulte, Thilo Schwinn*  
An Introduction to TkGofer
- 96-04 *Thomas Beuter, Peter Dadam*  
Anwendungsspezifische Anforderungen an Workflow-Management-Systeme am Beispiel der Domäne Concurrent-Engineering
- 96-05 *Gerhard Schellhorn, Wolfgang Ahrendt*  
Verification of a Prolog Compiler - First Steps with KIV
- 96-06 *Manindra Agrawal, Thomas Thierauf*  
Satisfiability Problems
- 96-07 *Vikraman Arvind, Jacobo Torán*  
A nonadaptive NC Checker for Permutation Group Intersection
- 96-08 *David Cyrluk, Oliver Möller, Harald Rueß*  
An Efficient Decision Procedure for a Theory of Fix-Sized Bitvectors with Composition and Extraction
- 96-09 *Bernd Biechele, Dietmar Ernst, Frank Houdek, Joachim Schmid, Wolfram Schulte*  
Erfahrungen bei der Modellierung eingebetteter Systeme mit verschiedenen SA/RT-Ansätzen

- 96-10 *Falk Bartels, Axel Dold, Friedrich W. von Henke, Holger Pfeifer, Harald Rueß*  
Formalizing Fixed-Point Theory in PVS
- 96-11 *Axel Dold, Friedrich W. von Henke, Holger Pfeifer, Harald Rueß*  
Mechanized Semantics of Simple Imperative Programming Constructs
- 96-12 *Axel Dold, Friedrich W. von Henke, Holger Pfeifer, Harald Rueß*  
Generic Compilation Schemes for Simple Programming Constructs
- 96-13 *Klaus Achatz, Helmuth Partsch*  
From Descriptive Specifications to Operational ones: A Powerful Transformation Rule, its Applications and Variants
- 97-01 *Jochen Messner*  
Pattern Matching in Trace Monoids
- 97-02 *Wolfgang Lindner, Rainer Schuler*  
A Small Span Theorem within P
- 97-03 *Thomas Bauer, Peter Dadam*  
A Distributed Execution Environment for Large-Scale Workflow Management Systems with Subnets and Server Migration
- 97-04 *Christian Heinlein, Peter Dadam*  
Interaction Expressions - A Powerful Formalism for Describing Inter-Workflow Dependencies
- 97-05 *Vikraman Arvind, Johannes Köbler*  
On Pseudorandomness and Resource-Bounded Measure
- 97-06 *Gerhard Partsch*  
Punkt-zu-Punkt- und Mehrpunkt-basierende LAN-Integrationsstrategien für den digitalen Mobilfunkstandard DECT
- 97-07 *Manfred Reichert, Peter Dadam*  
 $ADEPT_{flex}$  - Supporting Dynamic Changes of Workflows Without Loosing Control
- 97-08 *Hans Braxmeier, Dietmar Ernst, Andrea Mößle, Heiko Vogler*  
The Project NoName - A functional programming language with its development environment
- 97-09 *Christian Heinlein*  
Grundlagen von Interaktionsausdrücken
- 97-10 *Christian Heinlein*  
Graphische Repräsentation von Interaktionsausdrücken
- 97-11 *Christian Heinlein*  
Sprachtheoretische Semantik von Interaktionsausdrücken
- 97-12 *Gerhard Schellhorn, Wolfgang Reif*  
Proving Properties of Finite Enumerations: A Problem Set for Automated Theorem Provers

- 97-13 *Dietmar Ernst, Frank Houdek, Wolfram Schulte, Thilo Schwinn*  
Experimenteller Vergleich statischer und dynamischer Softwareprüfung für eingebettete Systeme
- 97-14 *Wolfgang Reif, Gerhard Schellhorn*  
Theorem Proving in Large Theories
- 97-15 *Thomas Wennekers*  
Asymptotik rekurrenter neuronaler Netze mit zufälligen Kopplungen
- 97-16 *Peter Dadam, Klaus Kuhn, Manfred Reichert*  
Clinical Workflows - The Killer Application for Process-oriented Information Systems?
- 97-17 *Mohammad Ali Livani, Jörg Kaiser*  
EDF Consensus on CAN Bus Access in Dynamic Real-Time Applications
- 97-18 *Johannes Köbler, Rainer Schuler*  
Using Efficient Average-Case Algorithms to Collapse Worst-Case Complexity Classes
- 98-01 *Daniela Damm, Lutz Claes, Friedrich W. von Henke, Alexander Seitz, Adelinde Uhrmacher, Steffen Wolf*  
Ein fallbasiertes System für die Interpretation von Literatur zur Knochenheilung
- 98-02 *Thomas Bauer, Peter Dadam*  
Architekturen für skalierbare Workflow-Management-Systeme - Klassifikation und Analyse
- 98-03 *Marko Luther, Martin Strecker*  
A guided tour through *Typelab*
- 98-04 *Heiko Neumann, Luiz Pessoa*  
Visual Filling-in and Surface Property Reconstruction
- 98-05 *Ercüment Canver*  
Formal Verification of a Coordinated Atomic Action Based Design
- 98-06 *Andreas Kuchler*  
On the Correspondence between Neural Folding Architectures and Tree Automata
- 98-07 *Heiko Neumann, Thorsten Hansen, Luiz Pessoa*  
Interaction of ON and OFF Pathways for Visual Contrast Measurement
- 98-08 *Thomas Wennekers*  
Synfire Graphs: From Spike Patterns to Automata of Spiking Neurons
- 98-09 *Thomas Bauer, Peter Dadam*  
Variable Migration von Workflows in *ADEPT*
- 98-10 *Heiko Neumann, Wolfgang Sepp*  
Recurrent V1 – V2 Interaction in Early Visual Boundary Processing
- 98-11 *Frank Houdek, Dietmar Ernst, Thilo Schwinn*  
Prüfen von C-Code und Statmate/Matlab-Spezifikationen: Ein Experiment

- 98-12 *Gerhard Schellhorn*  
Proving Properties of Directed Graphs: A Problem Set for Automated Theorem Provers
- 98-13 *Gerhard Schellhorn, Wolfgang Reif*  
Theorems from Compiler Verification: A Problem Set for Automated Theorem Provers
- 98-14 *Mohammad Ali Livani*  
SHARE: A Transparent Mechanism for Reliable Broadcast Delivery in CAN
- 98-15 *Mohammad Ali Livani, Jörg Kaiser*  
Predictable Atomic Multicast in the Controller Area Network (CAN)
- 99-01 *Susanne Boll, Wolfgang Klas, Utz Westermann*  
A Comparison of Multimedia Document Models Concerning Advanced Requirements
- 99-02 *Thomas Bauer, Peter Dadam*  
Verteilungsmodelle für Workflow-Management-Systeme - Klassifikation und Simulation
- 99-03 *Uwe Schöning*  
On the Complexity of Constraint Satisfaction
- 99-04 *Ercument Canver*  
Model-Checking zur Analyse von Message Sequence Charts über Statecharts
- 99-05 *Johannes Köbler, Wolfgang Lindner, Rainer Schuler*  
Derandomizing RP if Boolean Circuits are not Learnable
- 99-06 *Utz Westermann, Wolfgang Klas*  
Architecture of a DataBlade Module for the Integrated Management of Multimedia Assets
- 99-07 *Peter Dadam, Manfred Reichert*  
Enterprise-wide and Cross-enterprise Workflow Management: Concepts, Systems, Applications. Paderborn, Germany, October 6, 1999, GI-Workshop Proceedings, Informatik '99
- 99-08 *Vikraman Arvind, Johannes Köbler*  
Graph Isomorphism is Low for  $ZPP^{NP}$  and other Lowness results
- 99-09 *Thomas Bauer, Peter Dadam*  
Efficient Distributed Workflow Management Based on Variable Server Assignments
- 2000-02 *Thomas Bauer, Peter Dadam*  
Variable Serverzuordnungen und komplexe Bearbeiterzuordnungen im Workflow-Management-System ADEPT
- 2000-03 *Gregory Baratoff, Christian Toepfer, Heiko Neumann*  
Combined space-variant maps for optical flow based navigation
- 2000-04 *Wolfgang Gehring*  
Ein Rahmenwerk zur Einführung von Leistungspunktsystemen

- 2000-05 *Susanne Boll, Christian Heinlein, Wolfgang Klas, Jochen Wandel*  
Intelligent Prefetching and Buffering for Interactive Streaming of MPEG Videos
- 2000-06 *Wolfgang Reif, Gerhard Schellhorn, Andreas Thums*  
Fehlersuche in Formalen Spezifikationen
- 2000-07 *Gerhard Schellhorn, Wolfgang Reif (eds.)*  
FM-Tools 2000: The 4<sup>th</sup> Workshop on Tools for System Design and Verification
- 2000-08 *Thomas Bauer, Manfred Reichert, Peter Dadam*  
Effiziente Durchführung von Prozessmigrationen in verteilten Workflow-  
Management-Systemen
- 2000-09 *Thomas Bauer, Peter Dadam*  
Vermeidung von Überlastsituationen durch Replikation von Workflow-Servern in  
ADEPT
- 2000-10 *Thomas Bauer, Manfred Reichert, Peter Dadam*  
Adaptives und verteiltes Workflow-Management
- 2000-11 *Christian Heinlein*  
Workflow and Process Synchronization with Interaction Expressions and Graphs
- 2001-01 *Hubert Hug, Rainer Schuler*  
DNA-based parallel computation of simple arithmetic
- 2001-02 *Friedhelm Schwenker, Hans A. Kestler, Günther Palm*  
3-D Visual Object Classification with Hierarchical Radial Basis Function Networks
- 2001-03 *Hans A. Kestler, Friedhelm Schwenker, Günther Palm*  
RBF network classification of ECGs as a potential marker for sudden cardiac death
- 2001-04 *Christian Dietrich, Friedhelm Schwenker, Klaus Riede, Günther Palm*  
Classification of Bioacoustic Time Series Utilizing Pulse Detection, Time and  
Frequency Features and Data Fusion
- 2002-01 *Stefanie Rinderle, Manfred Reichert, Peter Dadam*  
Effiziente Verträglichkeitsprüfung und automatische Migration von Workflow-  
Instanzen bei der Evolution von Workflow-Schemata
- 2002-02 *Walter Guttmann*  
Deriving an Applicative Heapsort Algorithm
- 2002-03 *Axel Dold, Friedrich W. von Henke, Vincent Vialard, Wolfgang Goerigk*  
A Mechanically Verified Compiling Specification for a Realistic Compiler
- 2003-01 *Manfred Reichert, Stefanie Rinderle, Peter Dadam*  
A Formal Framework for Workflow Type and Instance Changes Under Correctness  
Checks
- 2003-02 *Stefanie Rinderle, Manfred Reichert, Peter Dadam*  
Supporting Workflow Schema Evolution By Efficient Compliance Checks
- 2003-03 *Christian Heinlein*  
Safely Extending Procedure Types to Allow Nested Procedures as Values

- 2003-04 *Stefanie Rinderle, Manfred Reichert, Peter Dadam*  
On Dealing With Semantically Conflicting Business Process Changes.
- 2003-05 *Christian Heinlein*  
Dynamic Class Methods in Java
- 2003-06 *Christian Heinlein*  
Vertical, Horizontal, and Behavioural Extensibility of Software Systems
- 2003-07 *Christian Heinlein*  
Safely Extending Procedure Types to Allow Nested Procedures as Values  
(Corrected Version)
- 2003-08 *Changling Liu, Jörg Kaiser*  
Survey of Mobile Ad Hoc Network Routing Protocols)
- 2004-01 *Thom Frühwirth, Marc Meister (eds.)*  
First Workshop on Constraint Handling Rules
- 2004-02 *Christian Heinlein*  
Concept and Implementation of C+++, an Extension of C++ to Support User-Defined  
Operator Symbols and Control Structures
- 2004-03 *Susanne Biundo, Thom Frühwirth, Günther Palm(eds.)*  
Poster Proceedings of the 27th Annual German Conference on Artificial Intelligence
- 2005-01 *Armin Wolf, Thom Frühwirth, Marc Meister (eds.)*  
19th Workshop on (Constraint) Logic Programming
- 2005-02 *Wolfgang Lindner (Hg.), Universität Ulm , Christopher Wolf (Hg.) KU Leuven*  
2. Krypto-Tag – Workshop über Kryptographie, Universität Ulm
- 2005-03 *Walter Guttmann, Markus Maucher*  
Constrained Ordering
- 2006-01 *Stefan Sarstedt*  
Model-Driven Development with ACTIVECHARTS, Tutorial
- 2006-02 *Alexander Raschke, Ramin Tavakoli Kolagari*  
Ein experimenteller Vergleich zwischen einer plan-getriebenen und einer  
leichtgewichtigen Entwicklungsmethode zur Spezifikation von eingebetteten  
Systemen
- 2006-03 *Jens Kohlmeyer, Alexander Raschke, Ramin Tavakoli Kolagari*  
Eine qualitative Untersuchung zur Produktlinien-Integration über  
Organisationsgrenzen hinweg
- 2006-04 *Thorsten Liebig*  
Reasoning with OWL - System Support and Insights –
- 2008-01 *H.A. Kestler, J. Messner, A. Müller, R. Schuler*  
On the complexity of intersecting multiple circles for graphical display

- 2008-02 *Manfred Reichert, Peter Dadam, Martin Jurisch, Ulrich Kreher, Kevin Göser, Markus Lauer*  
Architectural Design of Flexible Process Management Technology
- 2008-03 *Frank Raiser*  
Semi-Automatic Generation of CHR Solvers from Global Constraint Automata
- 2008-04 *Ramin Tavakoli Kolagari, Alexander Raschke, Matthias Schneiderhan, Ian Alexander*  
Entscheidungsdokumentation bei der Entwicklung innovativer Systeme für produktlinien-basierte Entwicklungsprozesse
- 2008-05 *Markus Kalb, Claudia Dittrich, Peter Dadam*  
Support of Relationships Among Moving Objects on Networks
- 2008-06 *Matthias Frank, Frank Kargl, Burkhard Stiller (Hg.)*  
WMAN 2008 – KuVS Fachgespräch über Mobile Ad-hoc Netzwerke
- 2008-07 *M. Maucher, U. Schöning, H.A. Kestler*  
An empirical assessment of local and population based search methods with different degrees of pseudorandomness
- 2008-08 *Henning Wunderlich*  
Covers have structure
- 2008-09 *Karl-Heinz Niggl, Henning Wunderlich*  
Implicit characterization of FPTIME and NC revisited
- 2008-10 *Henning Wunderlich*  
On span- $P^{cc}$  and related classes in structural communication complexity
- 2008-11 *M. Maucher, U. Schöning, H.A. Kestler*  
On the different notions of pseudorandomness
- 2008-12 *Henning Wunderlich*  
On Toda's Theorem in structural communication complexity
- 2008-13 *Manfred Reichert, Peter Dadam*  
Realizing Adaptive Process-aware Information Systems with ADEPT2
- 2009-01 *Peter Dadam, Manfred Reichert*  
The ADEPT Project: A Decade of Research and Development for Robust and Flexible Process Support  
Challenges and Achievements
- 2009-02 *Peter Dadam, Manfred Reichert, Stefanie Rinderle-Ma, Kevin Göser, Ulrich Kreher, Martin Jurisch*  
Von ADEPT zur AristaFlow<sup>®</sup> BPM Suite – Eine Vision wird Realität “Correctness by Construction” und flexible, robuste Ausführung von Unternehmensprozessen
- 2009-03 *Alena Hallerbach, Thomas Bauer, Manfred Reichert*



## Correct Configuration of Process Variants in Provop

- 2009-04 *Martin Bader*  
On Reversal and Transposition Medians
- 2009-05 *Barbara Weber, Andreas Lanz, Manfred Reichert*  
Time Patterns for Process-aware Information Systems: A Pattern-based Analysis
- 2009-06 *Stefanie Rinderle-Ma, Manfred Reichert*  
Adjustment Strategies for Non-Compliant Process Instances
- 2009-07 *H.A. Kestler, B. Lausen, H. Binder H.-P. Klenk, F. Leisch, M. Schmid*  
Statistical Computing 2009 – Abstracts der 41. Arbeitstagung
- 2009-08 *Ulrich Kreher, Manfred Reichert, Stefanie Rinderle-Ma, Peter Dadam*  
Effiziente Repräsentation von Vorlagen- und Instanzdaten in Prozess-Management-Systemen
- 2009-09 *Dammertz, Holger, Alexander Keller, Hendrik P.A. Lensch*  
Progressive Point-Light-Based Global Illumination
- 2009-10 *Dao Zhou, Christoph Müssel, Ludwig Lausser, Martin Hopfensitz, Michael Kühl, Hans A. Kestler*  
Boolean networks for modeling and analysis of gene regulation
- 2009-11 *J. Hanika, H.P.A. Lensch, A. Keller*  
Two-Level Ray Tracing with Recordering for Highly Complex Scenes
- 2009-12 *Stephan Buchwald, Thomas Bauer, Manfred Reichert*  
Durchgängige Modellierung von Geschäftsprozessen durch Einführung eines Abbildungsmodells: Ansätze, Konzepte, Notationen
- 2010-01 *Hariolf Beth, Frank Raiser, Thom Frühwirth*  
A Complete and Terminating Execution Model for Constraint Handling Rules
- 2010-02 *Ulrich Kreher, Manfred Reichert*  
Speichereffiziente Repräsentation instanzspezifischer Änderungen in Prozess-Management-Systemen
- 2010-03 *Patrick Frey*  
Case Study: Engine Control Application
- 2010-04 *Matthias Lohrmann und Manfred Reichert*  
Basic Considerations on Business Process Quality
- 2010-05 *HA Kestler, H Binder, B Lausen, H-P Klenk, M Schmid, F Leisch (eds):*  
Statistical Computing 2010 - Abstracts der 42. Arbeitstagung
- 2010-06 *Vera Künzle, Barbara Weber, Manfred Reichert*  
Object-aware Business Processes: Properties, Requirements, Existing Approaches

- 2011-01 *Stephan Buchwald, Thomas Bauer, Manfred Reichert*  
Flexibilisierung Service-orientierter Architekturen
- 2011-02 *Johannes Hanika, Holger Dammertz, Hendrik Lensch*  
Edge-Optimized À-Trous Wavelets for Local Contrast Enhancement with Robust Denoising
- 2011-03 *Stefanie Kaiser, Manfred Reichert*  
Datenflussvarianten in Prozessmodellen: Szenarien, Herausforderungen, Ansätze
- 2011-04 *Hans A. Kestler, Harald Binder, Matthias Schmid, Friedrich Leisch, Johann M. Kraus*  
(eds):  
Statistical Computing 2011 - Abstracts der 43. Arbeitstagung
- 2011-05 *Vera Künzle, Manfred Reichert*  
PHILharmonicFlows: Research and Design Methodology



**Ulmer Informatik-Berichte**

**ISSN 0939-5091**

**Herausgeber:**

**Universität Ulm**

**Fakultät für Ingenieurwissenschaften und Informatik**

**89069 Ulm**