

**Associate Professor Sarah L. Masters**

School of Physical and  
Chemical Sciences  
University of Canterbury  
Private Bag 4800, Christchurch, 8140  
New Zealand

Telephone: (+64) 3 369 4229

Telefax:

E-Mail: [sarah.masters@canterbury.ac.nz](mailto:sarah.masters@canterbury.ac.nz)

Homepage: <http://www.canterbury.ac.nz/science/contact-us/people/sarah-masters.html>

<b>C<sub>2</sub>F<sub>6</sub>O<sub>2</sub>S<sub>2</sub></b> CF <sub>3</sub> SO <sub>2</sub> SCF <sub>3</sub>	<b>Trifluoromethanesulfonothioic acid trifluoromethyl ester</b> Structure by GED and ab initio calculations  <i>S. L. Masters, D. A. Wann, H. E. Robertson, D. W. H. Rankin, A. Ben Altabef et al.</i> Manuscript in preparation
<b>C<sub>4</sub>H<sub>16</sub>B<sub>2</sub>N<sub>2</sub></b> BH <sub>3</sub> -C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> -BH <sub>3</sub>	<b>Piperidine-diborane</b> Structure by GED and ab initio calculations  <i>A. M. Ja'o, J. P. F. Nunes, C. D. Rankine, D. A. Wann, S. L. Masters</i> Manuscript Submitted
<b>C<sub>6</sub>H<sub>8</sub>O<sub>4</sub></b>	<b>2,2-Dimethyl-1,3-dioxane-4,6-dione (Meldrum's Acid)</b> Structure by GED and ab initio calculations  <i>S. J. Atkinson and S. L. Masters</i> Manuscript in preparation
<b>C<sub>7</sub>H<sub>16</sub>Cl<sub>3</sub>PSi</b> (( <sup>t</sup> Bu) <sup>t</sup> Pr)PSiCl <sub>3</sub>	<b>(Tert-butyl)(iso-propyl)(trichlorosilyl)phosphine</b> Structure by GED, UCONGA and ab initio calculations  <i>I. Wagner, D. W. H. Rankin, S. L. Masters</i> <i>Dalton Trans., 2021, 50, 17000-17007.</i>
<b>C<sub>12</sub>H<sub>36</sub>P<sub>2</sub>Si<sub>4</sub></b> P <sub>2</sub> (SiMe <sub>3</sub> ) <sub>4</sub>	<b>1,1,2,2-Tetrakis(trimethylsilyl)diphosphane</b> Structure by GED, UCONGA and ab initio / DFT methods  <i>A. P. Flanagan, H. Humphrey-Taylor, N. R. Gunby, H. E. Robertson, S. L. Masters</i> Manuscript in preparation
<b>C<sub>14</sub>H<sub>14</sub>O<sub>2</sub>S</b> (C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> ) <sub>2</sub> SO <sub>2</sub>	<b>Dibenzyl sulfone</b> Structure by GED and ab initio / DFT methods  <i>R. Noble-Eddy, B. H. C. Wilson, S. L. Masters</i> Manuscript in preparation
<b>C<sub>18</sub>H<sub>54</sub>Si<sub>8</sub></b> Si <sub>2</sub> (SiMe <sub>3</sub> ) <sub>6</sub>	<b>Hexakis-trimethylsilyl-disilane</b> Vibrational spectra and structure by GED and ab initio calculations  <i>K. Hassler, H. E. Robertson, S. L. Masters et al.</i> Manuscript in preparation