

Web Browser Settings for MOGADOC (Online Version)

2018-01-08

Contents







Chrome™ (versions 5 – 63):	2
Enable Pop-ups and JavaScript	2
Firefox™ (versions 3 - 57):	6
Enable Pop-ups and JavaScript	6
Allow JavaScript to bring windows to the front (Firefox version 23 and higher)	9
Allow JavaScript to bring windows to the front (Firefox version 22 and lower)	10
Edge (41.16299.15):	11
Enable Pop-ups, JavaScript	11
Internet Explorer™ (IE11):	12
Enable Pop-ups, JavaScript	12
Opera™ (versions 18 - 50):	15
Enable Pop-ups and JavaScript	15
Safari™ (versions 6.1.1 – 11, Mac OS X 10.8 (Mountain Lion) to macOS 10.13 (High Sierra)):	18
Enable Pop-ups, JavaScript, and WebGL	18
User Interface Translations to French and German	19

There are two versions of the MOGADOC database. One version is stored on a server and can be reached by the internet. In this description it will be called “online version”. An older version was stored on your PC and will be called “in-house version”. It required the installation of the Java runtime environment.

This description is about the online version.


Chrome™ (versions 5 – 63):

Enable Pop-ups and JavaScript




- When you start MOGADOC with Chrome for the first time, a warning  Pop-up blocked  or  Pop-up blocked  will appear in the search (address) field of the browser. A few second later it will reduce to  or . Click on it and select **Always allow pop-ups from ...** and click on **Done**. Start MOGADOC again. If everything works fine you can ignore the following instructions. Otherwise continue with point 2.




Chrome 32




Chrome 63

2. Click on , , or  and then on the menu item **Options** or **Settings**.

3. Click on **Advanced**, **Show advanced settings**, or **Under the Hood** and click on **Content settings...**




Chrome 32




Chrome 63


4. Scroll down to **Pop-ups** or choose the corresponding tab, respectively. If **Do not allow any site to show pop-ups (recommended)** or **Blocked** is selected, click on **Manage exceptions...** or on **Blocked**.




Chrome 32



Chrome 32




Chrome 63




Chrome 63

5. If the address “www.interhost.de” does not appear in the above field you have to enter it (in older Chrome version you have to click the **Add...** button first), select or click **Allow**, and close the window.




Chrome 32

6. Look for the JavaScript item in the **content settings** window. If **Do not allow any site to run JavaScript** or **Blocked** is selected, click on **Exceptions** or **Manage exceptions...** or on **Blocked**.



Chrome 32


7. If the address “www.interhost.de” does not appear in the above field you have to enter it, click **Allow**, and close all windows of Chrome.
8. Restart your browser.



Chrome 63



Chrome 63







Chrome 63


Firefox™ (versions 3 - 57):

Enable Pop-ups and JavaScript


1. When you start MOGADOC with Firefox for the first time, a warning will appear in the search (address) field of the browser. Click on **Options** and select **Allow pop-ups for ...** or **Always allow pop-ups from** Continue to use MOGADOC. If everything works fine you can ignore the following instructions. Otherwise continue with point 2.




2. Click on , , or **Tools** and then on the item **Options**.
3. Click on the **Content** icon. If you have an old Firefox version, and if the checkbox near **Enable JavaScript** is not checked, you have to check it (in newer Firefox versions there is no easy way to disable JavaScript). If **Block pop-up windows** is checked, click on the button **Exceptions...**



Firefox 47




Firefox 26.0



Firefox 3.6

4. If the address “www.interhost.de” does not appear in the field below, you have to enter it in the field **Address of website**, click **Allow**, and close the window.
5. Restart your browser.





Firefox 47

Firefox 3.6

Allow JavaScript to bring windows to the front (Firefox version 23 and higher)


1. Write “about:config” (without quotation marks) into the address bar of the browser and press the Return key.
2. Then confirm the safety warning and scroll to the feature **dom.disable_window_flip**.
3. If the value of this feature is **true** you have to change it to **false** by double-click.
4. Restart your browser.




Search: dom.disable

Preference Name	Status	Type	Value
dom.disable_image_src_set	default	boolean	false
dom.disable_open_click_delay	default	integer	1000
dom.disable_open_during_load	default	boolean	true
dom.disable_window_flip	user set	boolean	false
dom.disable_window_move_resize	default	boolean	false
dom.disable_window_open_feature.close	default	boolean	false
dom.disable_window_open_feature.location	default	boolean	true
dom.disable_window_open_feature.menuubar	default	boolean	false
dom.disable_window_open_feature.minimizable	default	boolean	false
dom.disable_window_open_feature.personalbar	default	boolean	false
dom.disable_window_open_feature.resizable	default	boolean	true

Allow JavaScript to bring windows to the front (Firefox version 22 and lower)

1. Click on **Firefox** , or **Tools** and choose the menu item **Options**. Again choose Options and then the **Content** tab.
2. In the line of “Enable JavaScript” click on “**Advanced...**” and check “**Raise or lower windows**”.




3. Restart your browser.

Edge (41.16299.15):


Enable Pop-ups, JavaScript



1. When you start MOGADOC for the first time with Edge, Edge will tell you that it has blocked a pop-up of `www.interhost.de`. Now you can click on “Always allow”, close the browser windows and restart MOGADOC. Your choice will be remembered the next time you start MOGADOC.
2. JavaScript is normally enabled, and it is not possible to *disable* JavaScript within Edge.





Internet Explorer™ (IE11):

Enable Pop-ups, JavaScript


1. When you start MOGADOC with Internet Explorer for the first time, a warning will appear at the bottom of the browser window. Click on **Options for this site** and select **Always allow**. Continue to use MOGADOC. If everything works fine you can ignore the following instructions. Otherwise continue with point 2.
2. Click on **Tools** or  and then on the menu item **Internet Options**.



3. Choose the **Privacy** tab. If **Turn On Pop-up Blocker** is selected, click on the button **Settings**.
4. If the address “www.interhost.de” does not appear in the **Allowed sites** field you have to enter it in the field **Address of website to allow**. Click **Add** and then **Close**.
5. In the **Internet Options** window choose the **Security** tab. Click on the button **Custom Level**.










- In the **Settings** list scroll down to the subject **Scripting**. In the entry **Active Scripting** you must choose **Enable**. The following warning you can answer by **Yes**. Click **OK**.
- Restart your browser.



Opera™ (versions 18 - 50):

Enable Pop-ups and JavaScript

1. When you start MOGADOC with Opera for the first time a warning  **Pop-up blocked** will appear in the search (address) field of the browser. A few second later it will reduce to . Click on it and then on **Always allow pop-ups from** Start MOGADOC again. If everything works fine you can ignore the following instructions. Otherwise continue with point 2.
2. Click on  **Menu** or  **Opera** and select the menu item **Settings**.
3. Choose **Websites**. When under **Pop-ups** the option **Do not allow any site to show pop-ups (recommended)** is selected, click on **Manage exceptions...**




4. If the address “www.interhost.de” does not appear in the above field you have to enter it, click or select **Allow**, if applicable, click **Done**, and close the window.

Pop-up exceptions


Hostname pattern	Behavior
<input type="text" value="www.interhost.de"/>	Allow

Done

- When under **JavaScript** the option **Do not allow any site to run JavaScript** is selected, click on **Manage exceptions...**



- If the address "www.interhost.de" does not appear in the above field you have to enter it, click or select **Allow**, if applicable, click **Done**, and close the window.




- Restart your browser.

Safari™ (versions 6.1.1 – 11, Mac OS X 10.8 (Mountain Lion) to macOS 10.13 (High Sierra)):

Enable Pop-ups, JavaScript, and WebGL

1. Choose **Preferences** in the **Safari** menu, select **Security**, and uncheck **Block pop-up windows**.




Safari 6.1.1

Safari 7.0.4

2. Check (select) the **Enable JavaScript** and (if it exists) the **Allow WebGL** check box.



Safari 9.1



Safari 11.0

3. Restart your browser.

Note: MOGADOC is not completely compatible with Safari 9. If you use MOGADOC with Safari 9 you should avoid closing pop-up windows. Otherwise you will not be able to open them again without restarting MOGADOC.

User Interface Translations to French and German

English	French	German
Active Scripting	Activer le filtre XSS	Active Scripting
Add	Ajouter	Hinzufügen
Add-ons	Modules	Add-ons
Address of website	Adresse du site web	Adresse der Website
Address of website to allow	Adresse du site Web à autoriser	Adresse der Website, die zugelassen werden soll
Advanced	Avancé	Erweitert
Allow	Autoriser	Zulassen, Erlauben
Allowed sites	Sites autorisés	Zugelassene Websites
Always activate	Toujours activer	Immer aktivieren
Always allowed	Toujours autorisé	Immer erlaubt
Ask to activate	Demander pour activer	Nachfragen, ob aktiviert werden soll
Block pop-up windows	Bloquer les fenêtres popup/surgissantes	Pop-up-Fenster blockieren/Pop-Ups blockieren
Close	Fermer	Schließen
Connections	Connexions	Verbindungen
Content	Contenu	Inhalt
Content settings	Paramètres de contenu	Inhaltseinstellungen
Custom Level	Personnaliser le niveau	Stufe anpassen
Disable	Désactiver	Deaktivieren
Do not allow any site to run JavaScript	Interdire à tous les sites d'exécuter JavaScript	Ausführung von JavaScript für keine Website zulassen
Do not allow any site to show pop-ups	Interdire à tous les sites d'afficher des fenêtres pop-up	Anzeige von Pop-ups für keine Webstie zulassen
Enable	Activer	Aktivieren
Enable JavaScript	Activer JavaScript	JavaScript aktivieren
Exceptions	Exceptions	Ausnahmen
Internet Options	Options Internet	Internetoptionen
LAN Settings		LAN-Einstellungen
Manage exceptions	Gérer les exceptions	Ausnahmen verwalten

Manage Website Settings	Réglages de site web	Website-Einstellungen
Network	Réseau	Netzwerk
Never Activate	Ne jamais activer	Nie aktivieren
Options	Options	Einstellungen
Pop-ups	Fenêtres pop-up	Pop-ups
Preferences	Préférences	Einstellungen
Privacy	Confidentialité	Datenschutz
Raise or lower windows		Fenster vor oder hinter andere Fenster legen
Scripting	Script	Scripting
Scripting of Java applets	Script des applets Java	Skripting von Java-Applets
Security	Sécurité	Sicherheit
Settings	Paramètres	Einstellungen
Show advanced settings	Afficher les paramètres avancés	Erweiterte Einstellungen anzeigen
Tools	Outils	
Turn On Pup-up Blocker	Activer de bloqueur de fenêtres contextuelles	Popupblocker einschalten
Under the Hood	Options avancées	Details
Websites		Websites
When visiting other websites	Lors de l'accès à d'autres sites web	Beim Besuch anderer Websites