

## PUBLICATIONS (1991-2014)

[1] Nonperturbative many-body techniques applied to the Yang-Mills Hamiltonian in the Schwinger gauge,

J. Ankerhold and D. Schütte, Phys. Rev. D 43, 1991–1998 (1991).

[2] The density matrix near the top of a potential barrier: a problem of caustics in path integration,

J. Ankerhold and H. Grabert, Physica A 188, 568–596 (1992).

[3] Semiclassical density matrix for the Eckart barrier including the region near the caustic,

J. Ankerhold, F. J. Weiper, and H. Grabert, in: H. Grabert et al. (eds.),  
Path Integrals from meV to MeV (World Scientific, Singapore 1993).

[4] Semiclassical Methods for Dissipative Systems with Potential Barriers,

J. Ankerhold, (Thesis, University of Essen, 1994)

[5] Dissipative quantum systems with a potential barrier: General theory and the parabolic barrier,

J. Ankerhold, H. Grabert, and G.-L. Ingold, Phys. Rev. E 51, 4267–4281  
(1995).

[6] Dissipative quantum systems with a potential barrier. II. Dynamics near the barrier top,

J. Ankerhold and H. Grabert, Phys. Rev. E 52, 4704–4723 (1995).

[7] Semiclassical density matrix near the top of a potential barrier,

F. J. Weiper, J. Ankerhold, and H. Grabert, Physica A 223, 193–213  
(1996).

[8] Quantum effects in barrier dynamics,

J. Ankerhold and H. Grabert, Chem. Phys. 204, 27–40 (1996).

[9] Exact and Semiclassical Density Matrix of a Particle Moving in Barrier Potential with Bound States,

F. J. Weiper, J. Ankerhold, and H. Grabert, J. Chem. Phys. 104, 7526–7538 (1996).

[10] Semiclassical Quantization of Nonseparable Systems without Periodic Orbits,

F. J. Weiper, J. Ankerhold, H. Grabert, E. Pollak, Phys. Rev. Lett. 77, 2662–2665 (1996).

[11] Dissipative quantum systems with a potential barrier. III. Steady state nonequilibrium flux across the barrier,

J. Ankerhold and H. Grabert, Phys. Rev. E 55, 1355–1374 (1997).

[12] Agmon–Hopfield kinetics in the slow diffusion regime,

P. Pechukas and J. Ankerhold, J. Chem. Phys. 107, 2444–2450 (1997).

[13] Is the direct observation of electronic coherence in electron transfer reactions possible?,

A. Lucke, C.H. Mak, R. Egger, J. Ankerhold, J. Stockburger, H. Grabert,  
J. Chem. Phys. 107, 8397–8408 (1997).

[14] Orientational quantum melting and reentrance of linear rotors pinned onto surfaces,  
M.H. Müser and J. Ankerhold, Europhys. Lett. 44, 216–221 (1998).

[15] Mathematical aspects of the fluctuating barrier problem. Existence of equilibrium and relaxation solutions,  
P. Pechukas and J. Ankerhold, Chem. Phys. 235, 5–10 (1998).

[16] Mathematical aspects of the fluctuating barrier problem. Explicit equilibrium and relaxation solutions,  
J. Ankerhold and P. Pechukas, Physica A 261, 458–470 (1998).

[17] Eigenvector-eigenvalue rate calculations for the fluctuating barrier problem: Two examples,  
J. Ankerhold and P. Pechukas, Phys. Rev. E 58, 6968–6974 (1998).

[18] Partitioning dynamic and thermal factors in quantum rate calculations: a coherent state approach ,  
J. Ankerhold, F. Grossmann, and D. Tannor, PCCP 1, 1333–1342 (1999).

[19] Quantum tunneling and the semiclassical real time evolution of the density matrix,  
J. Ankerhold and H. Grabert, Europhys. Lett. 47, 285–291 (1999).

[20] Semiclassical real-time theory of quantum tunneling,  
J. Ankerhold and H. Grabert in: Path Integrals from peV to TeV R. Csalbuoni et al. (eds.) (World Scientific, Singapore, 1999).

[21] Reaction rates for fluctuating barriers with asymmetric noise,  
J. Ankerhold and P. Pechukas, J. Chem. Phys. 111, 4886–4892 (1999).

[22] Semiclassical time evolution of the density matrix and tunneling,  
J. Ankerhold and H. Grabert, Phys. Rev. E 61, 3450–3465 (2000).

[23] Quantum fluctuating barriers,  
J. Ankerhold and P. Pechukas, Europhys. Lett. 52, 264–270 (2000).

[24] Quantum Smoluchowski equation,  
P. Pechukas, J. Ankerhold, and H. Grabert, Ann. Phys. (Leipzig) 9, 794–803 (2000).

[25] Quantum Smoluchowski equation II: The overdamped harmonic oscillator,  
P. Pechukas, J. Ankerhold, and H. Grabert, Phys. Chem. B 105, 6638–6641 (2001).

[26] Tunneling in Complex Systems and Periodic Orbits,  
J. Ankerhold, Adv. Solid State Phys. 41, 433–445 (2001).

[27] Dissipative wave–packet dynamics and electron transfer,  
A. Lucke and J. Ankerhold, J. Chem. Phys. 115, 4696–4707 (2001).

[28] Strong friction limit in quantum mechanics: the quantum Smoluchowski equation,

J. Ankerhold, P. Pechukas, and H. Grabert, Phys. Rev. Lett. 87, 086802 (2001); ibid 101, 119903 (2008) (Erratum).

[29] Extensions of the perturbed SPA: Decay rates of damped systems and improvement for small temperatures,

C. Rummel, H. Hofmann, and J. Ankerhold, in The Nuclear Many-Body Problem 2001 W. Nazarewicz and D. Vretenar (eds.), (Kluwer, 2002).

[30] Quantum decay rates for driven barrier potentials in the strong friction limit,

J. Ankerhold, Phys. Rev. E. 64, 060102 (Rapid Comm.) (2001).

[31] A study of the semiclassical initial value representation at short times

J. Ankerhold, M. Saltzer, and E. Pollak, J. Chem. Phys. 116, 5925–5932 (2002).

[32] Partition function for an interacting many body system: beyond the perturbed static path approximation,

C. Rummel and J. Ankerhold, EPJ B 29, 105 (2002).

[33] Semiclassical wave-packet tunneling in real-time,

J. Ankerhold and M. Saltzer, Phys. Lett. A. 305, 251 (2002).

[34] Phase space dynamics of overdamped quantum systems,

J. Ankerhold, Europhys. Lett. 61, 301 (2003).

[35] Quantum dynamics with strong friction: The quantum Smoluchowski equation and beyond,

J. Ankerhold, invited contribution to Physica Acta Polonica B 34, 3569 (2003).

[36] Dynamics of quantum dissipative systems—from path integrals to Master equations,

J. Ankerhold, invited contribution to Irreversible Quantum Dynamics, Lecture Notes in Physics 622, F. Benatti, R. Floreani (eds.), (Springer, Heidelberg, 2003).

[37] Wave packet dynamics and tunneling in external time dependent fields: A semiclassical approach,

M. Saltzer and J. Ankerhold, invited contribution to “Recent Research in Quantum Theory” (Nova Publishers, New York, 2004).

[38] Semiclassical tunneling in real-time: Wave packet dynamics in static and driven barrier potentials,

M. Saltzer and J. Ankerhold, Phys. Rev. A 68, 042108 (2003).

[39] Enhancement of Macroscopic Quantum Tunneling by Landau Zener Transitions,

J. Ankerhold and H. Grabert, Phys. Rev. Lett. 91, 016803 (2003).

[40] Low temperature electron transfer in strongly condensed phase,  
H. Lehle and J. Ankerhold, *J. Chem. Phys.* 120, 1436 (2004).

[41] Macroscopic Quantum Tunneling of Quantum Bits,  
J. Ankerhold and H. Grabert, in: Proceedings of the 39th Rencontres de  
Moriond, D.C. Glattli, M. Sanquer, J.T.T. Van (eds.), "Quantum Informa-  
tion and Decoherence in Nanosystems", 137 (2005).

[42] Path-integral Monte Carlo simulations for electronic dynamics on molecular  
chains: I. Sequential hopping and superexchange  
M. Mühlbacher, J. Ankerhold, and C. Escher, *J. Chem. Phys.* 121, 12696  
(2004).

[43] Quantum Brownian Motion at Large Friction  
J. Ankerhold, H. Grabert, and P. Pechukas, invited contribution to a focus  
issue in *CHAOS: 100 years of Brownian motion*, *Chaos* 15, 026106 (2005).

[44] Quantum phase diffusion and charging effects in overdamped Josephson  
junctions,  
J. Ankerhold, *Europhys. Lett.* 67, 280 (2004).

[45] Zener Enhancement of Quantum Tunneling in a Two Level Superconducting Circuit  
G. Ithier, E. Collin, P. Jouyez, D. Vion, D. Esteve, and J. Ankerhold and H.  
Grabert, *Phys. Rev. Lett.* 94, 057004 (2005); *ibid* 96, 029901 (2006)(Er-  
ratum).

[46] Path-integral Monte Carlo simulations for electronic dynamics on molecular  
chains: II. Transport across impurities  
L. Mühlbacher, J. Ankerhold, *J. Chem. Phys.* 122, 184715 (2005).

[47] Influence of low frequency noise on macroscopic quantum tunneling in  
superconducting circuits,  
M. Duckheim and J. Ankerhold, *Phys. Rev. B* 71, 134501 (2005).

[48] Comment on "Quantum Tunneling at Zero Temperature in the Strong  
Friction Limit",  
J. Ankerhold, H. Grabert, and P. Pechukas, *Phys. Rev. Lett.* 95, 079801  
(2005).

[49] Real-time Monte-Carlo Simulations for tight-binding systems and time-  
local master equations,  
L. Mühlbacher, C. Escher, and J. Ankerhold, special issue in *Chem. Phys.*  
322, 200 (2006).

[50] How to detect the fourth order cumulant of electrical noise,  
J. Ankerhold and H. Grabert, *Phys. Rev. Lett.* 95, 186601 (2005).

[51] Non-equilibrium Dynamics of Correlated Electron Transfer in Molecular  
Chains  
L. Mühlbacher, J. Ankerhold, and A. Komnik, *Phys. Rev. Lett.* 95,  
220404 (2005).

[52] Nonequilibrium many-body dynamics along a dissipative Hubbard chain:  
Symmetries and Quantum Monte Carlo simulations  
L. Mühlbacher and J. Ankerhold, Phys. Rev. B 74, 165105 (2006).

[53] Single and correlated charge transport across molecular wires  
L. Mühlbacher and J. Ankerhold, in: Dynamics of Open Quantum Systems,  
K.H. Hughes (ed.), (CCP6, Daresbury, 2006), 30.

[54] Detecting electrical noise with a Josephson junction: A problem of thermal  
escape in presence of non-Gaussian fluctuations  
J. Ankerhold, Phys. Rev. Lett. 98, 036601 (2007); ibid 99, 139901  
(2007) (Erratum).

[55] Dissipation can enhance quantum effects  
J. Ankerhold and E. Pollak, Phys. Rev. E 75, 041103 (2007).

[56] Effects of interactions and noise of Bose-Einstein condensates through a  
potential barrier  
J. Huhtamäki, M. Möttönen, J. Ankerhold, and S.M.M. Virtanen, Phys.  
Rev. A 76, 033605 (2007).

[57] Josephson junctions as detectors for non-Gaussian noise  
B. Huard, H. Pothier, N.O. Birge, D. Esteve, X. Waintal, and J. Ankerhold,  
Ann. Phys. 16, 736 (2007).

[58] Correlated transport of fermions and bosons along molecular chains  
L. Mühlbacher and J. Ankerhold, New J. Phys. 10, 065023 (2008).

[59] Charge transfer dynamics in driven molecular ratchets: Quantum Monte  
Carlo results and rate models  
L. Mühlbacher and J. Ankerhold, J., New J.Phys. 10, 065023 (2008)

[60] Non-Markovian semiclassical dissipative dynamics,  
J. Koch, F. Grossmann, J.T. Stockburger, and J. Ankerhold, Phys. Rev.  
Lett. 100, 230402 (2008).

[61] Counting electrical charges: a problem of thermal escape and quantum  
tunneling in presence of non-Gaussian noise,  
J. Ankerhold, in: Proceedings Path Integrals–new trends and perspectives,  
W. Jahnke and A. Pelster (eds.), World Scientific, 453 (2009).

[62] Semiclassical theory of energy diffusive escape  
A. Verso and J. Ankerhold, Phys. Rev. A. 79, 022115 (2009).

[63] Nonadiabatic effects in the quantum phase diffusion in superconducting  
atomic point contacts  
H. Fritz and J. Ankerhold, Phys. Rev. B 80, 064502 (2009).

[64] Semiclassical formulation of non-Markovian quantum Brownian motion,  
J. Koch, F. Grossmann, J. Ankerhold, J.T. Stockburger, Physica E 42,  
388 (2010).

- [65] Quantum Smoluchowski equation—a systematic study,  
S. Maier and J. Ankerhold, Phys. Rev. E 81, 021107 (2010).
- [66] Low temperature quantum fluctuation in overdamped ratchets,  
S. Maier and J. Ankerhold, Phys. Rev. E 82, 021104 (2010).
- [67] Semiclassical non-Markovian Brownian motion in anharmonic potentials,  
J. Koch, F. Grossmann, J.T. Stockburger, and J. Ankerhold, Chem. Phys.  
370, 34 (2010).
- [68] Dissipation in a rotating frame: master equation, effective temperature,  
and Lamb-shift,  
A. Verso and J. Ankerhold, Phys. Rev. A 81, 022110 (2010).
- [69] Semiclassical theory of energy diffusive escape in a Duffing oscillator,  
A. Verso and J. Ankerhold, Phys. Rev. E 82, 051116 (2010).
- [70] Adiabatically steered open quantum systems: Master equation and optimal  
phase,  
J. Salmilehto, P. Solinas, J. Ankerhold, and M. Möttönen, Phys. Rev. A  
82, 062112 (2010).
- [71] Tunneling in open systems,  
A. Verso and J. Ankerhold, in: Dynamical Tunneling, S. Keshvamurthy  
and P. Schlagheck (eds.), (Taylor and Francis, 2011), 401.
- [72] Quantum dynamics of a two-level system in a structured environment:  
Numerical study beyond perturbation theory,  
J. C. Escher and J. Ankerhold, Phys. Rev. A 83, 032112 (2011).
- [73] Charge transfer through single molecular contacts: How reliable are rate  
descriptions?,  
D. Kast, L. Kecke and J. Ankerhold, Beilstein J. Nanotechnol. 2, 416  
(2011).
- [74] Optimal control of open quantum systems: cooperative effects of driving  
and dissipation,  
R. Schmidt, A. Negretti, J. Ankerhold, T. Calarco and J.T. Stockburger,  
Phys. Rev. Lett. 107, 13040 (2011).
- [75] Measurement scheme for the Lamb shift in a superconducting circuit with  
broadband environment,  
V. Gramich, P. Solinas, M. Möttönen, J. P. Pekola, J. Ankerhold, Phys.  
Rev. A 84, 052103 (2011).
- [76] Quantum phase diffusion in ac-driven superconducting atomic point con-  
tacts,  
F. Carusela and J. Ankerhold, Phys. Rev. B 85, 134509 (2012).
- [77] Voltage induced conformational changes and current control in charge  
transfer through molecules,  
L. Kecke and J. Ankerhold, Phys. Rev. B 85, 245442 (2012).

[78] Cooling of quantum systems through optimal control and dissipation,  
R. Schmidt, S. Rohrer, J. Ankerhold and J. T. Stockburger, *Physica Scripta*  
T151, 014034 (2012).

[79] Persistence of coherent quantum dynamics at strong dissipation,  
D. Kast and J. Ankerhold, *Phys. Rev. Lett.* 110, 010402 (2013).

[80] Dynamics of quantum coherences at strong coupling to a heat bath,  
D. Kast and J. Ankerhold, *Phys. Rev. B* 87, 134301 (2013).

[81] Charge transfer through molecular junctions within Redfield theory: subtleties and pitfalls,  
L. Kecke and J. Ankerhold, arXiv:1301.2422 [cond-mat.mes-hall].

[82] Linear dynamics subject to thermal fluctuations and non-Gaussian noise:  
From classical to quantum,  
M. Köpke and J. Ankerhold, *New J. Physics* 15, 043013 (2013).

[83] Thermal fluctuations and the solution of the turnover problem for activated rate processes,  
J. Ankerhold and E. Pollak, *J. Chem. Phys.* 138, 164116 (2013).

[84] Almost local generation of Einstein-Podolsky-Rosen entanglement in nonequilibrium open systems,  
R. Schmidt, J. T. Stockburger, and J. Ankerhold, *Phys. Rev. A* 88, 052321 (2013).

[85] From Coulomb-Blockade to Nonlinear Quantum Dynamics in a Superconducting Circuit with a Resonator,  
V. Gramich, B. Kubala, S. Rohrer, and J. Ankerhold, *Phys. Rev. Lett.* 111, 247002 (2013).

[86] Entanglement generation through local field and quantum dissipation,  
J. T. Stockburger, R. Schmidt, and J. Ankerhold, *Phys. Scr.* T165, 014020 (2015).

[87] Non-classical light from superconducting resonators coupled to voltage-biased Josephson junctions,  
B. Kubala, V. Gramich, and J. Ankerhold, *Phys. Scr.* T165, 014029 (2015).

[88] Heat due to system-reservoir correlations in thermal equilibrium,  
J. Ankerhold and J. P. Pekola, *Phys. Rev. B* 90, 075421 (2014).

[89] The moments of work in the two-point measurement protocol for a driven open quantum system,  
S. Suomela, P. Solinas, J.P. Pekola, J. Ankerhold, and T. Ala-Nissila, *Phys. Rev. B* 90, 094304 (2014).

[90] Bipartite entanglement dynamics of two level systems in sub-Ohmic reservoirs,  
D. Kast and J. Ankerhold, *Phys. Rev. B* 90, 100301(R) (2014).

[91] Experimentally realizable control functions: Optimal control with arbitrary basis sets,

S. Rohrer, J. T. Stockburger, and J. Ankerhold, *J. Math. Phys. A: Math. Theor.* 47, 495002 (2014).

[92] Lamb shift enhancement and detection in strongly driven superconducting circuits,

V. Gramich, S. Gasparinetti, P. Solinas, and J. Ankerhold, *Phys. Rev. Lett.* 113, 027001 (2014).